

UUEE

Moscou Sheremetyevo


LFPG

Paris Charles De Gaulle

2024/05/23 0324Z

UUEE FK **R800** RATIN **N858** BOKSU **Y88** LIMKO **UN858** GRU **N858** ERSIL **UN858** BITBU **Y180** DIK **J910** IDOSA
UN857 RAPOR **J115** RENSA LFPG

1333.64 nm / 2469.91 km



Notes

Basic altitude profile:

- Ascent Rate: 1500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 31000ft
- Cruise Speed: 330kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
UUEE	-	55.97264	0 ft	-	Moscou Sheremetyevo
APT	-	37.41459	0 m		
FK	-	55.55528	30,200 ft	84	GAGARIN NDB
NDB	-	35.02194	9,205 m		
IDERA	R800	55.47500	35,000 ft	45	-
FIX	AWY-LO	33.70500	10,668 m		
RATIN	R800	55.28000	35,000 ft	97	-
FIX	AWY-LO	30.86139	10,668 m		
VTB	N858	55.12500	35,000 ft	19	VITEBSK VOR-DME
VOR	AWY-LO	30.35333	10,668 m		
SIVRU	N858	55.03167	35,000 ft	40	-
FIX	AWY-LO	29.19000	10,668 m		
LAVAR	N858	54.69139	35,000 ft	121	-
FIX	AWY-LO	25.73667	10,668 m		
VNO	N858	54.63606	35,000 ft	15	VILNIUS VOR-DME
VOR	AWY-LO	25.29363	10,668 m		
BILDI	N858	54.58778	35,000 ft	12	-
FIX	AWY-LO	24.94528	10,668 m		
OMETA	N858	54.50833	35,000 ft	20	-
FIX	AWY-LO	24.38722	10,668 m		
BOKSU	N858	54.30750	35,000 ft	47	-
FIX	AWY-LO	23.05917	10,668 m		
LIMKO	Y88	54.04167	35,000 ft	57	-
FIX	AWY-LO	21.50000	10,668 m		
TUROL	UN858	53.85861	35,000 ft	37	-
FIX	AWY-HI	20.50000	10,668 m		
GRU	UN858	53.52124	35,000 ft	64	GRUDZIADZ VOR-DME
VOR	AWY-HI	18.78134	10,668 m		
EBOGU	N858	53.37889	35,000 ft	24	-
FIX	AWY-LO	18.14972	10,668 m		
DEKUT	N858	53.11611	35,000 ft	43	-
FIX	AWY-LO	17.03528	10,668 m		
DRE	N858	52.81685	35,000 ft	47	DREZDENKO VOR-DME
VOR	AWY-LO	15.83249	10,668 m		
SUI	N858	52.37986	35,000 ft	52	SUBI VOR-DME
VOR	AWY-LO	14.58560	10,668 m		
BESKO	N858	52.24556	35,000 ft	19	-
FIX	AWY-LO	14.10306	10,668 m		
PEPOL	N858	52.12611	35,000 ft	17	-
FIX	AWY-LO	13.68250	10,668 m		
MOSEX	N858	51.91917	35,000 ft	29	-
FIX	AWY-LO	12.97083	10,668 m		
LORBO	N858	51.68944	35,000 ft	31	-
FIX	AWY-LO	12.20500	10,668 m		
DESAR	N858	51.64000	35,000 ft	6	-
FIX	AWY-LO	12.04278	10,668 m		
GALMA	N858	51.39806	35,000 ft	26	-
FIX	AWY-LO	11.45111	10,668 m		
OBADI	N858	51.32389	35,000 ft	8	-
FIX	AWY-LO	11.27222	10,668 m		
MITRU	N858	51.29389	35,000 ft	4	-
FIX	AWY-LO	11.16194	10,668 m		
ERSIL	N858	51.05056	35,000 ft	36	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	10.28667	10,668 m		
MASEK	UN858	50.72917	35,000 ft	32	-
FIX	AWY-HI	9.59833	10,668 m		
SOGMI	UN858	50.52750	35,000 ft	29	-
FIX	AWY-HI	8.89917	10,668 m		
TESGA	UN858	50.44500	35,000 ft	11	-
FIX	AWY-HI	8.61889	10,668 m		
AMASI	UN858	50.24028	35,000 ft	40	-
FIX	AWY-HI	7.60611	10,668 m		
NANOK	UN858	50.16333	35,000 ft	13	-
FIX	AWY-HI	7.28889	10,668 m		
VIBOM	UN858	50.13333	35,000 ft	5	-
FIX	AWY-HI	7.16611	10,668 m		
NOSPA	UN858	50.02056	35,000 ft	18	-
FIX	AWY-HI	6.71139	10,668 m		
BITBU	UN858	49.98222	35,000 ft	6	-
FIX	AWY-HI	6.56045	10,668 m		
NUDRI	Y180	49.89333	32,900 ft	13	-
FIX	AWY-LO	6.24139	10,028 m		
DIK	Y180	49.86139	31,900 ft	4	DIEKIRCH NDB
NDB	AWY-LO	6.12972	9,723 m		
IDOSA	J910	49.74165	29,200 ft	12	-
FIX	AWY-LO	5.86978	8,900 m		
TOLVU	UN857	49.62528	24,800 ft	20	-
FIX	AWY-HI	5.37167	7,559 m		
RAPOR	UN857	49.59139	23,400 ft	6	-
FIX	AWY-HI	5.21306	7,132 m		
RENSA	J115	49.53306	20,600 ft	13	-
FIX	AWY-LO	4.88556	6,279 m		
LFPG	-	49.00974	0 ft	96	Paris Charles De Gaulle
APT	-	2.56262	0 m		

UUEE

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 3

Elevation: 630 ft / 192 m
Location: 55.972500 37.413100
Magnetic Var: 11.981 E

METAR

UUEE 230300Z 07004MPS CAVOK 10/02 Q1027 R06R/CLRD62 R06C/CLRD62 NOSIG

TAF

TAF UUEE 230153Z 2303/2403 10005MPS CAVOK TX20/2312Z TN07/2402Z TEMPO 2307/2315 09008G13MPS BECMG 2320/2322 1700

Frequencies

REC - 122.07 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 125.12 MHz - SHEREMETYEVO ATIS DEPARTURE
REC - 120.37 MHz - SHEREMETYEVO ATIS ARRIVAL	REC - 126.37 MHz - SHEREMETYEVO ATIS DEPARTURE
TWR - 131.50 MHz - SHEREMETYEVO TOWER	TWR - 120.70 MHz - SHEREMETYEVO TOWER
TWR - 118.70 MHz - SHEREMETYEVO TOWER	TWR - 119.30 MHz - SHEREMETYEVO TOWER
GND - 119.00 MHz - SHEREMETYEVO GROUND	GND - 121.80 MHz - SHEREMETYEVO GROUND
GND - 122.90 MHz - SHEREMETYEVO GROUND	GND - 121.90 MHz - SHEREMETYEVO APRON 1
GND - 123.60 MHz - SHEREMETYEVO APRON 2	GND - 130.35 MHz - SHEREMETYEVO APRON 3
GND - 134.55 MHz - SHEREMETYEVO APRON 4	CLD - 128.60 MHz -
CLD - 120.87 MHz -	SHEREMETYEVO CLEARANCE DELIVERY
SHEREMETYEVO CLEARANCE DELIVERY	APP - 122.70 MHz - SHEREMETYEVO RADAR
APP - 135.17 MHz - SHEREMETYEVO RADAR	APP - 118.10 MHz - SHEREMETYEVO RADAR
APP - 126.60 MHz - SHEREMETYEVO RADAR	APP - 120.67 MHz - SHEREMETYEVO RADAR
APP - 127.20 MHz - MOSCOW APPROACH	APP - 128.00 MHz - MOSCOW APPROACH
APP - 134.00 MHz - MOSCOW APPROACH	APP - 131.20 MHz - MOSCOW APPROACH
APP - 118.95 MHz - MOSCOW APPROACH	APP - 118.55 MHz - MOSCOW APPROACH
APP - 130.37 MHz - MOSCOW APPROACH	APP - 124.20 MHz - MOSCOW APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06L	197 ft	10,467 ft	74.98	CONCRETE	0 ft	0 ft
	60 m	3,190 m	63.00		0 m	0 m
24R	197 ft	10,467 ft	255.02	CONCRETE	0 ft	0 ft
	60 m	3,190 m	243.04		0 m	0 m
06C	197 ft	11,611 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,539 m	63.04		0 m	0 m
24C	197 ft	11,611 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,539 m	243.09		0 m	0 m
06R	197 ft	12,101 ft	75.03	CONCRETE	0 ft	0 ft
	60 m	3,689 m	63.04		0 m	0 m
24L	197 ft	12,101 ft	255.07	CONCRETE	0 ft	0 ft
	60 m	3,689 m	243.09		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	LOC-ILS	IMA	108.75 MHz	18 nm	75.00	-	630 ft
				33 km	63.02		630 m
06C	LOC-ILS	IMR	108.10 MHz	18 nm	75.05	-	630 ft
				33 km	63.07		630 m
06R	LOC-ILS	INL	109.10 MHz	18 nm	75.05	-	630 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	63.07		630 m
24L	LOC-ILS	IBW	110.50 MHz	18 nm	255.05	-	630 ft
				33 km	243.07		630 m
24C	LOC-ILS	IAD	111.30 MHz	18 nm	255.05	-	630 ft
				33 km	243.07		630 m
24R	LOC-ILS	IBR	109.35 MHz	18 nm	255.00	-	630 ft
				33 km	243.02		630 m
06L	GS	IMA	108.75 MHz	10 nm	75.00	3.00	630 ft
				19 km	63.02		630 m
06C	GS	IMR	108.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.07		630 m
06R	GS	INL	109.10 MHz	10 nm	75.05	2.98	630 ft
				19 km	63.07		630 m
24L	GS	IBW	110.50 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.07		630 m
24C	GS	IAD	111.30 MHz	10 nm	255.05	2.98	630 ft
				19 km	243.07		630 m
24R	GS	IBR	109.35 MHz	10 nm	255.00	3.00	630 ft
				19 km	243.02		630 m

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.500 E

METAR

LFPG 230300Z 24005KT 200V280 CAVOK 12/12 Q1015 NOSIG

TAF

TAF LFPG 222300Z 2300/2406 20005KT CAVOK TX18/2315Z TN12/2302Z PROB40 TEMPO 2300/2305 4000 BR TEMPO 2312/2322 4000

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.85		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.85		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.84		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.84		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.82		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.84		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.82		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.84		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.82		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.84		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.82		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m