


2024/05/14 2158Z

OMDB ORSAR **B416** IMDAT **R784** SIDAD **UP975** SUMEN **UL602** Tuset **UL5** LAMIT **UL605** NEKUL **UT85** MOPUG **UL606**
SOGMO **UM859** DIMLO **UT23** GRZ **UT19** ERKIR **UL608** KPT **UL856** AKABI **UZ613** TRA **UL851** LANVI **UL161** LASIV LFPG

2867.45 nm / 5310.51 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OMDB	-	25.25491	0 ft	-	DUBAI INTL
APT	-	55.36426	0 m		
ORSAR	-	26.07500	32,300 ft	90	-
FIX	-	53.95833	9,845 m		
EGMID	B416	26.60417	34,000 ft	57	-
FIX	AWY-HI	53.06694	10,363 m		
DURSI	B416	27.20528	34,000 ft	66	-
FIX	AWY-HI	52.02889	10,363 m		
IMDAT	B416	27.68333	34,000 ft	53	-
FIX	AWY-HI	51.18333	10,363 m		
ALNIN	R784	28.67861	34,000 ft	85	-
FIX	AWY-HI	50.02722	10,363 m		
OBMOR	R784	28.97056	34,000 ft	25	-
FIX	AWY-HI	49.67000	10,363 m		
NANPI	R784	29.08250	34,000 ft	9	-
FIX	AWY-HI	49.53250	10,363 m		
DESLU	R784	29.46667	34,000 ft	34	-
FIX	AWY-HI	49.03056	10,363 m		
SIDAD	R784	29.87528	34,000 ft	37	-
FIX	AWY-HI	48.49556	10,363 m		
ILMAP	UP975	31.35917	34,000 ft	119	-
FIX	AWY-HI	46.95056	10,363 m		
DENKI	UP975	32.37457	34,000 ft	82	-
FIX	AWY-HI	45.85599	10,363 m		
NOLDO	UP975	32.82567	34,000 ft	36	-
FIX	AWY-HI	45.35817	10,363 m		
ETBOM	UP975	33.36048	34,000 ft	42	-
FIX	AWY-HI	44.79793	10,363 m		
SOGUM	UP975	34.20333	34,000 ft	67	-
FIX	AWY-HI	43.91500	10,363 m		
LOPAS	UP975	34.50096	34,000 ft	22	-
FIX	AWY-HI	43.64288	10,363 m		
GETID	UP975	35.26406	34,000 ft	57	-
FIX	AWY-HI	42.93303	10,363 m		
KANOK	UP975	36.56515	34,000 ft	99	-
FIX	AWY-HI	41.68316	10,363 m		
LESRI	UP975	37.07222	34,000 ft	37	-
FIX	AWY-HI	41.23028	10,363 m		
DYB	UP975	37.87083	34,000 ft	68	DIYARBAKIR NDB
NDB	AWY-HI	40.20861	10,363 m		
EZS	UP975	38.70694	34,000 ft	68	ELAZIG VOR-DME
VOR	AWY-HI	39.22444	10,363 m		
ARPUT	UP975	38.84556	34,000 ft	15	-
FIX	AWY-HI	38.94056	10,363 m		
SIV	UP975	39.78944	34,000 ft	110	SIVAS NDB
NDB	AWY-HI	36.89333	10,363 m		
ERGUN	UP975	40.74639	34,000 ft	114	-
FIX	AWY-HI	34.73889	10,363 m		
ORMAN	UP975	41.29056	34,000 ft	68	-
FIX	AWY-HI	33.41194	10,363 m		
TEPKI	UP975	41.45333	34,000 ft	21	-
FIX	AWY-HI	32.99278	10,363 m		
HAKAN	UP975	41.72333	34,000 ft	35	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	32.29833	10,363 m		
ODERO	UP975	42.61056	34,000 ft	105	-
FIX	AWY-HI	30.26444	10,363 m		
WRN	UP975	43.23139	34,000 ft	113	VARNA VOR-DME
VOR	AWY-HI	27.81722	10,363 m		
SUMEN	UP975	43.40333	34,000 ft	30	-
FIX	AWY-HI	27.15333	10,363 m		
KOMAN	UL602	43.98333	34,000 ft	53	-
FIX	AWY-HI	26.21667	10,363 m		
TUSET	UL602	44.62686	34,000 ft	59	-
FIX	AWY-HI	25.14958	10,363 m		
LAMIT	UL5	45.10398	34,000 ft	80	-
FIX	AWY-HI	23.37477	10,363 m		
IDELO	UL605	45.26025	34,000 ft	15	-
FIX	AWY-HI	23.07903	10,363 m		
NEKUL	UL605	45.51679	34,000 ft	25	-
FIX	AWY-HI	22.58677	10,363 m		
TUNET	UT85	45.69591	34,000 ft	23	-
FIX	AWY-HI	22.07959	10,363 m		
MOPUG	UT85	46.16347	34,000 ft	63	-
FIX	AWY-HI	20.70805	10,363 m		
MAVIR	UL606	46.39842	34,000 ft	39	-
FIX	AWY-HI	19.82528	10,363 m		
SOGMO	UL606	46.60953	34,000 ft	89	-
FIX	AWY-HI	17.68335	10,363 m		
NIKAB	UM859	46.61909	34,000 ft	5	-
FIX	AWY-HI	17.54561	10,363 m		
DIMLO	UM859	46.68349	34,000 ft	46	-
FIX	AWY-HI	16.42272	10,363 m		
NIDLO	UT23	46.80334	34,000 ft	19	-
FIX	AWY-HI	15.99468	10,363 m		
GRZ	UT23	46.95537	34,000 ft	24	GRAZ VOR-DME
VOR	AWY-HI	15.44943	10,363 m		
ERKIR	UT19	47.53778	34,000 ft	144	-
FIX	AWY-HI	12.00889	10,363 m		
KOGOL	UL608	47.62139	34,000 ft	26	-
FIX	AWY-HI	11.36806	10,363 m		
KPT	UL608	47.74583	34,000 ft	41	KEMPTEN VOR-DME
VOR	AWY-HI	10.34972	10,363 m		
RAVED	UL856	47.72917	34,000 ft	27	-
FIX	AWY-HI	9.66944	10,363 m		
NEGRA	UL856	47.72222	34,000 ft	9	-
FIX	AWY-HI	9.42722	10,363 m		
AKABI	UL856	47.71694	34,000 ft	7	-
FIX	AWY-HI	9.23333	10,363 m		
TRA	UZ613	47.68950	34,000 ft	32	TRASADINGEN VOR-DME
VOR	AWY-HI	8.43695	10,363 m		
06TRA	UL851	47.73333	34,000 ft	6	-
FIX	AWY-HI	8.28333	10,363 m		
BEGAR	UL851	47.90833	34,000 ft	30	-
FIX	AWY-HI	7.58333	10,363 m		
LASAT	UL851	48.15889	34,000 ft	39	-
FIX	AWY-HI	6.68417	10,363 m		
EPL	UL851	48.31783	30,700 ft	26	EPINAL MIRECOURT VOR
VOR	AWY-HI	6.05942	9,357 m		
LANVI	UL851	48.31167	28,400 ft	10	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	5.79722	8,656 m		
LASIV	UL161	48.90083	18,500 ft	71	-
FIX	AWY-HI	4.22694	5,639 m		
LFPG	-	49.00974	0 ft	65	Paris Charles De Gaulle
APT	-	2.56262	0 m		

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.353 E

METAR

OMDB 142100Z 09005KT 050V120 CAVOK 34/14 Q1007 NOSIG

TAF

TAF OMDB 141700Z 1418/1600 09007KT CAVOK BECMG 1502/1504 18012KT BECMG 1507/1509 24007KT BECMG 1509/1511 32014KT

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.497 E

METAR

LFPG 142130Z 15007KT 110V170 9999 BKN007 SCT100 13/13 Q1005 NOSIG

TAF

TAF LFPG 141700Z 1418/1524 15008KT 9999 -RA SCT010 BKN060 TX21/1514Z TN12/1504Z PROB40 TEMPO 1421/1503 4000 -SHRA

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.84		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.82		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.84		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.82		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.84		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.82		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.84		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.82		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m