


2024/06/05 1948Z

RCSS PILOX RCFN

148.52 nm / 275.06 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RCSS	-	25.06959	0 ft	-	Sungshan
APT	-	121.55257	0 m		
PILOX	-	24.41500	17,400 ft	48	-
FIX	-	121.02472	5,304 m		
RCFN	-	22.75487	0 ft	99	FENGIN
APT	-	121.10165	0 m		

RCSS

Region: REPUBLIC OF CHINA (TAIWAN)
Timezone: ASIA/TAIPEI
Runways: 1

Elevation: 18 ft / 5 m
Location: 25.069600 121.553000
Magnetic Var: 5.036 W

METAR

RCSS 051934Z 08002KT 5000 BR FEW004 SCT008 BKN035 23/22 Q1010 NOSIG RMK A2984

TAF

TAF RCSS 051700Z 0518/0618 30005KT 6000 -RA FEW008 BKN014 TEMPO 0518/0524 09005KT 2500 -RA BR FEW006 BKN008 TEMPO

Frequencies

REC - 127.40 MHz - ATIS	REC - 431.00 MHz - ATIS
CLD - 121.20 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - SONGSHAN GROUND
TWR - 118.10 MHz - SONGSHAN TOWER	APP - 119.70 MHz - TAIPEI APPROACH
APP - 119.60 MHz - TAIPEI APPROACH	APP - 123.50 MHz - TAIPEI APPROACH
APP - 130.10 MHz - TAIPEI APPROACH	APP - 129.60 MHz - TAIPEI APPROACH
APP - 125.10 MHz - TAIPEI APPROACH	APP - 128.50 MHz - TAIPEI APPROACH
APP - 124.20 MHz - TAIPEI APPROACH	APP - 120.40 MHz - TAIPEI APPROACH
APP - 125.60 MHz - TAIPEI APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	197 ft 60 m	8,555 ft 2,607 m	92.21 97.25	ASPHALT	0 ft 0 m	197 ft 60 m
28	197 ft 60 m	8,555 ft 2,607 m	272.22 277.26	ASPHALT	0 ft 0 m	764 ft 233 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	ITSG	108.90 MHz	18 nm 33 km	- -	-	18 ft 18 m
28	DME	ITLU	108.10 MHz	18 nm 33 km	- -	-	18 ft 18 m
10	LOC-ILS	ITSG	108.90 MHz	18 nm 33 km	92.22 97.26	-	18 ft 18 m
10	GS	ITSG	108.90 MHz	10 nm 19 km	92.22 97.26	3.00	18 ft 18 m