

KJFK

John F. Kennedy Intl


EDGF

Fulda-Jossa

2024/06/06 2111Z

KJFK BAF **Q480** ENE **J573** EBONY **N497C** RIKAL **V** GISTI 5300N01300W 5300N01200W 5300N01100W 5300N01000W
SHA **W12** KLY **W10** LIFFY **UL975** WAL **M16** DOLAS **L603** LAMSO **UL603** GMH EDGF

3435.63 nm / 6362.78 km



Notes

Using NAT tracks from 26/9/2021

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes

- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KJFK APT	-	40.64010 -73.77650	0 ft 0 m	-	John F. Kennedy Intl
BAF VOR	-	42.16200 -72.71620	35,000 ft 10,668 m	103	BARNES (WESTFIELD/SPRINGFIELD)
ENE VOR	Q480 AWY-HI	43.42570 -70.61350	35,000 ft 10,668 m	119	KENNEBUNK
SCARS FIX	J573 AWY-HI	43.54860 -70.34110	35,000 ft 10,668 m	13	-
SEAER FIX	J573 AWY-HI	43.92460 -69.49180	35,000 ft 10,668 m	43	-
EBONY FIX	J573 AWY-HI	44.90240 -67.15660	35,000 ft 10,668 m	116	-
RIKAL FIX	N497C AWY-HI	51.80000 -54.53330	35,000 ft 10,668 m	650	-
53/50 LATLON	V NAT	53.00000 -50.00000	35,000 ft 10,668 m	181	-
53/40 LATLON	V NAT	53.00000 -40.00000	35,000 ft 10,668 m	361	-
53/30 LATLON	V NAT	53.00000 -30.00000	35,000 ft 10,668 m	361	-
53/20 LATLON	V NAT	53.00000 -20.00000	35,000 ft 10,668 m	361	-
MALOT FIX	V NAT	53.00000 -15.00000	35,000 ft 10,668 m	180	-
GISTI FIX	V NAT	53.00000 -14.00000	35,000 ft 10,668 m	36	-
5300N01300W LATLON	- -	53.00000 -13.00000	35,000 ft 10,668 m	36	-
5300N01200W LATLON	- -	53.00000 -12.00000	35,000 ft 10,668 m	36	-
5300N01100W LATLON	- -	53.00000 -11.00000	35,000 ft 10,668 m	36	-
5300N01000W LATLON	- -	53.00000 -10.00000	35,000 ft 10,668 m	36	-
SHA VOR	- -	52.72100 -8.88522	35,000 ft 10,668 m	43	SHANNON
TOMTO FIX	W12 AWY-LO	52.87360 -8.15144	35,000 ft 10,668 m	28	-
TORLU FIX	W12 AWY-LO	52.98780 -7.58306	35,000 ft 10,668 m	21	-
OSGAR FIX	W12 AWY-LO	53.04940 -7.27022	35,000 ft 10,668 m	11	-
KLY NDB	W12 AWY-LO	53.26960 -6.10644	35,000 ft 10,668 m	43	KILLINEY
LIFFY FIX	W10 AWY-LO	53.48010 -5.50000	35,000 ft 10,668 m	25	-
IDEXA FIX	UL975 AWY-HI	53.47060 -5.16417	35,000 ft 10,668 m	12	-
GINIS FIX	UL975 AWY-HI	53.46080 -4.85806	35,000 ft 10,668 m	10	-
NATKO FIX	UL975 AWY-HI	53.45330 -4.63528	35,000 ft 10,668 m	7	-
LYNAS	UL975	53.44250	35,000 ft	10	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-4.33333	10,668 m		
ROLEX	UL975	53.42830	35,000 ft	13	-
FIX	AWY-HI	-3.96778	10,668 m		
MALUD	UL975	53.41330	35,000 ft	12	-
FIX	AWY-HI	-3.60833	10,668 m		
WAL	UL975	53.39190	35,000 ft	17	WALLASEY
VOR	AWY-HI	-3.13446	10,668 m		
MCT	M16	53.35700	35,000 ft	31	MANCHESTER
VOR	AWY-HI	-2.26229	10,668 m		
XAPOS	M16	53.29140	35,000 ft	22	-
FIX	AWY-HI	-1.63083	10,668 m		
NAPEX	M16	53.20640	35,000 ft	28	-
FIX	AWY-HI	-0.86111	10,668 m		
DOLAS	M16	52.97860	35,000 ft	68	-
FIX	AWY-HI	1.00083	10,668 m		
ENITO	L603	52.80140	35,000 ft	54	-
FIX	AWY-HI	2.46750	10,668 m		
DIBAL	L603	52.79720	35,000 ft	1	-
FIX	AWY-HI	2.50000	10,668 m		
BUKUT	L603	52.75830	35,000 ft	11	-
FIX	AWY-HI	2.80056	10,668 m		
LAMSO	L603	52.73290	35,000 ft	7	-
FIX	AWY-LO	2.99436	10,668 m		
EVELI	UL603	52.64040	35,000 ft	15	-
FIX	AWY-HI	3.38700	10,668 m		
BASNO	UL603	52.35020	35,000 ft	46	-
FIX	AWY-HI	4.57504	10,668 m		
SUPAM	UL603	52.15560	35,000 ft	30	-
FIX	AWY-HI	5.33722	10,668 m		
SOGPO	UL603	51.96560	32,200 ft	35	-
FIX	AWY-HI	6.25287	9,815 m		
TEBRO	UL603	51.89420	29,400 ft	13	-
FIX	AWY-HI	6.58778	8,961 m		
KOMOT	UL603	51.62860	24,200 ft	24	-
FIX	AWY-HI	7.07417	7,376 m		
GMH	UL603	51.17050	15,400 ft	41	GERMINGHAUSEN
VOR	AWY-HI	7.89204	4,694 m		
EDGF	-	50.47540	0 ft	72	Fulda-Jossa
APT	-	9.44242	0 m		

KJFK

Region: UNITED STATES
Timezone: AMERICA/NEW_YORK
Runways: 4

Elevation: 12 ft / 4 m
Location: 40.640100 -73.776500
Magnetic Var: 12.817 W

METAR

KJFK 062051Z 23004KT 10SM -RA SCT039 BKN070 BKN095 BKN150 BKN250 24/21 A2950 RMK A02 RAE01B36 SLP989 CB DSNT NW P00

TAF

TAF AMD KJFK 061941Z 0620/0724 18008KT P6SM VCSH SCT035 BKN050 TEMPO 0620/0623 25012G23KT 4SM TSRA BKN025CB FM0700

Frequencies

REC - 115.40 MHz - D-ATIS	REC - 117.70 MHz - D-ATIS
REC - 128.72 MHz - D-ATIS	COM - 122.95 MHz - UNICOM
CLD - 135.05 MHz - CLEARANCE DELIVERY	GND - 121.90 MHz - KENNEDY GROUND
GND - 121.65 MHz - KENNEDY GROUND	TWR - 119.10 MHz - KENNEDY TOWER
TWR - 123.90 MHz - KENNEDY TOWER	APP - 125.70 MHz - NEW YORK APPROACH
APP - 128.12 MHz - NEW YORK APPROACH	APP - 118.40 MHz - NEW YORK APPROACH
APP - 123.70 MHz - NEW YORK APPROACH	APP - 126.80 MHz - NEW YORK APPROACH
APP - 132.40 MHz - NEW YORK APPROACH	APP - 134.35 MHz - NEW YORK APPROACH
DEP - 135.90 MHz - NEW YORK DEPARTURE	DEP - 123.70 MHz - NEW YORK DEPARTURE
DEP - 124.75 MHz - NEW YORK DEPARTURE	DEP - 134.35 MHz - NEW YORK DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13R	200 ft	14,526 ft	120.83	CONCRETE	2,057 ft	390 ft
	61 m	4,428 m	133.65		627 m	119 m
31L	200 ft	14,526 ft	300.86	CONCRETE	3,271 ft	495 ft
	61 m	4,428 m	313.68		997 m	151 m
13L	151 ft	10,010 ft	120.85	CONCRETE	912 ft	387 ft
	46 m	3,051 m	133.67		278 m	118 m
31R	151 ft	10,010 ft	300.87	CONCRETE	1,037 ft	177 ft
	46 m	3,051 m	313.69		316 m	54 m
04R	200 ft	8,407 ft	30.67	ASPHALT	0 ft	440 ft
	61 m	2,562 m	43.48		0 m	134 m
22L	200 ft	8,407 ft	210.68	ASPHALT	0 ft	505 ft
	61 m	2,562 m	223.49		0 m	154 m
04L	200 ft	12,091 ft	30.67	CONCRETE	459 ft	200 ft
	61 m	3,685 m	43.48		140 m	61 m
22R	200 ft	12,091 ft	210.68	CONCRETE	3,425 ft	407 ft
	61 m	3,685 m	223.50		1,044 m	124 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	IHIQ	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
04R	DME	IJFK	109.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
13L	DME	ITLK	111.50 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
22L	DME	IIWY	110.90 MHz	18 nm	-	-	13 ft
				33 km	-		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22R	DME	IJOC	109.50 MHz	18 nm 33 km	- -	-	13 ft 13 m
31R	DME	IRTH	111.50 MHz	18 nm 33 km	- -	-	13 ft 13 m
04L	LOC-ILS	IHIQ	110.90 MHz	18 nm 33 km	30.68 43.50	-	12 ft 12 m
04R	LOC-ILS	IJFK	109.50 MHz	18 nm 33 km	30.67 43.49	-	12 ft 12 m
13L	LOC-ILS	ITLK	111.50 MHz	18 nm 33 km	120.87 133.69	-	12 ft 12 m
22L	LOC-ILS	IIWY	110.90 MHz	18 nm 33 km	210.67 223.49	-	12 ft 12 m
22R	LOC-ILS	IJOC	109.50 MHz	18 nm 33 km	210.68 223.50	-	12 ft 12 m
31L	LOC-ILS	IMOH	111.35 MHz	18 nm 33 km	300.84 313.66	-	12 ft 12 m
31R	LOC-ILS	IRTH	111.50 MHz	18 nm 33 km	300.87 313.69	-	12 ft 12 m
04L	GS	IHIQ	110.90 MHz	10 nm 19 km	30.68 43.50	3.00	12 ft 12 m
04R	GS	IJFK	109.50 MHz	10 nm 19 km	30.67 43.49	3.00	12 ft 12 m
13L	GS	ITLK	111.50 MHz	10 nm 19 km	120.87 133.69	3.00	12 ft 12 m
22L	GS	IIWY	110.90 MHz	10 nm 19 km	210.67 223.49	3.00	12 ft 12 m
22R	GS	IJOC	109.50 MHz	10 nm 19 km	210.68 223.50	3.00	12 ft 12 m
31L	GS	IMOH	111.35 MHz	10 nm 19 km	300.84 313.66	3.00	12 ft 12 m
31R	GS	IRTH	111.50 MHz	10 nm 19 km	300.87 313.69	3.00	12 ft 12 m