


2024/05/03 0058Z

UDD SODRU **B107** ASKIL **M863** MNS UMMA

440.29 nm / 815.42 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
UUDD	-	55.40920	0 ft	-	Moscow Domodedovo	Mikhail V. Lomonosov Intl
APT	-	37.90750	0 m			
SODRU	-	55.15310	25,900 ft	72	-	
FIX	-	35.82970	7,894 m			
URIMI	B107	55.01310	35,000 ft	40	-	
FIX	AWY-HI	34.66810	10,668 m			
ASKIL	B107	54.50330	35,000 ft	127	-	
FIX	AWY-HI	31.08470	10,668 m			
UMOSI	M863	54.37030	35,000 ft	25	-	
FIX	AWY-HI	30.38440	10,668 m			
SODKO	M863	54.18330	29,600 ft	34	-	
FIX	AWY-HI	29.44140	9,022 m			
BERIS	M863	54.07310	25,300 ft	19	-	
FIX	AWY-HI	28.90810	7,711 m			
MNS	M863	53.88440	18,200 ft	33	MINSK-2	
VOR	AWY-HI	28.02060	5,547 m			
UMMA	-	53.09470	0 ft	84	Baranavichi Air Base	
APT	-	26.04640	0 m			

UUDD

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 2

Elevation: 592 ft / 180 m
Location: 55.409200 37.907500
Magnetic Var: 11.820 E

METAR

UUDD 030030Z 02006MPS 9999 SCT040 05/M02 Q1016 R32L/CLRD60 NOSIG

TAF

TAF UUDD 022251Z 0300/0406 01006MPS 9999 BKN030 TX10/0313Z TN00/0402Z TEMPO 0300/0314 01008G14MPS BECMG 0315/0317 01006MPS 9999 SCT040 05/M02 Q1016 R32L/CLRD60 NOSIG

Frequencies

APP - 125.30 MHz - DOMODEDOVO RADAR	APP - 129.80 MHz - DOMODEDOVO RADAR
APP - 127.70 MHz - DOMODEDOVO RADAR	APP - 119.40 MHz - DOMODEDOVO RADAR
APP - 132.05 MHz - DOMODEDOVO RADAR	APP - 134.67 MHz - DOMODEDOVO RADAR
TWR - 118.60 MHz - DOMODEDOVO TOWER	TWR - 119.70 MHz - DOMODEDOVO TOWER
TWR - 127.30 MHz - DOMODEDOVO TOWER	CLD - 129.15 MHz - DOMODEDOVO DELIVERY
REC - 128.30 MHz - ATIS	REC - 122.95 MHz - ATIS
GND - 119.00 MHz - DOMODEDOVO APRON	APP - 118.95 MHz - MOSCOW APPROACH
APP - 118.55 MHz - MOSCOW APPROACH	APP - 130.37 MHz - MOSCOW APPROACH
APP - 124.20 MHz - MOSCOW APPROACH	APP - 127.20 MHz - MOSCOW APPROACH
APP - 128.00 MHz - MOSCOW APPROACH	APP - 134.00 MHz - MOSCOW APPROACH
APP - 131.20 MHz - MOSCOW APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14L	174 ft	7,762 ft	145.68	CONCRETE	0 ft	0 ft
	53 m	2,366 m	133.86		0 m	0 m
32R	174 ft	7,762 ft	325.70	CONCRETE	0 ft	0 ft
	53 m	2,366 m	313.88		0 m	0 m
14R	197 ft	11,459 ft	145.68	CONCRETE	0 ft	0 ft
	60 m	3,493 m	133.86		0 m	0 m
32L	197 ft	11,459 ft	325.70	CONCRETE	0 ft	0 ft
	60 m	3,493 m	313.88		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
32R	DME	IDE	111.90 MHz	18 nm	-	-	588 ft
				33 km	-		588 m
14R	LOC-ILS	IDM	110.10 MHz	18 nm	145.70	-	592 ft
				33 km	133.88		592 m
32L	LOC-ILS	IDO	109.30 MHz	18 nm	325.70	-	592 ft
				33 km	313.88		592 m
14R	GS	IDM	110.10 MHz	10 nm	145.70	3.00	592 ft
				19 km	133.88		592 m
32L	GS	IDO	109.30 MHz	10 nm	325.70	3.00	592 ft
				19 km	313.88		592 m