


2024/04/28 0124Z

RJSA HPE RJSI

80.99 nm / 150.00 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RJSA	-	40.73327	0 ft	-	AOMORI
APT	-	140.68859	0 m		
HPE	-	39.43336	0 ft	80	HANAMAKI VOR-DME
VOR	-	141.13350	0 m		
RJSI	-	39.42872	0 ft	0	HANAMAKI
APT	-	141.13538	0 m		

RJSA

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 1

Elevation: 664 ft / 202 m
Location: 40.733300 140.689000
Magnetic Var: 9.237 W

METAR

RJSA 280100Z 25010KT 200V330 9999 FEW020 21/10 Q1013

TAF

TAF RJSA 272311Z 2800/2906 27010KT 9999 FEW030 BECMG 2809/2811 20004KT BECMG 2821/2900 04010KT

Frequencies

TWR - 118.30 MHz - AOMORI TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	200 ft	9,866 ft	51.78	ASPHALT	0 ft	177 ft
	61 m	3,007 m	61.02		0 m	54 m
24	200 ft	9,866 ft	231.80	ASPHALT	0 ft	184 ft
	61 m	3,007 m	241.03		0 m	56 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	DME	IMR	111.90 MHz	18 nm	-	-	676 ft
				33 km	-		676 m
24	LOC-ILS	IMR	111.90 MHz	18 nm	231.78	-	664 ft
				33 km	241.02		664 m
24	GS	IMR	111.90 MHz	10 nm	232.60	3.00	664 ft
				19 km	241.84		664 m

RJSI

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 1

Elevation: 294 ft / 90 m
Location: 39.428700 141.135000
Magnetic Var: 8.767 W

METAR

RJSI 280100Z 12003KT 080V180 CAVOK 22/11 Q1013

TAF

TAF RJSI 272311Z 2800/2906 27008KT 9999 FEW030 BECMG 2815/2818 02004KT BECMG 2900/2903 19006KT

Frequencies

COM - 118.20 MHz - HANAMAKI RADIO

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	8,210 ft	10.67	ASPHALT	0 ft	197 ft
	45 m	2,502 m	19.44		0 m	60 m
20	148 ft	8,210 ft	190.67	ASPHALT	0 ft	194 ft
	45 m	2,502 m	199.44		0 m	59 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
20	LOC-ILS	IHP	109.30 MHz	18 nm	190.69	-	297 ft
				33 km	199.45		297 m
20	GS	IHP	109.30 MHz	10 nm	191.40	3.00	297 ft
				19 km	200.17		297 m