

ZGGG

Guangzhou Baiyun Intl.


RJCC

Sapporo New Chitose

2024/05/18 0228Z

ZGGG WYN **A599** NNX NNX **A599** ELNEX **G204** MULOV **V73** SUPAR **B221** AND AND **B221** ELAGO LASAN **G327** LAMEN
A593 NIRAT **B576** CJU **A586** TENAS **L512** KAMSA **Z171** NOMAS **Z17** MRE **V13** OHMAR RJCC

1939.88 nm / 3592.66 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ZGGG APT	-	23.39040 113.30300	0 ft 0 m	-	Guangzhou Baiyun Intl.
WYN VOR	-	24.35000 114.11200	25,900 ft 7,894 m	72	WENGYUAN
NNX VOR	A599 AWY-HI	25.09500 114.27300	35,000 ft 10,668 m	45	NANXIONG
NNX DME	-	25.10000 114.27200	35,000 ft 10,668 m	0	NANXIONG VOR-DME
PLT VOR	A599 AWY-HI	25.80830 114.87500	35,000 ft 10,668 m	53	PANLONG
SAGON FIX	A599 AWY-HI	26.50170 115.70800	35,000 ft 10,668 m	61	-
NF NDB	A599 AWY-HI	27.20830 116.55800	35,000 ft 10,668 m	62	NANFENG
XUVGI FIX	A599 AWY-HI	27.52000 116.92200	35,000 ft 10,668 m	26	-
SHR VOR	A599 AWY-HI	28.41670 117.97000	35,000 ft 10,668 m	77	SHANGRAO
ELNEX FIX	A599 AWY-HI	29.63170 119.49000	35,000 ft 10,668 m	108	-
UGAGO FIX	G204 AWY-HI	29.62830 119.65000	35,000 ft 10,668 m	8	-
MULOV FIX	G204 AWY-HI	29.61500 120.24800	35,000 ft 10,668 m	31	-
SUPAR FIX	V73 AWY-HI	30.02330 120.85800	35,000 ft 10,668 m	40	-
OKTUG FIX	B221 AWY-HI	30.08830 120.96000	35,000 ft 10,668 m	6	-
AND DME	B221 AWY-HI	30.25330 121.21800	35,000 ft 10,668 m	16	ANDONG VOR-DME
AND VOR	-	30.25670 121.22200	35,000 ft 10,668 m	0	ANDONG
ELAGO FIX	B221 AWY-HI	30.80000 122.18300	35,000 ft 10,668 m	59	-
LASAN FIX	-	31.00000 122.42500	35,000 ft 10,668 m	17	-
BONGI FIX	G327 AWY-HI	31.00000 122.64800	35,000 ft 10,668 m	11	-
BOLEX FIX	G327 AWY-HI	31.00000 123.00000	35,000 ft 10,668 m	18	-
TONIX FIX	G327 AWY-HI	31.33170 123.54300	35,000 ft 10,668 m	34	-
LAMEN FIX	G327 AWY-HI	31.61000 124.00000	35,000 ft 10,668 m	28	-
SADLI FIX	A593 AWY-HI	31.83330 124.99800	35,000 ft 10,668 m	52	-
PONIK FIX	A593 AWY-HI	32.00580 125.78300	35,000 ft 10,668 m	41	-
NIRAT FIX	A593 AWY-HI	32.06500 126.05800	35,000 ft 10,668 m	14	-
SAMLO FIX	B576 AWY-HI	32.53970 126.26000	35,000 ft 10,668 m	30	-
SOSDO	B576	33.00330	35,000 ft	29	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	126.46000	10,668 m		
CJU	B576	33.38460	35,000 ft	24	JEJU
VOR	AWY-HI	126.62400	10,668 m		
ATINA	A586	33.72230	35,000 ft	30	-
FIX	AWY-HI	127.07300	10,668 m		
MAKET	A586	33.91460	35,000 ft	17	-
FIX	AWY-HI	127.33100	10,668 m		
GOSBO	A586	34.25470	35,000 ft	30	-
FIX	AWY-HI	127.79300	10,668 m		
TOPAX	A586	34.76540	35,000 ft	46	-
FIX	AWY-HI	128.49800	10,668 m		
OMOTU	A586	35.00920	35,000 ft	22	-
FIX	AWY-HI	128.83900	10,668 m		
PSN	A586	35.12250	35,000 ft	10	BUSAN
VOR	AWY-HI	128.99900	10,668 m		
BEDOM	A586	35.42030	35,000 ft	23	-
FIX	AWY-HI	129.29800	10,668 m		
BULGA	A586	35.93580	35,000 ft	40	-
FIX	AWY-HI	129.82300	10,668 m		
DABIK	A586	36.29530	35,000 ft	28	-
FIX	AWY-HI	130.19500	10,668 m		
AGSUS	A586	36.75580	35,000 ft	36	-
FIX	AWY-HI	130.67900	10,668 m		
TENAS	A586	37.63890	35,000 ft	68	-
FIX	AWY-HI	131.57400	10,668 m		
SABET	L512	37.64140	35,000 ft	52	-
FIX	AWY-HI	132.67200	10,668 m		
ANDOL	L512	37.66610	35,000 ft	15	-
FIX	AWY-HI	133.00000	10,668 m		
KAMSA	L512	37.71800	35,000 ft	35	-
FIX	AWY-HI	133.73400	10,668 m		
AKIAS	Z171	38.61720	35,000 ft	158	-
FIX	AWY-HI	136.90100	10,668 m		
NOMAS	Z171	38.91380	35,000 ft	56	-
FIX	AWY-HI	138.03800	10,668 m		
GEPPA	Z17	39.89290	35,000 ft	87	-
FIX	AWY-HI	139.44000	10,668 m		
MRE	Z17	40.73880	27,800 ft	77	AOMORI
VOR	AWY-HI	140.70500	8,473 m		
OHMAR	V13	41.30940	20,000 ft	36	-
FIX	AWY-HI	140.98800	6,096 m		
RJCC	-	42.77530	0 ft	93	Sapporo New Chitose
APT	-	141.69300	0 m		

ZGGG

Region: CHINA
Timezone: ASIA/SHANGHAI
Runways: 3

Elevation: 50 ft / 15 m
Location: 23.390400 113.303000
Magnetic Var: 3.299 W

METAR

ZGGG 180200Z 04005MPS CAVOK 24/21 Q1012 NOSIG

TAF

TAF ZGGG 172103Z 1800/1824 10003MPS 8000 BKN040 TX29/1807Z TN22/1822Z TEMPO 1812/1818 SHRA FEW030CB BKN033

Frequencies

REC - 128.60 MHz - ATIS	REC - 127.00 MHz - ATIS
CLD - 121.95 MHz - CLEARANCE DELIVERY	GND - 121.75 MHz - BAIYUN GROUND
GND - 121.85 MHz - BAIYUN GROUND	GND - 121.77 MHz - BAIYUN APRON
GND - 121.97 MHz - BAIYUN APRON	GND - 121.82 MHz - BAIYUN APRON
TWR - 118.10 MHz - BAIYUN TOWER	TWR - 118.80 MHz - BAIYUN TOWER
TWR - 118.25 MHz - BAIYUN TOWER	DEP - 119.70 MHz - GUANGZHOU DEPARTURE
APP - 126.55 MHz - GUANGZHOU APPROACH	APP - 126.35 MHz - GUANGZHOU APPROACH
APP - 121.05 MHz - GUANGZHOU APPROACH	APP - 120.40 MHz - GUANGZHOU APPROACH
APP - 121.17 MHz - GUANGZHOU APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02R	197 ft	12,518 ft	13.92	CONCRETE	0 ft	387 ft
	60 m	3,815 m	17.22		0 m	118 m
20L	197 ft	12,518 ft	193.92	CONCRETE	0 ft	390 ft
	60 m	3,815 m	197.22		0 m	119 m
02L	197 ft	12,522 ft	13.91	CONCRETE	0 ft	394 ft
	60 m	3,817 m	17.21		0 m	120 m
20R	197 ft	12,522 ft	193.91	CONCRETE	650 ft	400 ft
	60 m	3,817 m	197.21		198 m	122 m
01	148 ft	11,860 ft	13.91	CONCRETE	0 ft	397 ft
	45 m	3,615 m	17.20		0 m	121 m
19	148 ft	11,860 ft	193.91	CONCRETE	0 ft	400 ft
	45 m	3,615 m	197.21		0 m	122 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02L	DME	IOO	109.30 MHz	18 nm	-	-	59 ft
				33 km	-		59 m
02R	DME	IBB	110.90 MHz	18 nm	-	-	64 ft
				33 km	-		64 m
20L	DME	IAA	110.30 MHz	18 nm	-	-	64 ft
				33 km	-		64 m
20R	DME	IPP	111.50 MHz	18 nm	-	-	50 ft
				33 km	-		50 m
01	LOC-ILS	IOO	109.30 MHz	18 nm	13.91	-	50 ft
				33 km	17.21		50 m
02L	LOC-ILS	IBB	110.90 MHz	18 nm	13.91	-	50 ft
				33 km	17.21		50 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02R	LOC-ILS	IDM	108.50 MHz	18 nm	13.92	-	50 ft
				33 km	17.22		50 m
19	LOC-ILS	IPP	111.50 MHz	18 nm	193.91	-	50 ft
				33 km	197.21		50 m
20L	LOC-ILS	IXL	111.90 MHz	18 nm	193.92	-	50 ft
				33 km	197.22		50 m
20R	LOC-ILS	IAA	110.75 MHz	18 nm	193.91	-	50 ft
				33 km	197.21		50 m

RJCC

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 2

Elevation: 82 ft / 25 m
Location: 42.775300 141.693000
Magnetic Var: 9.649 W

METAR

RJCC 180200Z 17015KT 9999 FEW025 19/09 Q1013 RMK 1CU025 A2992

TAF

TAF RJCC 172305Z 1800/1906 18015KT 9999 FEW030 BECMG 1818/1821 15005KT BECMG 1821/1900 35012KT

Frequencies

APP - 120.10 MHz - CHITOSE APPROACH	APP - 124.70 MHz - CHITOSE APPROACH
DEP - 124.70 MHz - CHITOSE DEPARTURE	APP - 127.70 MHz - TCA
TWR - 118.80 MHz - TOWER	TWR - 126.20 MHz - TOWER
GND - 121.60 MHz - GROUND	GND - 121.70 MHz - GROUND
GND - 121.95 MHz - GROUND	CLD - 121.90 MHz - CHITOSE DELIVERY
REC - 128.60 MHz - NEW CHITOSE AIRPORT	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01L	200 ft	9,852 ft	352.63	ASPHALT	0 ft	190 ft
	61 m	3,003 m	2.28		0 m	58 m
19R	200 ft	9,852 ft	172.63	ASPHALT	0 ft	190 ft
	61 m	3,003 m	182.28		0 m	58 m
01R	200 ft	9,854 ft	352.64	ASPHALT	0 ft	194 ft
	61 m	3,004 m	2.29		0 m	59 m
19L	200 ft	9,854 ft	172.64	ASPHALT	0 ft	190 ft
	61 m	3,004 m	182.29		0 m	58 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01L	DME	ICN	110.90 MHz	18 nm	-	-	81 ft
				33 km	-		81 m
01R	DME	ICH	110.75 MHz	18 nm	-	-	83 ft
				33 km	-		83 m
19R	DME	ICS	111.50 MHz	18 nm	-	-	82 ft
				33 km	-		82 m
01L	LOC-ILS	ICN	110.90 MHz	18 nm	352.63	-	82 ft
				33 km	2.28		82 m
01R	LOC-ILS	ICH	110.75 MHz	18 nm	352.64	-	82 ft
				33 km	2.29		82 m
19L	LOC-ILS	ICM	109.35 MHz	18 nm	172.64	-	82 ft
				33 km	182.29		82 m
19R	LOC-ILS	ICS	111.50 MHz	18 nm	172.63	-	82 ft
				33 km	182.28		82 m
01L	GS	ICN	110.90 MHz	10 nm	352.63	3.00	82 ft
				19 km	2.28		82 m
01R	GS	ICH	110.75 MHz	10 nm	352.64	3.00	82 ft
				19 km	2.29		82 m
19L	GS	ICM	109.35 MHz	10 nm	172.64	3.00	82 ft
				19 km	182.29		82 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
19R	GS	ICS	111.50 MHz	10 nm	172.63	3.00	82 ft
				19 km	182.28		82 m