

# EDDT

Berlin Tegel


# LSZH

Zurich

2024/05/20 2019Z

EDDT GALMA **Z94** OLIXA **Z12** WUR **Z94** NIKUT **N624** NOTGA LSZH

361.41 nm / 669.33 km



## Notes

Basic altitude profile:

- Ascent Rate: 5000ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 25000ft
- Cruise Speed: 300kts
- Descent Rate: 2000ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDDT	-	52.55910	0 ft	-	Berlin Tegel
APT	-	13.29019	0 m		
GALMA	-	51.39806	34,700 ft	97	-
FIX	-	11.45111	10,577 m		
ERF	Z94	50.95087	35,000 ft	28	ERFURT VOR-DME
VOR	AWY-LO	11.23669	10,668 m		
GERDO	Z94	50.84417	35,000 ft	7	-
FIX	AWY-LO	11.13722	10,668 m		
BAMKI	Z94	50.71806	35,000 ft	8	-
FIX	AWY-LO	11.02028	10,668 m		
PILAM	Z94	50.43500	35,000 ft	20	-
FIX	AWY-LO	10.71111	10,668 m		
BOKNI	Z94	50.34083	35,000 ft	6	-
FIX	AWY-LO	10.60889	10,668 m		
GORKO	Z94	50.22444	35,000 ft	8	-
FIX	AWY-LO	10.48389	10,668 m		
PIGMI	Z94	50.07389	35,000 ft	10	-
FIX	AWY-LO	10.32306	10,668 m		
OLIXA	Z94	49.78972	32,500 ft	20	-
FIX	AWY-LO	10.02250	9,906 m		
WUR	Z12	49.71753	31,400 ft	5	WURZBURG VOR
VOR	AWY-LO	9.94700	9,571 m		
NIKUT	Z94	49.60778	29,600 ft	8	-
FIX	AWY-LO	9.81083	9,022 m		
LAMPU	N624	49.34000	26,000 ft	17	-
FIX	AWY-LO	9.66806	7,925 m		
NOTGA	N624	48.95611	20,800 ft	23	-
FIX	AWY-LO	9.50639	6,340 m		
LSZH	-	47.46349	0 ft	97	Zurich
APT	-	8.54996	0 m		

## EDDT

Region: GERMANY - CIVIL  
Timezone: EUROPE/BERLIN  
Runways: 2

Elevation: 122 ft / 37 m  
Location: 52.559100 13.290200  
Magnetic Var: 4.616 E

## METAR

UNKNOWN

## TAF

UNKNOWN

## Frequencies

REC - 125.90 MHz - ATIS  
TWR - 118.85 MHz - TEGEL TOWER  
GND - 121.75 MHz - TEGEL GROUND  
CLD - 121.92 MHz - CLEARANCE DELIVERY  
APP - 119.60 MHz - BREMEN RADAR  
APP - 126.42 MHz - BREMEN RADAR

REC - 112.30 MHz - ATIS  
TWR - 124.52 MHz - TEGEL TOWER  
GND - 136.00 MHz - TEGEL GROUND  
APP - 120.60 MHz - BREMEN RADAR  
APP - 119.50 MHz - BREMEN RADAR  
APP - 136.10 MHz - BERLIN DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	151 ft	9,888 ft	80.82	ASPHALT	0 ft	217 ft
	46 m	3,014 m	76.21		0 m	66 m
26R	151 ft	9,888 ft	260.86	ASPHALT	0 ft	230 ft
	46 m	3,014 m	256.24		0 m	70 m
08R	151 ft	7,907 ft	80.84	ASPHALT	325 ft	164 ft
	46 m	2,410 m	76.22		99 m	50 m
26L	151 ft	7,907 ft	260.87	ASPHALT	686 ft	233 ft
	46 m	2,410 m	256.25		209 m	71 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	LOC-ILS	ITLE	109.10 MHz	18 nm	80.84	-	122 ft
				33 km	76.22		122 m
08R	LOC-ILS	ITGE	108.50 MHz	18 nm	80.85	-	122 ft
				33 km	76.23		122 m
26L	LOC-ILS	ITGW	109.30 MHz	18 nm	260.85	-	122 ft
				33 km	256.23		122 m
26R	LOC-ILS	ITLW	110.10 MHz	18 nm	260.84	-	122 ft
				33 km	256.22		122 m
08L	GS	ITLE	109.10 MHz	10 nm	80.84	3.00	122 ft
				19 km	76.22		122 m
08R	GS	ITGE	108.50 MHz	10 nm	80.85	3.00	122 ft
				19 km	76.23		122 m
26L	GS	ITGW	109.30 MHz	10 nm	260.85	3.00	122 ft
				19 km	256.23		122 m
26R	GS	ITLW	110.10 MHz	10 nm	260.84	3.00	122 ft
				19 km	256.22		122 m

## LSZH

Region: SWITZERLAND  
Timezone: EUROPE/ZURICH  
Runways: 3

Elevation: 1,416 ft / 432 m  
Location: 47.463500 8.549950  
Magnetic Var: 3.129 E

## METAR

LSZH 201950Z 02006KT 9999 FEW070 20/11 Q1007 NOSIG

## TAF

TAF LSZH 201725Z 2018/2124 05008KT 9999 FEW045 TX15/2114Z TN13/2104Z BECMG 2018/2020 VRB02KT BECMG 2020/2022 2600

## Frequencies

REC - 125.72 MHz - ATIS	GND - 121.90 MHz - ZURICH GROUND
GND - 118.15 MHz - ZURICH GROUND	GND - 119.75 MHz - ZURICH GROUND
GND - 121.75 MHz - ZURICH APRON	GND - 121.70 MHz - ZURICH APRON
GND - 121.85 MHz - ZURICH APRON	GND - 121.97 MHz - ZURICH APRON
TWR - 118.10 MHz - ZURICH TOWER	TWR - 120.22 MHz - ZURICH TOWER
TWR - 119.70 MHz - ZURICH TOWER	APP - 118.00 MHz - ZURICH ARRIVAL
APP - 135.22 MHz - ZURICH APPROACH	APP - 125.32 MHz - ZURICH FINAL
APP - 120.75 MHz - ZURICH FINAL	DEP - 125.95 MHz - ZURICH DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	197 ft	12,181 ft	155.03	CONCRETE	0 ft	62 ft
	60 m	3,713 m	151.90		0 m	19 m
34	197 ft	12,181 ft	335.05	CONCRETE	1,542 ft	49 ft
	60 m	3,713 m	331.92		470 m	15 m
14	197 ft	10,816 ft	137.29	CONCRETE	492 ft	75 ft
	60 m	3,297 m	134.16		150 m	23 m
32	197 ft	10,816 ft	317.31	CONCRETE	0 ft	82 ft
	60 m	3,297 m	314.19		0 m	25 m
10	197 ft	8,196 ft	95.99	CONCRETE	0 ft	62 ft
	60 m	2,498 m	92.86		0 m	19 m
28	197 ft	8,196 ft	276.02	CONCRETE	0 ft	276 ft
	60 m	2,498 m	272.89		0 m	84 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	IKL	108.30 MHz	18 nm	-	-	1,460 ft
				33 km	-		1,460 m
16	DME	IZH	110.50 MHz	18 nm	-	-	1,400 ft
				33 km	-		1,400 m
28	DME	IZW	109.75 MHz	18 nm	-	-	1,416 ft
				33 km	-		1,416 m
34	DME	IZS	110.75 MHz	18 nm	-	-	1,410 ft
				33 km	-		1,410 m
14	LOC-ILS	IKL	111.75 MHz	18 nm	137.31	-	1,417 ft
				33 km	134.18		1,417 m
16	LOC-ILS	IZH	110.50 MHz	18 nm	155.05	-	1,417 ft
				33 km	151.92		1,417 m
28	LOC-ILS	IZW	109.75 MHz	18 nm	276.01	-	1,417 ft
				33 km	272.88		1,417 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	LOC-ILS	IZS	110.75 MHz	18 nm	335.06	-	1,417 ft
				33 km	331.93		1,417 m
14	GS	IKL	111.75 MHz	10 nm	137.31	3.00	1,417 ft
				19 km	134.18		1,417 m
16	GS	IZH	110.50 MHz	10 nm	155.05	3.00	1,417 ft
				19 km	151.92		1,417 m
28	GS	IZW	109.75 MHz	10 nm	276.01	3.30	1,417 ft
				19 km	272.88		1,417 m
34	GS	IZS	110.75 MHz	10 nm	335.06	3.30	1,417 ft
				19 km	331.93		1,417 m