

EHAM

Amsterdam Schiphol


KLAX

Los Angeles Intl

2024/05/07 0131Z

EHAM EMLON **M79** NATEB **L602** TLA **UN601** NEVIS **UP24** KUVOX 5800N0800W 5800N0900W ERAKA **A 62/50**
6300N05200W 6300N05300W 6300N05400W 6300N05500W 6300N05600W EMBOK **N888A** TEFFO **SCAH** KALLU **J513**
KAIIN **SCAG** YBR **J562** DIK RECAP 4500N10500W CZI **J32** BOY **J713** TCH **J11** FFU **J9** MLF **J107** NORRA **J100** LAX
KLAX

5032.21 nm / 9319.65 km



Notes

Using NAT tracks from 20/10/2021

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 280kts
- Cruise Altitude: 36000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 270kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: no
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHAM APT	-	52.30810 4.76417	0 ft 0 m	-	Amsterdam Schiphol
EMLON FIX	-	53.20560 2.50000	35,100 ft 10,698 m	98	-
ROVNI FIX	M79 AWY-HI	53.88690 0.65028	36,000 ft 10,973 m	77	-
TENDO FIX	M79 AWY-HI	54.02890 0.24639	36,000 ft 10,973 m	16	-
NATEB FIX	M79 AWY-HI	55.03830 -1.69833	36,000 ft 10,973 m	90	-
TLA VOR	L602 AWY-HI	55.49910 -3.35283	36,000 ft 10,973 m	63	TALLA
ERSON FIX	UN601 AWY-HI	56.46330 -4.30667	36,000 ft 10,973 m	66	-
NEVIS FIX	UN601 AWY-HI	56.69530 -4.54472	36,000 ft 10,973 m	16	-
ORSUM FIX	UP24 AWY-HI	57.05190 -5.29472	36,000 ft 10,973 m	32	-
KUVOX FIX	UP24 AWY-HI	58.08310 -7.60667	36,000 ft 10,973 m	96	-
5800N0800W LATLON	-	58.00000 -8.00000	36,000 ft 10,973 m	13	-
5800N0900W LATLON	-	58.00000 -9.00000	36,000 ft 10,973 m	31	-
ERAKA FIX	-	58.00000 -10.00000	36,000 ft 10,973 m	31	-
60/20 LATLON	A NAT	60.00000 -20.00000	36,000 ft 10,973 m	331	-
61/30 LATLON	A NAT	61.00000 -30.00000	36,000 ft 10,973 m	301	-
62/40 LATLON	A NAT	62.00000 -40.00000	36,000 ft 10,973 m	292	-
62/50 LATLON	A NAT	62.00000 -50.00000	36,000 ft 10,973 m	281	-
6300N05200W LATLON	-	63.00000 -52.00000	36,000 ft 10,973 m	81	-
6300N05300W LATLON	-	63.00000 -53.00000	36,000 ft 10,973 m	27	-
6300N05400W LATLON	-	63.00000 -54.00000	36,000 ft 10,973 m	27	-
6300N05500W LATLON	-	63.00000 -55.00000	36,000 ft 10,973 m	27	-
6300N05600W LATLON	-	63.00000 -56.00000	36,000 ft 10,973 m	27	-
EMBOK FIX	-	63.46670 -58.00000	36,000 ft 10,973 m	60	-
BERUS FIX	N888A AWY-HI	63.00000 -63.00000	36,000 ft 10,973 m	138	-
TEFFO FIX	N888A AWY-HI	62.80000 -67.00000	36,000 ft 10,973 m	110	-
KELMU FIX	SCAH AWY-HI	59.16920 -80.00000	36,000 ft 10,973 m	435	-
PIKMO	SCAH	54.63360	36,000 ft	425	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-90.00000	10,973 m		
KALLU	SCAH	51.59140	36,000 ft	254	-
FIX	AWY-HI	-94.93030	10,973 m		
KAIIN	J513	52.33970	36,000 ft	79	-
FIX	AWY-HI	-96.71170	10,973 m		
YBR	SCAG	49.90990	36,000 ft	190	BRANDON
VOR	AWY-HI	-99.94570	10,973 m		
DIK	J562	46.86000	36,000 ft	215	DICKINSON
VOR	AWY-HI	-102.77300	10,973 m		
RECAP	-	45.44110	36,000 ft	115	-
FIX	-	-104.64400	10,973 m		
4500N10500W	-	45.00000	36,000 ft	30	-
LATLON	-	-105.00000	10,973 m		
CZI	-	43.99970	36,000 ft	85	CRAZY WOMAN
VOR	-	-106.43600	10,973 m		
BOY	J32	43.46320	36,000 ft	87	BOYSEN RESERVOIR
VOR	AWY-HI	-108.30000	10,973 m		
BPI	J713	42.57940	36,000 ft	95	BIG PINEY
VOR	AWY-HI	-110.10900	10,973 m		
TCH	J713	40.85030	36,000 ft	133	WASATCH
VOR	AWY-HI	-111.98200	10,973 m		
FFU	J11	40.27490	36,000 ft	34	FAIRFIELD (PROVO)
VOR	AWY-HI	-111.94100	10,973 m		
FRNZY	J9	39.97080	36,000 ft	20	-
FIX	AWY-HI	-112.11900	10,973 m		
MLF	J9	38.36040	36,000 ft	105	MILFORD
VOR	AWY-HI	-113.01300	10,973 m		
BERYL	J107	37.90000	36,000 ft	32	-
FIX	AWY-HI	-113.38600	10,973 m		
NORRA	J107	36.75930	36,000 ft	80	-
FIX	AWY-HI	-114.28100	10,973 m		
SUVIE	J100	36.35940	36,000 ft	34	-
FIX	AWY-HI	-114.80500	10,973 m		
LAS	J100	36.07970	36,000 ft	24	LAS VEGAS
VOR	AWY-HI	-115.16000	10,973 m		
CLARR	J100	35.67570	36,000 ft	35	-
FIX	AWY-HI	-115.68000	10,973 m		
MISEN	J100	35.10230	26,500 ft	49	-
FIX	AWY-HI	-116.40400	8,077 m		
DAG	J100	34.96250	23,900 ft	11	DAGGETT
VOR	AWY-HI	-116.57800	7,285 m		
LAX	J100	33.93320	200 ft	110	LOS ANGELES
VOR	AWY-HI	-118.43200	61 m		
KLAX	-	33.94310	0 ft	1	Los Angeles Intl
APT	-	-118.40900	0 m		

EHAM

Region: NETHERLANDS
Timezone: EUROPE/AMSTERDAM
Runways: 6

Elevation: -11 ft / -3 m
Location: 52.308100 4.764170
Magnetic Var: 2.042 E

METAR

EHAM 070055Z 05007KT 9999 FEW048 12/10 Q1014 NOSIG

TAF

TAF EHAM 062309Z 0700/0806 05007KT CAVOK BECMG 0709/0712 35010KT BECMG 0719/0722 BKN012 PROB30 TEMPO 0800/0806 BK

Frequencies

GND - 121.55 MHz - SCHIPHOL GROUND	GND - 121.70 MHz - SCHIPHOL GROUND
GND - 121.80 MHz - SCHIPHOL GROUND	GND - 121.90 MHz - SCHIPHOL GROUND
GND - 121.60 MHz - SCHIPHOL GROUND	TWR - 119.22 MHz - SCHIPHOL TOWER
TWR - 118.10 MHz - SCHIPHOL TOWER	TWR - 118.27 MHz - SCHIPHOL TOWER
TWR - 119.90 MHz - SCHIPHOL TOWER	APP - 118.80 MHz - AMSTERDAM RADAR
APP - 120.55 MHz - AMSTERDAM RADAR	APP - 127.78 MHz - AMSTERDAM RADAR
APP - 119.05 MHz - SCHIPHOL APPROACH	APP - 118.08 MHz - SCHIPHOL APPROACH
APP - 126.68 MHz - SCHIPHOL APPROACH	APP - 118.40 MHz - SCHIPHOL ARRIVAL
APP - 131.15 MHz - SCHIPHOL ARRIVAL	DEP - 121.20 MHz - SCHIPHOL DEPARTURE
REC - 122.20 MHz - SCHIPHOL ATIS	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	145 ft	11,319 ft	86.77	ASPHALT	325 ft	0 ft
	44 m	3,450 m	84.73		99 m	0 m
27	145 ft	11,319 ft	266.81	ASPHALT	0 ft	0 ft
	44 m	3,450 m	264.77		0 m	0 m
18L	150 ft	11,150 ft	183.24	ASPHALT	1,886 ft	0 ft
	46 m	3,399 m	181.20		575 m	0 m
36R	150 ft	11,150 ft	3.24	ASPHALT	0 ft	0 ft
	46 m	3,399 m	1.20		0 m	0 m
18C	145 ft	10,813 ft	183.22	ASPHALT	0 ft	0 ft
	44 m	3,296 m	181.18		0 m	0 m
36C	145 ft	10,813 ft	3.22	ASPHALT	1,473 ft	0 ft
	44 m	3,296 m	1.17		449 m	0 m
18R	190 ft	12,467 ft	183.19	ASPHALT	886 ft	0 ft
	58 m	3,800 m	181.15		270 m	0 m
36L	190 ft	12,467 ft	3.19	ASPHALT	0 ft	0 ft
	58 m	3,800 m	1.15		0 m	0 m
06	150 ft	11,288 ft	57.85	ASPHALT	814 ft	0 ft
	46 m	3,441 m	55.81		248 m	0 m
24	150 ft	11,288 ft	237.89	ASPHALT	0 ft	0 ft
	46 m	3,441 m	235.85		0 m	0 m
04	140 ft	6,624 ft	41.18	ASPHALT	0 ft	0 ft
	43 m	2,019 m	39.14		0 m	0 m
22	140 ft	6,624 ft	221.20	ASPHALT	0 ft	0 ft
	43 m	2,019 m	219.16		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	KAG	110.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
18R	DME	VPB	110.10 MHz	18 nm 33 km	- -	-	-11 ft -11 m
22	DME	SCH	109.15 MHz	18 nm 33 km	- -	-	-11 ft -11 m
27	DME	BVB	111.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36C	DME	MSA	108.75 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36R	DME	ABA	111.95 MHz	18 nm 33 km	- -	-	-11 ft -11 m
06	LOC-ILS	KAG	110.55 MHz	18 nm 33 km	57.88 55.84	-	-11 ft -11 m
18C	LOC-ILS	ZWA	109.50 MHz	18 nm 33 km	183.22 181.18	-	-11 ft -11 m
18R	LOC-ILS	VPB	110.10 MHz	18 nm 33 km	183.19 181.15	-	-11 ft -11 m
22	LOC-ILS	SCH	109.15 MHz	18 nm 33 km	221.20 219.16	-	-11 ft -11 m
27	LOC-ILS	BVB	111.55 MHz	18 nm 33 km	266.79 264.75	-	-11 ft -11 m
36C	LOC-ILS	MSA	108.75 MHz	18 nm 33 km	3.22 1.18	-	-11 ft -11 m
36R	LOC-ILS	ABA	111.95 MHz	18 nm 33 km	3.24 1.20	-	-11 ft -11 m
06	GS	KAG	110.55 MHz	10 nm 19 km	57.88 55.84	3.00	-11 ft -11 m
18C	GS	ZWA	109.50 MHz	10 nm 19 km	183.22 181.18	3.00	-11 ft -11 m
18R	GS	VPB	110.10 MHz	10 nm 19 km	183.19 181.15	3.00	-11 ft -11 m
22	GS	SCH	109.15 MHz	10 nm 19 km	221.20 219.16	3.00	-11 ft -11 m
27	GS	BVB	111.55 MHz	10 nm 19 km	266.79 264.75	3.00	-11 ft -11 m
36C	GS	MSA	108.75 MHz	10 nm 19 km	3.22 1.18	3.00	-11 ft -11 m
36R	GS	ABA	111.95 MHz	10 nm 19 km	3.24 1.20	3.00	-11 ft -11 m

KLAX

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 125 ft / 38 m
Location: 33.943100 -118.409000
Magnetic Var: 11.442 E

METAR

KLAX 070053Z 24010KT 10SM FEW250 16/09 A2996 RMK AO2 SLP144 T01610089 \$

TAF

KLAX 062346Z 0700/0806 26010KT P6SM FEW200 FM070300 26008KT P6SM FEW200 FM070900 06005KT P6SM FEW020 FM071500 VRB

Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.52		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.54		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.51		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.53		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.50		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.53		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.51		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.52		0 m	87 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.54	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.54	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.54	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.54	3.00	125 ft 125 m