


2024/05/06 0442Z

KBAK FLM **V478** TERRN **V45** FREON KHRJ

428.30 nm / 793.22 km



Notes

Basic altitude profile:

- Ascent Rate: 8500ft/min
- Ascent Speed: 90kts
- Cruise Altitude: 35000ft
- Cruise Speed: 110kts
- Descent Rate: 1500ft/min
- Descent Speed: 70kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KBAK APT	-	39.26200 -85.89630	0 ft 0 m	-	Columbus Muni
FLM VOR	-	38.64940 -84.31060	35,000 ft 10,668 m	82	FALMOUTH
ECB VOR	V478 AWY-LO	38.15840 -82.91010	35,000 ft 10,668 m	72	NEWCOMBE
CELLI FIX	V478 AWY-LO	38.02830 -82.27830	35,000 ft 10,668 m	30	-
BIVDY FIX	V478 AWY-LO	37.89470 -81.64890	35,000 ft 10,668 m	30	-
TERRN FIX	V478 AWY-LO	37.86230 -81.49880	35,000 ft 10,668 m	7	-
CINDO FIX	V45 AWY-LO	37.83640 -81.48450	35,000 ft 10,668 m	1	-
KEGLY FIX	V45 AWY-LO	37.47480 -81.28600	35,000 ft 10,668 m	23	-
BLF VOR	V45 AWY-LO	37.30640 -81.19430	35,000 ft 10,668 m	11	BLUEFIELD
HECKE FIX	V45 AWY-LO	37.21600 -80.99440	35,000 ft 10,668 m	10	-
ERATH FIX	V45 AWY-LO	37.17030 -80.89400	35,000 ft 10,668 m	5	-
PSK VOR	V45 AWY-LO	37.08770 -80.71290	35,000 ft 10,668 m	9	PULASKI (DUBLIN)
NANKY FIX	V45 AWY-LO	36.94750 -80.60000	35,000 ft 10,668 m	10	-
WILIZ FIX	V45 AWY-LO	36.87500 -80.54170	35,000 ft 10,668 m	5	-
FREON FIX	V45 AWY-LO	36.54470 -80.27820	35,000 ft 10,668 m	23	-
KHRJ APT	-	35.38020 -78.73220	0 ft 0 m	102	HARNETT COUNTY

KBAK

Region: UNITED STATES
Timezone: AMERICA/INDIANA/INDIANAPOLIS
Runways: 2

Elevation: 656 ft / 200 m
Location: 39.262000 -85.896300
Magnetic Var: 5.260 W

METAR

UNKNOWN

TAF

UNKNOWN

Frequencies

REC - 119.75 MHz - AWOS 3
COM - 122.95 MHz - UNICOM
CLD - 134.85 MHz - CLNC DEL
TWR - 118.60 MHz -
COM - 118.60 MHz - CTAF
CLD - 121.60 MHz - CLNC DEL
GND - 121.60 MHz -
APP - 134.85 MHz - INDIANAPOLIS APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	150 ft	6,399 ft	44.92	ASPHALT	0 ft	0 ft
	46 m	1,951 m	50.18		0 m	0 m
23	150 ft	6,399 ft	224.93	ASPHALT	0 ft	1,000 ft
	46 m	1,951 m	230.19		0 m	305 m
14	100 ft	4,999 ft	135.15	ASPHALT	0 ft	0 ft
	30 m	1,524 m	140.41		0 m	0 m
32	100 ft	4,999 ft	315.16	ASPHALT	0 ft	0 ft
	30 m	1,524 m	320.42		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
23	LOC-ILS	IBAK	110.70 MHz	18 nm	224.92	-	656 ft
				33 km	230.18		656 m
23	GS	IBAK	110.70 MHz	10 nm	225.85	3.00	655 ft
				19 km	231.11		655 m