


2024/06/01 1553Z

OTHH KUSBA OMDB

204.40 nm / 378.55 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 15000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
OTHH	-	25.27450	0 ft	-	Hamad Intl
APT	-	51.60770	0 m		
KUSBA	-	25.27610	15,000 ft	101	-
FIX	-	53.47970	4,572 m		
OMDB	-	25.25110	0 ft	102	Dubai Intl
APT	-	55.37110	0 m		

## OTHH

Region: QATAR  
Timezone: UNKNOWN  
Runways: 2

Elevation: 13 ft / 4 m  
Location: 25.274500 51.607700  
Magnetic Var: 2.776 E

## METAR

OTHH 011500Z AUTO 02005KT CAVOK 38/10 Q1002 NOSIG

## TAF

TAF OTHH 011103Z 0112/0218 10007KT CAVOK TEMPO 0116/0120 36004KT BECMG 0120/0122 32010KT BECMG 0206/0208 34020KT

## Frequencies

REC - 126.85 MHz - ATIS	CLD - 120.87 MHz - CLEARANCE DELIVERY
TWR - 118.52 MHz - HAMAD TOWER	TWR - 118.02 MHz - HAMAD TOWER
TWR - 118.22 MHz - HAMAD TOWER	GND - 121.67 MHz - HAMAD GROUND
GND - 120.22 MHz - HAMAD GROUND	GND - 118.65 MHz - HAMAD GROUND
APP - 121.10 MHz - DOHA APPROACH	APP - 119.72 MHz - DOHA APPROACH
DEP - 119.12 MHz - DOHA DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	197 ft	15,927 ft	158.28	ASPHALT	0 ft	1,017 ft
	60 m	4,855 m	155.51		0 m	310 m
34R	197 ft	15,927 ft	338.29	ASPHALT	0 ft	1,017 ft
	60 m	4,855 m	335.51		0 m	310 m
16R	197 ft	13,957 ft	158.28	ASPHALT	0 ft	1,017 ft
	60 m	4,254 m	155.50		0 m	310 m
34L	197 ft	13,957 ft	338.28	ASPHALT	0 ft	1,017 ft
	60 m	4,254 m	335.51		0 m	310 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	LOC-ILS	IDE	108.70 MHz	18 nm	158.29	-	13 ft
				33 km	155.51		13 m
16R	LOC-ILS	QAT	108.10 MHz	18 nm	158.28	-	13 ft
				33 km	155.50		13 m
34L	LOC-ILS	HJJ	111.90 MHz	18 nm	338.28	-	13 ft
				33 km	335.50		13 m
34R	LOC-ILS	AZM	110.10 MHz	18 nm	338.29	-	13 ft
				33 km	335.51		13 m
16L	GS	IDE	108.70 MHz	10 nm	158.29	3.00	13 ft
				19 km	155.51		13 m
16R	GS	QAT	108.10 MHz	10 nm	158.28	3.00	13 ft
				19 km	155.50		13 m
34L	GS	HJJ	111.90 MHz	10 nm	338.28	3.00	13 ft
				19 km	335.50		13 m
34R	GS	AZM	110.10 MHz	10 nm	338.29	3.00	13 ft
				19 km	335.51		13 m

## OMDB

Region: UNITED ARAB EMIRATES  
Timezone: ASIA/DUBAI  
Runways: 2

Elevation: 62 ft / 19 m  
Location: 25.251100 55.371100  
Magnetic Var: 2.355 E

## METAR

OMDB 011500Z 29008KT 260V330 8000 NSC 39/16 Q1001 NOSIG

## TAF

TAF OMDB 011100Z 0112/0218 33010KT 8000 NSC BECMG 0116/0118 18006KT BECMG 0206/0208 29010KT BECMG 0216/0218 21005

## Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.14		302 m	115 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.13		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.18		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.18		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.13		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.13		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.18		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.18		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.13		62 m