

# EHAM

Schiphol


# LIRP

PISA

2024/05/03 0824Z

EHAM TERLA **UN852** LNO **R7** SUTAL **UN852** GTQ **R7** STR **R11** LUPEN **T711** MOPAN **Y711** NATOR **N850** TRA **A9** CANNE  
**L995** BEKAN LIRP

581.39 nm / 1076.73 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EHAM APT	-	52.31485 4.75812	0 ft 0 m	-	Schiphol
TERLA FIX	-	50.68251 5.66544	35,000 ft 10,668 m	103	-
LNO VOR	UN852 AWY-HI	50.58583 5.71028	35,000 ft 10,668 m	6	OLNO VOR-DME
GESLO FIX	R7 AWY-LO	50.07917 6.00500	35,000 ft 10,668 m	32	-
GOPAS FIX	R7 AWY-LO	49.96639 6.06972	35,000 ft 10,668 m	7	-
DIK NDB	R7 AWY-LO	49.86139 6.12972	35,000 ft 10,668 m	6	DIEKIRCH NDB
LIMGO FIX	R7 AWY-LO	49.63722 6.28167	35,000 ft 10,668 m	14	-
DIK21 FIX	R7 AWY-LO	49.52333 6.35861	35,000 ft 10,668 m	7	-
SUTAL FIX	R7 AWY-LO	49.46667 6.39167	35,000 ft 10,668 m	3	-
GTQ VOR	UN852 AWY-HI	48.98644 6.71622	35,000 ft 10,668 m	31	GROSTENQUIN VOR-DME
PHALO FIX	R7 AWY-LO	48.77778 7.09528	35,000 ft 10,668 m	19	-
STR VOR	R7 AWY-LO	48.50539 7.57197	35,000 ft 10,668 m	25	STRASBOURG ENTZHEIM VOR-DME
LUPEN FIX	R11 AWY-LO	48.43500 7.73361	35,000 ft 10,668 m	7	-
DENEL FIX	T711 AWY-LO	48.36528 7.88417	35,000 ft 10,668 m	7	-
MOPAN FIX	T711 AWY-LO	48.24639 8.15444	35,000 ft 10,668 m	12	-
NATOR FIX	Y711 AWY-LO	48.17000 8.32139	35,000 ft 10,668 m	8	-
TITIX FIX	N850 AWY-LO	47.85833 8.39667	35,000 ft 10,668 m	18	-
TRA VOR	N850 AWY-LO	47.68950 8.43695	35,000 ft 10,668 m	10	TRASADINGEN VOR-DME
RISLI FIX	A9 AWY-LO	47.45306 8.50750	35,000 ft 10,668 m	14	-
BARIG FIX	A9 AWY-LO	47.26861 8.56111	35,000 ft 10,668 m	11	-
ALBIX FIX	A9 AWY-LO	47.24972 8.56444	35,000 ft 10,668 m	1	-
AGERI FIX	A9 AWY-LO	47.11722 8.60500	35,000 ft 10,668 m	8	-
URNAS FIX	A9 AWY-LO	47.00222 8.63833	35,000 ft 10,668 m	7	-
LUKOM FIX	A9 AWY-LO	46.58500 8.75861	35,000 ft 10,668 m	25	-
CANNE FIX	A9 AWY-LO	46.16667 8.88111	35,000 ft 10,668 m	25	-
PEPAG FIX	L995 AWY-LO	45.98389 9.07139	32,400 ft 9,876 m	13	-
TZO	L995	45.55916	25,600 ft	31	TREZZO VOR-DME

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	AWY-LO	9.50722	7,803 m		
BEKAN	L995	45.32500	21,900 ft	17	-
FIX	AWY-LO	9.76111	6,675 m		
LIRP	-	43.68388	0 ft	102	PISA
APT	-	10.39272	0 m		

## EHAM

Region: NETHERLANDS  
Timezone: EUROPE/AMSTERDAM  
Runways: 6

Elevation: -11 ft / -3 m  
Location: 52.308100 4.764170  
Magnetic Var: 2.040 E

## METAR

EHAM 030755Z 24013KT 210V270 9999 FEW004 SCT006 BKN008 FEW050CB 13/12 Q1005 TEMPO 7000 -SHRA BECMG BKN012

## TAF

TAF TAF EHAM 030521Z 0306/0412 23012KT 4000 BR BKN007 PROB40 TEMPO 0306/0309 2500 SHRA RADZ SCT004 BKN005 FEW050CB

## Frequencies

GND - 121.55 MHz - SCHIPHOL GROUND	GND - 121.70 MHz - SCHIPHOL GROUND
GND - 121.80 MHz - SCHIPHOL GROUND	GND - 121.90 MHz - SCHIPHOL GROUND
GND - 121.60 MHz - SCHIPHOL GROUND	TWR - 119.22 MHz - SCHIPHOL TOWER
TWR - 118.10 MHz - SCHIPHOL TOWER	TWR - 118.27 MHz - SCHIPHOL TOWER
TWR - 119.90 MHz - SCHIPHOL TOWER	APP - 118.80 MHz - AMSTERDAM RADAR
APP - 120.55 MHz - AMSTERDAM RADAR	APP - 127.78 MHz - AMSTERDAM RADAR
APP - 119.05 MHz - SCHIPHOL APPROACH	APP - 118.08 MHz - SCHIPHOL APPROACH
APP - 126.68 MHz - SCHIPHOL APPROACH	APP - 118.40 MHz - SCHIPHOL ARRIVAL
APP - 131.15 MHz - SCHIPHOL ARRIVAL	DEP - 121.20 MHz - SCHIPHOL DEPARTURE
REC - 122.20 MHz - SCHIPHOL ATIS	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	145 ft	11,319 ft	86.77	ASPHALT	325 ft	0 ft
	44 m	3,450 m	84.73		99 m	0 m
27	145 ft	11,319 ft	266.81	ASPHALT	0 ft	0 ft
	44 m	3,450 m	264.77		0 m	0 m
18L	150 ft	11,150 ft	183.24	ASPHALT	1,886 ft	0 ft
	46 m	3,399 m	181.20		575 m	0 m
36R	150 ft	11,150 ft	3.24	ASPHALT	0 ft	0 ft
	46 m	3,399 m	1.20		0 m	0 m
18C	145 ft	10,813 ft	183.22	ASPHALT	0 ft	0 ft
	44 m	3,296 m	181.18		0 m	0 m
36C	145 ft	10,813 ft	3.22	ASPHALT	1,473 ft	0 ft
	44 m	3,296 m	1.18		449 m	0 m
18R	190 ft	12,467 ft	183.19	ASPHALT	886 ft	0 ft
	58 m	3,800 m	181.15		270 m	0 m
36L	190 ft	12,467 ft	3.19	ASPHALT	0 ft	0 ft
	58 m	3,800 m	1.15		0 m	0 m
06	150 ft	11,288 ft	57.85	ASPHALT	814 ft	0 ft
	46 m	3,441 m	55.81		248 m	0 m
24	150 ft	11,288 ft	237.89	ASPHALT	0 ft	0 ft
	46 m	3,441 m	235.85		0 m	0 m
04	140 ft	6,624 ft	41.18	ASPHALT	0 ft	0 ft
	43 m	2,019 m	39.14		0 m	0 m
22	140 ft	6,624 ft	221.20	ASPHALT	0 ft	0 ft
	43 m	2,019 m	219.16		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	KAG	110.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
18R	DME	VPB	110.10 MHz	18 nm 33 km	- -	-	-11 ft -11 m
22	DME	SCH	109.15 MHz	18 nm 33 km	- -	-	-11 ft -11 m
27	DME	BVB	111.55 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36C	DME	MSA	108.75 MHz	18 nm 33 km	- -	-	-11 ft -11 m
36R	DME	ABA	111.95 MHz	18 nm 33 km	- -	-	-11 ft -11 m
06	LOC-ILS	KAG	110.55 MHz	18 nm 33 km	57.88 55.84	-	-11 ft -11 m
18C	LOC-ILS	ZWA	109.50 MHz	18 nm 33 km	183.22 181.18	-	-11 ft -11 m
18R	LOC-ILS	VPB	110.10 MHz	18 nm 33 km	183.19 181.15	-	-11 ft -11 m
22	LOC-ILS	SCH	109.15 MHz	18 nm 33 km	221.20 219.16	-	-11 ft -11 m
27	LOC-ILS	BVB	111.55 MHz	18 nm 33 km	266.79 264.75	-	-11 ft -11 m
36C	LOC-ILS	MSA	108.75 MHz	18 nm 33 km	3.22 1.18	-	-11 ft -11 m
36R	LOC-ILS	ABA	111.95 MHz	18 nm 33 km	3.24 1.20	-	-11 ft -11 m
06	GS	KAG	110.55 MHz	10 nm 19 km	57.88 55.84	3.00	-11 ft -11 m
18C	GS	ZWA	109.50 MHz	10 nm 19 km	183.22 181.18	3.00	-11 ft -11 m
18R	GS	VPB	110.10 MHz	10 nm 19 km	183.19 181.15	3.00	-11 ft -11 m
22	GS	SCH	109.15 MHz	10 nm 19 km	221.20 219.16	3.00	-11 ft -11 m
27	GS	BVB	111.55 MHz	10 nm 19 km	266.79 264.75	3.00	-11 ft -11 m
36C	GS	MSA	108.75 MHz	10 nm 19 km	3.22 1.18	3.00	-11 ft -11 m
36R	GS	ABA	111.95 MHz	10 nm 19 km	3.24 1.20	3.00	-11 ft -11 m

## LIRP

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 2

Elevation: 4 ft / 1 m  
Location: 43.682800 10.395600  
Magnetic Var: 3.406 E

## METAR

LIRP 030745Z 18005KT CAVOK 14/12 Q1011 NOSIG

## TAF

TAF LIRP 030500Z 0306/0406 10004KT 9999 FEW020 BECMG 0308/0310 27010KT PROB30 TEMPO 0400/0405 3000 MIFG SCT010

## Frequencies

GND - 121.60 MHz - PISA GROUND  
TWR - 119.10 MHz - PISA TOWER  
APP - 122.10 MHz - PISA APPROACH

TWR - 122.10 MHz - PISA TOWER  
APP - 124.27 MHz - PISA APPROACH  
APP - 126.07 MHz - PISA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	9,825 ft	36.73	ASPHALT	463 ft	0 ft
	45 m	2,995 m	33.32		141 m	0 m
22L	148 ft	9,825 ft	216.74	ASPHALT	833 ft	190 ft
	45 m	2,995 m	213.33		254 m	58 m
04L	148 ft	8,984 ft	36.71	ASPHALT	791 ft	0 ft
	45 m	2,738 m	33.31		241 m	0 m
22R	148 ft	8,984 ft	216.73	ASPHALT	0 ft	190 ft
	45 m	2,738 m	213.32		0 m	58 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04R	LOC-ILS	IPI	109.70 MHz	18 nm	36.76	-	7 ft
				33 km	33.36		7 m
04R	GS	IPI	109.70 MHz	10 nm	37.45	3.00	3 ft
				19 km	34.04		3 m