


2024/06/06 1608Z

EFSA IBOSU EFTP

155.41 nm / 287.82 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EFSA	-	61.94310	0 ft	-	Savonlinna Airport
APT	-	28.94520	0 m	-	
IBOSU	-	61.62000	10,700 ft	105	Tampere Pirkkala Airport
FIX	-	25.29530	3,261 m	-	
EFTP	-	61.41420	0 ft	49	
APT	-	23.60440	0 m	-	

EFSA

Region: FINLAND
Timezone: EUROPE/HELSINKI
Runways: 1

Elevation: 312 ft / 95 m
Location: 61.943100 28.945200
Magnetic Var: 12.107 E

METAR

EFSA 061520Z AUTO 29007KT CAVOK 22/12 Q1007

TAF

UNKNOWN

Frequencies

REC - 136.05 MHz - ATIS
TWR - 119.70 MHz - SAVONLINNA AFIS
TWR - 118.80 MHz - SAVONLINNA AFIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	7,554 ft	125.66	ASPHALT	0 ft	0 ft
	45 m	2,302 m	113.55		0 m	0 m
30	148 ft	7,554 ft	305.69	ASPHALT	0 ft	0 ft
	45 m	2,302 m	293.58		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	SA	111.10 MHz	18 nm	125.68	-	312 ft
				33 km	113.57		312 m
12	GS	SA	111.10 MHz	10 nm	125.68	3.00	312 ft
				19 km	113.57		312 m

EFTP

Region: FINLAND
Timezone: EUROPE/HELSINKI
Runways: 1

Elevation: 391 ft / 119 m
Location: 61.414200 23.604400
Magnetic Var: 9.820 E

METAR

EFTP 061520Z AUTO 25006KT 220V280 CAVOK 16/06 Q1010

TAF

TAF EFTP 061432Z 0615/0715 25006KT 9999 FEW030 TEMPO 0708/0715 SHRA SCT035CB PROB30 0708/0715 TSRA

Frequencies

REC - 133.55 MHz - ATIS
APP - 120.25 MHz - PIRKKALA ARRIVAL
TWR - 119.70 MHz - PIRKKALA TOWER
APP - 126.20 MHz - PIRKKALA RADAR
TWR - 118.70 MHz - PIRKKALA TOWER
GND - 124.27 MHz - PIRKKALA GROUND

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	8,865 ft	64.39	ASPHALT	0 ft	0 ft
	45 m	2,702 m	54.57		0 m	0 m
24	148 ft	8,865 ft	244.43	ASPHALT	0 ft	0 ft
	45 m	2,702 m	234.61		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24	LOC-ILS	TP	110.10 MHz	18 nm	244.42	-	391 ft
				33 km	234.60		391 m
24	GS	TP	110.10 MHz	10 nm	244.42	3.00	391 ft
				19 km	234.60		391 m