

SAEZ

Ministro Pistarini (Ezeiza)


EDDF

Frankfurt am Main

2024/05/09 0033Z

SAEZ KUKEN **UM654** AUGUR **UW10** LAP **W8** PTL **UW14** MSS **UN866** AMDOL **N866** KONBA **UN866** BEXAL **UZ223** SOTEX
UN873 BIRBA **G7** ELVAR **UL14** NEA **UP181** SSN **R10** MAGEC **UM615** ENSAC **R10** VELIN **UN857** LMG **G21** LARON **UM129**
MOU **G21** GIVOR **UL47** GTQ EDDF

6238.82 nm / 11554.30 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes

- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SAEZ	-	-34.82138	0 ft	-	Ministro Pistarini (Ezeiza)
APT	-	-58.53273	0 m	-	
KUKEN	-	-34.18278	14,700 ft	41	-
FIX	-	-58.21722	4,481 m	-	-
GAMOT	UM654	-30.94450	35,000 ft	238	-
FIX	AWY-HI	-55.49367	10,668 m	-	-
BRICK	UM654	-27.69533	35,000 ft	236	-
FIX	AWY-HI	-52.94717	10,668 m	-	-
DEVIL	UM654	-26.47500	35,000 ft	87	-
FIX	AWY-HI	-52.03933	10,668 m	-	-
ILBEK	UM654	-25.67650	35,000 ft	57	-
FIX	AWY-HI	-51.45783	10,668 m	-	-
AULIC	UM654	-24.76500	35,000 ft	65	-
FIX	AWY-HI	-50.80583	10,668 m	-	-
RABAN	UM654	-24.28900	35,000 ft	33	-
FIX	AWY-HI	-50.46967	10,668 m	-	-
NETOS	UM654	-23.43067	35,000 ft	61	-
FIX	AWY-HI	-49.87150	10,668 m	-	-
EMBER	UM654	-23.05917	35,000 ft	26	-
FIX	AWY-HI	-49.61550	10,668 m	-	-
KNAVE	UM654	-22.84567	35,000 ft	15	-
FIX	AWY-HI	-49.46917	10,668 m	-	-
BRU	UM654	-22.31400	35,000 ft	37	BAURU NDB
NDB	AWY-HI	-49.10717	10,668 m	-	
PERAU	UM654	-21.98950	35,000 ft	22	-
FIX	AWY-HI	-48.90008	10,668 m	-	-
FOSSE	UM654	-21.70200	35,000 ft	19	-
FIX	AWY-HI	-48.71967	10,668 m	-	-
HASTE	UM654	-21.10717	35,000 ft	41	-
FIX	AWY-HI	-48.34333	10,668 m	-	-
GAUZE	UM654	-20.74600	35,000 ft	25	-
FIX	AWY-HI	-48.11767	10,668 m	-	-
ABAFT	UM654	-20.40958	35,000 ft	23	-
FIX	AWY-HI	-47.90858	10,668 m	-	-
EDOLA	UM654	-19.88217	35,000 ft	36	-
FIX	AWY-HI	-47.58283	10,668 m	-	-
BACON	UM654	-19.22017	35,000 ft	45	-
FIX	AWY-HI	-47.18100	10,668 m	-	-
CROWD	UM654	-18.21483	35,000 ft	69	-
FIX	AWY-HI	-46.56783	10,668 m	-	-
DEPTI	UM654	-17.77400	35,000 ft	30	-
FIX	AWY-HI	-46.31600	10,668 m	-	-
FLAND	UM654	-17.50067	35,000 ft	18	-
FIX	AWY-HI	-46.15433	10,668 m	-	-
PRUMO	UM654	-17.40800	35,000 ft	6	-
FIX	AWY-HI	-46.09983	10,668 m	-	-
AFTER	UM654	-16.74175	35,000 ft	45	-
FIX	AWY-HI	-45.70858	10,668 m	-	-
ENTER	UM654	-16.45300	35,000 ft	19	-
FIX	AWY-HI	-45.54000	10,668 m	-	-
HATCH	UM654	-15.60583	35,000 ft	58	-
FIX	AWY-HI	-45.04883	10,668 m	-	-
NEFAS	UM654	-15.19833	35,000 ft	27	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-44.81433	10,668 m		
MALBA	UM654	-14.78467	35,000 ft	28	-
FIX	AWY-HI	-44.57717	10,668 m		
OLEAR	UM654	-14.47217	35,000 ft	21	-
FIX	AWY-HI	-44.39883	10,668 m		
PACAS	UM654	-13.97167	35,000 ft	34	-
FIX	AWY-HI	-44.11433	10,668 m		
AUGUR	UM654	-13.52883	35,000 ft	30	-
FIX	AWY-HI	-43.86383	10,668 m		
LAP	UW10	-13.26464	35,000 ft	30	LAPA VOR-DME
VOR	AWY-HI	-43.40817	10,668 m		
PTL	W8	-9.36317	35,000 ft	288	PETROLINA VOR-DME
VOR	AWY-LO	-40.56133	10,668 m		
BERTI	UW14	-7.91283	35,000 ft	109	-
FIX	AWY-HI	-39.43933	10,668 m		
OPABA	UW14	-6.65850	35,000 ft	94	-
FIX	AWY-HI	-38.47717	10,668 m		
ABASE	UW14	-5.73008	35,000 ft	69	-
FIX	AWY-HI	-37.76942	10,668 m		
MSS	UW14	-5.19733	35,000 ft	40	MOSSORO VOR-DME
VOR	AWY-HI	-37.36450	10,668 m		
MAGNO	UN866	-1.74383	35,000 ft	236	-
FIX	AWY-HI	-35.46067	10,668 m		
CRUDE	UN866	1.73750	35,000 ft	238	-
FIX	AWY-HI	-33.54967	10,668 m		
OBKUT	UN866	3.43050	35,000 ft	116	-
FIX	AWY-HI	-32.61833	10,668 m		
DEKON	UN866	5.21667	35,000 ft	122	-
FIX	AWY-HI	-31.63167	10,668 m		
BUXON	UN866	8.48401	35,000 ft	225	-
FIX	AWY-HI	-29.78297	10,668 m		
NELTO	UN866	9.79500	35,000 ft	90	-
FIX	AWY-HI	-29.03167	10,668 m		
AMDOL	UN866	14.35333	35,000 ft	315	-
FIX	AWY-HI	-26.35833	10,668 m		
IREDO	N866	17.71833	35,000 ft	234	-
FIX	AWY-LO	-24.30333	10,668 m		
TENPA	N866	21.36167	35,000 ft	255	-
FIX	AWY-LO	-21.97333	10,668 m		
USOTI	N866	23.06677	35,000 ft	120	-
FIX	AWY-LO	-20.83637	10,668 m		
APASO	N866	25.00000	35,000 ft	137	-
FIX	AWY-LO	-19.50463	10,668 m		
GOMER	N866	28.00000	35,000 ft	214	-
FIX	AWY-LO	-17.33333	10,668 m		
BRICK	N866	29.59137	35,000 ft	108	-
FIX	AWY-LO	-16.37289	10,668 m		
GURKA	N866	30.43400	35,000 ft	57	-
FIX	AWY-LO	-15.85026	10,668 m		
KONBA	N866	31.30083	35,000 ft	59	-
FIX	AWY-LO	-15.30167	10,668 m		
LUPEX	UN866	32.99750	35,000 ft	122	-
FIX	AWY-HI	-13.95500	10,668 m		
KUBIL	UN866	34.26111	35,000 ft	92	-
FIX	AWY-HI	-12.91167	10,668 m		
BEXAL	UN866	35.96667	35,000 ft	125	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-11.44833	10,668 m		
SOTEX	UZ223	38.29278	35,000 ft	208	-
FIX	AWY-HI	-8.22000	10,668 m		
EVURA	UN873	38.66500	35,000 ft	26	-
FIX	AWY-HI	-7.91861	10,668 m		
BIRBA	UN873	39.10556	35,000 ft	32	-
FIX	AWY-HI	-7.51194	10,668 m		
ELVAR	G7	39.21945	35,000 ft	15	-
FIX	AWY-LO	-7.22332	10,668 m		
RAKOD	UL14	39.78082	35,000 ft	43	-
FIX	AWY-HI	-6.62851	10,668 m		
RIDAV	UL14	40.53524	35,000 ft	58	-
FIX	AWY-HI	-5.80829	10,668 m		
MINVI	UL14	41.12614	35,000 ft	46	-
FIX	AWY-HI	-5.14818	10,668 m		
ZANKO	UL14	41.28795	35,000 ft	12	-
FIX	AWY-HI	-4.96459	10,668 m		
NEA	UL14	42.02761	35,000 ft	58	TABANERA VOR-DME
VOR	AWY-HI	-4.10913	10,668 m		
VRA	UP181	42.73188	35,000 ft	69	VITORIA VOR-DME
VOR	AWY-HI	-2.86558	10,668 m		
SSN	UP181	43.31120	35,000 ft	57	SAN SEBASTIAN VOR-DME
VOR	AWY-HI	-1.83039	10,668 m		
URUNA	R10	43.35500	35,000 ft	4	-
FIX	AWY-LO	-1.74028	10,668 m		
BTZ	R10	43.46664	35,000 ft	12	BIARRITZ BAYONNE ANGLET VOR-DM
VOR	AWY-LO	-1.51028	10,668 m		
MAGEC	R10	43.74833	35,000 ft	21	-
FIX	AWY-LO	-1.19583	10,668 m		
ENSAC	UM615	44.20000	35,000 ft	34	-
FIX	AWY-HI	-0.69028	10,668 m		
SAU	R10	44.67681	35,000 ft	36	SAUVETERRE DE GUYENNE VOR
VOR	AWY-LO	-0.15292	10,668 m		
VELIN	R10	44.98000	35,000 ft	22	-
FIX	AWY-LO	0.15556	10,668 m		
SOMIG	UN857	45.37500	35,000 ft	29	-
FIX	AWY-HI	0.56250	10,668 m		
LMG	UN857	45.81592	35,000 ft	32	LIMOGES VOR-DME
VOR	AWY-HI	1.02558	10,668 m		
GUERE	G21	46.19000	35,000 ft	49	-
FIX	AWY-LO	2.08944	10,668 m		
LARON	G21	46.22750	35,000 ft	5	-
FIX	AWY-LO	2.19833	10,668 m		
KUKOR	UM129	46.54194	35,000 ft	42	-
FIX	AWY-HI	3.12917	10,668 m		
MOU	UM129	46.70678	35,000 ft	22	MOULINS VOR-DME
VOR	AWY-HI	3.63167	10,668 m		
CACHI	G21	47.06667	35,000 ft	29	-
FIX	AWY-LO	4.10667	10,668 m		
KASON	G21	47.55833	35,000 ft	40	-
FIX	AWY-LO	4.77000	10,668 m		
RLP	G21	47.90631	35,000 ft	28	ROLAMPONT VOR-DME
VOR	AWY-LO	5.24917	10,668 m		
EPL	G21	48.31783	30,500 ft	40	EPINAL MIRECOURT VOR
VOR	AWY-LO	6.05942	9,296 m		
GIVOR	G21	48.65861	25,300 ft	24	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	6.39139	7,711 m		
GTQ	UL47	48.98644	20,300 ft	23	GROSTENQUIN VOR-DME
VOR	AWY-HI	6.71622	6,187 m		
EDDF	-	50.03260	0 ft	94	Frankfurt am Main
APT	-	8.54064	0 m		

SAEZ

Region: ARGENTINA
Timezone: AMERICA/ARGENTINA/BUENOS_AIRES
Runways: 2

Elevation: 66 ft / 20 m
Location: -34.822000 -58.532600
Magnetic Var: 9.809 W

METAR

SAEZ 090000Z 26007KT CAVOK 10/04 Q1017 NOSIG

TAF

TAF SAEZ 082300Z 0900/0924 25010KT CAVOK TX15/0918Z TN05/0910Z BECMG 0912/0915 18005KT BECMG 0917/0920 02005KT

Frequencies

REC - 127.80 MHz - ATIS
GND - 121.75 MHz - EZEIZA GROUND
APP - 119.90 MHz - EZEIZA APPROACH
CLD - 127.10 MHz - EZEIZA CLEARANCE
TWR - 118.60 MHz - EZEIZA TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	10,801 ft	102.32	ASPHALT	0 ft	85 ft
	60 m	3,292 m	112.13		0 m	26 m
29	197 ft	10,801 ft	282.30	ASPHALT	0 ft	102 ft
	60 m	3,292 m	292.11		0 m	31 m
17	148 ft	10,226 ft	164.07	ASPHALT	0 ft	105 ft
	45 m	3,117 m	173.88		0 m	32 m
35	148 ft	10,226 ft	344.07	ASPHALT	991 ft	92 ft
	45 m	3,117 m	353.88		302 m	28 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	DME	PC	110.10 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
35	DME	EZ	108.70 MHz	18 nm	-	-	66 ft
				33 km	-		66 m
11	LOC-ILS	PC	110.10 MHz	18 nm	102.31	-	66 ft
				33 km	112.12		66 m
35	LOC-ILS	EZ	108.70 MHz	18 nm	344.07	-	66 ft
				33 km	353.88		66 m
11	GS	PC	110.10 MHz	10 nm	102.31	3.00	66 ft
				19 km	112.12		66 m
35	GS	EZ	108.70 MHz	10 nm	344.07	3.00	66 ft
				19 km	353.88		66 m

EDDF

Region: GERMANY - CIVIL
Timezone: EUROPE/BERLIN
Runways: 4

Elevation: 362 ft / 110 m
Location: 50.032600 8.540670
Magnetic Var: 3.173 E

METAR

EDDF 090020Z AUTO VRB01KT CAVOK 08/07 Q1027 NOSIG

TAF

TAF EDDF 082300Z 0900/1006 04004KT CAVOK TEMPO 0910/0917 04009KT

Frequencies

REC - 118.02 MHz - ATIS ARRIVAL	REC - 118.72 MHz - ATIS DEPARTURE
GND - 121.80 MHz - GROUND	GND - 121.65 MHz - APRON RAMP/TAXI
GND - 121.70 MHz - APRON RAMP/TAXI	GND - 121.95 MHz - APRON RAMP/TAXI
GND - 121.85 MHz - APRON RAMP/TAXI	GND - 121.75 MHz - APRON RAMP/TAXI
TWR - 118.77 MHz - TOWER	TWR - 119.90 MHz - TOWER
TWR - 124.85 MHz - TOWER	TWR - 127.32 MHz - TOWER
TWR - 136.50 MHz - TOWER	CLD - 121.90 MHz - CLEARANCE DELIVERY
APP - 127.27 MHz - FRANKFURT DIRECT	APP - 118.50 MHz - FRANKFURT DIRECT
APP - 125.35 MHz - LANGEN RADAR	APP - 126.55 MHz - LANGEN RADAR
APP - 120.80 MHz - LANGEN RADAR	APP - 120.15 MHz - LANGEN RADAR
APP - 136.12 MHz - LANGEN RADAR	APP - 119.02 MHz - LANGEN RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	148 ft	9,194 ft	69.56	CONCRETE	0 ft	0 ft
	45 m	2,802 m	66.39		0 m	0 m
25R	148 ft	9,194 ft	249.59	CONCRETE	0 ft	0 ft
	45 m	2,802 m	246.42		0 m	0 m
07C	197 ft	13,134 ft	69.57	ASPHALT	0 ft	203 ft
	60 m	4,003 m	66.40		0 m	62 m
25C	197 ft	13,134 ft	249.61	ASPHALT	0 ft	935 ft
	60 m	4,003 m	246.44		0 m	285 m
07R	148 ft	13,134 ft	69.59	ASPHALT	0 ft	213 ft
	45 m	4,003 m	66.41		0 m	65 m
25L	148 ft	13,134 ft	249.63	ASPHALT	0 ft	1,775 ft
	45 m	4,003 m	246.45		0 m	541 m
18	148 ft	13,083 ft	179.64	ASPHALT	0 ft	0 ft
	45 m	3,988 m	176.47		0 m	0 m
36	148 ft	13,083 ft	359.64	ASPHALT	0 ft	121 ft
	45 m	3,988 m	356.47		0 m	37 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IFNE	111.75 MHz	18 nm	-	-	357 ft
				33 km	-		357 m
25C	DME	IFCW	111.55 MHz	18 nm	-	-	364 ft
				33 km	-		364 m
25R	DME	IFNW	111.35 MHz	18 nm	-	-	357 ft
				33 km	-		357 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07C	LOC-ILS	IFCE	110.55 MHz	18 nm	69.59	-	362 ft
				33 km	66.42		362 m
07L	LOC-ILS	IFNE	111.75 MHz	18 nm	69.58	-	362 ft
				33 km	66.41		362 m
07R	LOC-ILS	IFSE	110.95 MHz	18 nm	69.61	-	362 ft
				33 km	66.44		362 m
25C	LOC-ILS	IFCW	111.55 MHz	18 nm	249.59	-	362 ft
				33 km	246.42		362 m
25L	LOC-ILS	IFSW	111.15 MHz	18 nm	249.61	-	362 ft
				33 km	246.44		362 m
25R	LOC-ILS	IFNW	111.35 MHz	18 nm	249.58	-	362 ft
				33 km	246.41		362 m
07C	GS	IFCE	110.55 MHz	10 nm	69.59	3.00	362 ft
				19 km	66.42		362 m
07L	GS	IFNE	111.75 MHz	10 nm	69.58	3.00	362 ft
				19 km	66.41		362 m
07R	GS	IFSE	110.95 MHz	10 nm	69.61	3.00	362 ft
				19 km	66.44		362 m
25C	GS	IFCW	111.55 MHz	10 nm	249.59	3.00	362 ft
				19 km	246.42		362 m
25L	GS	IFSW	111.15 MHz	10 nm	249.61	3.00	362 ft
				19 km	246.44		362 m
25R	GS	IFNW	111.35 MHz	10 nm	249.58	3.00	362 ft
				19 km	246.41		362 m