


2024/05/04 1312Z

LFMN NIZ LIMZ

56.27 nm / 104.21 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFMN	-	43.65798	0 ft	-	Nice/Cote d'Azur
APT	-	7.21536	0 m		
NIZ	-	43.77064	2,400 ft	6	NICE COTE D AZUR VOR-DME
VOR	-	7.25439	732 m		
LIMZ	-	44.54760	0 ft	49	LEVALDIGI
APT	-	7.62332	0 m		

LFMN

Region: FRANCE
Timezone: UNKNOWN
Runways: 2

Elevation: 12 ft / 4 m
Location: 43.658400 7.215760
Magnetic Var: 2.735 E

METAR

LFMN 041300Z 13007KT 9999 FEW016 BKN260 17/13 Q1017 NOSIG

TAF

TAF TAF LFMN 040800Z 0409/0515 14005KT 9999 FEW030 SCT260 PROB30 TEMPO 0410/0415 20015KT TEMPO 0421/0507 34010KT

Frequencies

REC - 129.60 MHz - NICE ATIS	GND - 121.70 MHz - NICE GROUND
TWR - 118.70 MHz - NICE TOWER	TWR - 123.15 MHz - NICE TOWER
APP - 134.47 MHz - NICE WEST APPROACH	APP - 120.65 MHz - NICE APPROACH
APP - 128.20 MHz - NICE APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04R	148 ft	9,706 ft	44.86	ASPHALT	0 ft	417 ft
	45 m	2,958 m	42.13		0 m	127 m
22L	148 ft	9,706 ft	224.88	ASPHALT	0 ft	525 ft
	45 m	2,958 m	222.14		0 m	160 m
04L	148 ft	8,992 ft	44.86	ASPHALT	0 ft	161 ft
	45 m	2,741 m	42.12		0 m	49 m
22R	148 ft	8,992 ft	224.88	ASPHALT	564 ft	0 ft
	45 m	2,741 m	222.14		172 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
04L	DME	NI	109.95 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04R	DME	NA	110.70 MHz	27 nm	-	-	12 ft
				50 km	-		12 m
04L	LOC-ILS	NI	109.95 MHz	18 nm	44.87	-	12 ft
				33 km	42.14		12 m
04R	LOC-ILS	NA	110.70 MHz	18 nm	44.87	-	12 ft
				33 km	42.14		12 m
04L	GS	NI	109.95 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.14		12 m
04R	GS	NA	110.70 MHz	10 nm	44.87	3.00	12 ft
				19 km	42.14		12 m

LIMZ

Region: ITALY
Timezone: EUROPE/ROME
Runways: 1

Elevation: 1,267 ft / 386 m
Location: 44.547600 7.623340
Magnetic Var: 2.844 E

METAR

LIMZ 041250Z AUTO VRB03KT 9999 NCD 19/09 Q1016

TAF

TAF LIMZ 041100Z 0412/0512 VRB05KT 9999 SCT030

Frequencies

TWR - 119.55 MHz - CUNEO TOWER

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	6,896 ft	32.49	ASPHALT	0 ft	0 ft
	45 m	2,102 m	29.64		0 m	0 m
21	148 ft	6,896 ft	212.50	ASPHALT	0 ft	0 ft
	45 m	2,102 m	209.65		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	LOC-ILS	LEV	110.95 MHz	18 nm	212.50	-	1,267 ft
				33 km	209.65		1,267 m
21	GS	LEV	110.95 MHz	10 nm	212.99	3.00	1,267 ft
				19 km	210.15		1,267 m