

ULLI

Saint Petersburg Pulkovo Intl / Fedor M. Dostoevsky


OMDB

Dubai Intl

2024/05/17 0743Z

ULLI LUKIR **B964** NAMIN **NAM5T** ARBOK **BD5T** DK **BD3T** FV **R11** US **A722** PT **G724** ST **R120** ALABO **G821** BISNA
N72 EGVEL **P574** SYZ SYZ **P574** DENSA OMDB

2374.78 nm / 4398.10 km



Notes

Basic altitude profile:

- Ascent Rate: 2700ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 33000ft
- Cruise Speed: 420kts
- Descent Rate: 2500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
ULLI	-	59.80030	0 ft	-		Saint Petersburg Pulkovo Intl / Fedor M. Dostoevsky
APT	-	30.26250	0 m			
LUKIR	-	59.44970	22,400 ft	58	-	
FIX	-	32.04780	6,828 m			
KANET	B964	58.73330	33,000 ft	61	-	
FIX	AWY-HI	33.46440	10,058 m			
MANIV	B964	58.40500	33,000 ft	25	-	
FIX	AWY-HI	33.97440	10,058 m			
BERNO	B964	58.15000	33,000 ft	19	-	
FIX	AWY-HI	34.36440	10,058 m			
DB	B964	57.71310	33,000 ft	32		POCHINOK
NDB	AWY-HI	34.97190	10,058 m			
RUNEP	B964	57.03500	33,000 ft	57	-	
FIX	AWY-HI	36.24280	10,058 m			
RISOP	B964	56.86670	33,000 ft	14	-	
FIX	AWY-HI	36.55610	10,058 m			
NAMIN	B964	56.71830	33,000 ft	12	-	
FIX	AWY-HI	36.82110	10,058 m			
ARBOK	NAM5T	55.75170	33,000 ft	63	-	
FIX	AWY-HI	37.62140	10,058 m			
DK	BD5T	55.16250	33,000 ft	35		GLOTAYEVO
NDB	AWY-HI	37.79890	10,058 m			
FV	BD3T	54.34560	33,000 ft	51		VENEV
NDB	AWY-HI	38.23860	10,058 m			
US	R11	53.74470	33,000 ft	37		MURAVLYANKA
NDB	AWY-HI	38.49610	10,058 m			
NIBOK	A722	52.44470	33,000 ft	87	-	
FIX	AWY-HI	39.59920	10,058 m			
PEKOR	A722	52.08140	33,000 ft	24	-	
FIX	AWY-HI	39.89580	10,058 m			
PT	A722	51.71830	33,000 ft	24		PETROVSKOYE
NDB	AWY-HI	40.18940	10,058 m			
AMUTI	G724	50.35670	33,000 ft	111	-	
FIX	AWY-HI	42.18830	10,058 m			
ST	G724	49.25890	33,000 ft	87		SIROTINSKAYA
NDB	AWY-HI	43.67940	10,058 m			
WGD	R120	48.78080	33,000 ft	38		VOLGOGRAD
VOR	AWY-HI	44.34350	10,058 m			
NOKLI	R120	48.02500	33,000 ft	54	-	
FIX	AWY-HI	45.11330	10,058 m			
KARNI	R120	46.95500	33,000 ft	76	-	
FIX	AWY-HI	46.14690	10,058 m			
BASKO	R120	46.20000	33,000 ft	53	-	
FIX	AWY-HI	46.84860	10,058 m			
UP	R120	45.92720	33,000 ft	18		ZENZELI
NDB	AWY-HI	47.06030	10,058 m			
ADNAK	R120	45.70940	33,000 ft	14	-	
FIX	AWY-HI	47.21390	10,058 m			
LABUG	R120	45.35830	33,000 ft	23	-	
FIX	AWY-HI	47.45860	10,058 m			
KOTOD	R120	44.54000	33,000 ft	54	-	
FIX	AWY-HI	48.00360	10,058 m			
DITEK	R120	44.35670	33,000 ft	12	-	

Ident Type		Via		Lat Lon		Alt		Dist (nm)	Name
FIX	AWY-HI	48.12360	10,058	m					
BETOR	R120	43.86810	33,000	ft	32	-			
FIX	AWY-HI	48.44030	10,058	m					
ALABO	R120	43.20470	33,000	ft	43	-			
FIX	AWY-HI	48.86530	10,058	m					
BISNA	G821	42.23330	33,000	ft	61	-			
FIX	AWY-HI	49.28330	10,058	m					
NOBVA	N72	41.10780	33,000	ft	71	-			
FIX	AWY-HI	49.78110	10,058	m					
BAKUV	N72	40.47250	33,000	ft	40	-			
FIX	AWY-HI	50.05080	10,058	m					
BAMAK	N72	39.80580	33,000	ft	40	-			
FIX	AWY-HI	50.13690	10,058	m					
BATEV	N72	38.16810	33,000	ft	98	-			
FIX	AWY-HI	50.23860	10,058	m					
UMERO	N72	37.92330	33,000	ft	14	-			
FIX	AWY-HI	50.25390	10,058	m					
EGMAN	N72	37.05310	33,000	ft	52	-			
FIX	AWY-HI	50.30750	10,058	m					
PAXID	N72	36.28420	33,000	ft	46	-			
FIX	AWY-HI	50.33920	10,058	m					
GOLNU	N72	35.95310	33,000	ft	19	-			
FIX	AWY-HI	50.34780	10,058	m					
ELIPO	N72	35.67940	33,000	ft	16	-			
FIX	AWY-HI	50.35470	10,058	m					
SESBI	N72	35.53170	33,000	ft	8	-			
FIX	AWY-HI	50.35830	10,058	m					
PEDAR	N72	35.14060	33,000	ft	23	-			
FIX	AWY-HI	50.36830	10,058	m					
SAV	N72	35.01860	33,000	ft	7	SAVEH			
NDB	AWY-HI	50.37140	10,058	m					
EGVEL	N72	34.71610	33,000	ft	19	-			
FIX	AWY-HI	50.50140	10,058	m					
PEKAM	P574	33.48440	33,000	ft	78	-			
FIX	AWY-HI	51.02170	10,058	m					
IMRAG	P574	32.86170	33,000	ft	39	-			
FIX	AWY-HI	51.27860	10,058	m					
EGPAT	P574	32.55830	33,000	ft	19	-			
FIX	AWY-HI	51.40250	10,058	m					
LOXAK	P574	31.74830	33,000	ft	51	-			
FIX	AWY-HI	51.72890	10,058	m					
OBTUX	P574	31.37780	33,000	ft	23	-			
FIX	AWY-HI	51.87640	10,058	m					
ASNIT	P574	30.64830	33,000	ft	46	-			
FIX	AWY-HI	52.16330	10,058	m					
SYZ	P574	29.54220	33,000	ft	69	SHIRAZ SHAHID DASTGHAIB TACAN			
DME	AWY-HI	52.58430	10,058	m					
SYZ	-	29.54020	33,000	ft	0	SHIRAZ			
VOR	-	52.58880	10,058	m					
SITEN	P574	29.03530	33,000	ft	35	-			
FIX	AWY-HI	52.92560	10,058	m					
KASOL	P574	28.52970	33,000	ft	35	-			
FIX	AWY-HI	53.25920	10,058	m					
ROTAL	P574	27.54470	33,000	ft	67	-			
FIX	AWY-HI	53.88890	10,058	m					
DENSA	P574	26.53280	32,300	ft	68	-			

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
FIX	AWY-HI	54.48890	9,845 m			
OMDB	-	25.25110	0 ft	90		Dubai Intl
APT	-	55.37110	0 m			

ULLI

Region: RUSSIA
Timezone: EUROPE/MOSCOW
Runways: 2

Elevation: 79 ft / 24 m
Location: 59.800300 30.262500
Magnetic Var: 11.657 E

METAR

ULLI 170730Z 07005MPS 010V110 CAVOK 17/07 Q1022 R10R/090060 NOSIG

TAF

TAF TAF ULLI 170450Z 1706/1806 05003MPS 9999 SCT030 TEMPO 1706/1715 09005G10MPS

Frequencies

REC - 127.30 MHz - PULKOVO ATIS	REC - 127.40 MHz - PULKOVO ATIS
TWR - 118.70 MHz - PULKOVO TOWER	TWR - 118.10 MHz - PULKOVO TOWER
TWR - 133.50 MHz - PULKOVO TOWER	GND - 121.70 MHz - PULKOVO GROUND
GND - 119.00 MHz - PULKOVO RAMP	GND - 120.90 MHz - PULKOVO APRON
CLD - 121.90 MHz - PULKOVO DELIVERY	APP - 125.20 MHz - PETERSBURG APPROACH
APP - 119.30 MHz - PETERSBURG APPROACH	APP - 120.30 MHz - PETERSBURG KRUG RADAR
DEP - 120.30 MHz - PETERSBURG KRUG RADAR	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	197 ft	12,379 ft	106.40	CONCRETE	0 ft	0 ft
	60 m	3,773 m	94.75		0 m	0 m
28L	197 ft	12,379 ft	286.46	CONCRETE	0 ft	0 ft
	60 m	3,773 m	274.80		0 m	0 m
10L	197 ft	11,132 ft	106.51	CONCRETE	0 ft	0 ft
	60 m	3,393 m	94.85		0 m	0 m
28R	197 ft	11,132 ft	286.56	CONCRETE	0 ft	0 ft
	60 m	3,393 m	274.90		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10L	LOC-ILS	IPU	110.50 MHz	18 nm	106.54	-	79 ft
				33 km	94.88		79 m
10R	LOC-ILS	IPK	111.90 MHz	18 nm	106.43	-	79 ft
				33 km	94.77		79 m
28L	LOC-ILS	IPO	108.90 MHz	18 nm	286.43	-	79 ft
				33 km	274.77		79 m
28R	LOC-ILS	IPL	111.30 MHz	18 nm	286.54	-	79 ft
				33 km	274.88		79 m
10L	GS	IPU	110.50 MHz	10 nm	106.54	3.00	79 ft
				19 km	94.88		79 m
10R	GS	IPK	111.90 MHz	10 nm	106.43	3.00	79 ft
				19 km	94.77		79 m
28L	GS	IPO	108.90 MHz	10 nm	286.43	3.00	79 ft
				19 km	274.77		79 m
28R	GS	IPL	111.30 MHz	10 nm	286.54	3.00	79 ft
				19 km	274.88		79 m

OMDB

Region: UNITED ARAB EMIRATES
Timezone: ASIA/DUBAI
Runways: 2

Elevation: 62 ft / 19 m
Location: 25.251100 55.371100
Magnetic Var: 2.353 E

METAR

OMDB 170714Z 32013KT 280V350 CAVOK 39/17 Q1008 NOSIG

TAF

TAF OMDB 170500Z 1706/1812 20007KT CAVOK BECMG 1707/1709 33014KT BECMG 1717/1719 12005KT BECMG 1806/1808 29012KT

Frequencies

REC - 126.27 MHz - ATIS ARRIVAL	REC - 131.70 MHz - ATIS DEPARTURE
TWR - 126.77 MHz - DUBAI TOWER	TWR - 119.55 MHz - DUBAI TOWER
TWR - 118.75 MHz - DUBAI TOWER	TWR - 119.05 MHz - DUBAI TOWER
GND - 118.35 MHz - DUBAI GROUND	GND - 118.85 MHz - DUBAI GROUND
GND - 121.65 MHz - DUBAI GROUND	CLD - 120.35 MHz - CLEARANCE DELIVERY
APP - 122.50 MHz - MINHAD APPROACH	APP - 126.02 MHz - MINHAD APPROACH
APP - 120.25 MHz - DUBAI ARRIVAL	APP - 124.45 MHz - DUBAI ARRIVAL
APP - 124.90 MHz - DUBAI ARRIVAL	DEP - 126.02 MHz - DUBAI DEPARTURE
DEP - 121.02 MHz - DUBAI DEPARTURE	DEP - 126.20 MHz - DUBAI DEPARTURE
DEP - 120.25 MHz - DUBAI DEPARTURE	APP - 120.40 MHz - DUBAI RADAR
APP - 126.02 MHz - DUBAI RADAR	APP - 127.90 MHz - DUBAI DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12R	200 ft	14,604 ft	121.53	ASPHALT	2,352 ft	771 ft
	61 m	4,452 m	119.17		717 m	235 m
30L	200 ft	14,604 ft	301.54	ASPHALT	436 ft	0 ft
	61 m	4,452 m	299.19		133 m	0 m
12L	200 ft	14,289 ft	121.48	ASPHALT	1,496 ft	381 ft
	61 m	4,355 m	119.13		456 m	116 m
30R	200 ft	14,289 ft	301.50	ASPHALT	991 ft	377 ft
	61 m	4,355 m	299.15		302 m	115 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	DME	IDBL	110.10 MHz	18 nm	-	-	62 ft
				33 km	-		62 m
30L	DME	IDBW	111.30 MHz	18 nm	-	-	41 ft
				33 km	-		41 m
30R	DME	IDBR	110.90 MHz	18 nm	-	-	44 ft
				33 km	-		44 m
12L	LOC-ILS	IDBL	110.10 MHz	18 nm	121.49	-	62 ft
				33 km	119.14		62 m
12R	LOC-ILS	IDBE	109.50 MHz	18 nm	121.54	-	62 ft
				33 km	119.19		62 m
30L	LOC-ILS	IDBW	111.30 MHz	18 nm	301.54	-	62 ft
				33 km	299.19		62 m
30R	LOC-ILS	IDBR	110.90 MHz	18 nm	301.49	-	62 ft
				33 km	299.14		62 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12L	GS	IDBL	110.10 MHz	10 nm	121.49	3.00	62 ft
				19 km	119.14		62 m
12R	GS	IDBE	109.50 MHz	10 nm	121.54	3.00	62 ft
				19 km	119.19		62 m
30L	GS	IDBW	111.30 MHz	10 nm	301.54	3.00	62 ft
				19 km	299.19		62 m
30R	GS	IDBR	110.90 MHz	10 nm	301.49	3.00	62 ft
				19 km	299.14		62 m