

# KJAN

JACKSON EVERS INTL


# KMSY

Louis Armstrong New Orleans Intl

2024/05/18 0801Z

KJAN FOILS KMSY

139.52 nm / 258.40 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 31000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type		Via	Lat Lon	Alt	Dist (nm)	Name
KJAN	-	32.31120	0 ft	-	JACKSON EVERS INTL	
APT	-	-90.07590	0 m			
FOILS	-	30.68760	8,900 ft	97	-	
FIX	-	-90.21280	2,713 m			
KMSY	-	29.99330	0 ft	41	Louis Armstrong New Orleans Intl	
APT	-	-90.25740	0 m			

## KJAN

Region: UNITED STATES  
Timezone: AMERICA/CHICAGO  
Runways: 2

Elevation: 346 ft / 105 m  
Location: 32.311200 -90.075900  
Magnetic Var: 1.733 W

## METAR

KJAN 180654Z 00000KT 10SM CLR 22/21 A2982 RMK A02 SLP094 T02220211

## TAF

KJAN 172323Z 1800/1824 16004KT P6SM BKN040 FM180900 19003KT 5SM BR OVC015 FM181300 24003KT P6SM OVC019 FM181600 2

## Frequencies

REC - 121.05 MHz - ATIS  
COM - 122.95 MHz - UNICOM  
TWR - 120.90 MHz -  
DEP - 125.25 MHz - JACKSON EVERS DEPARTURE  
COM - 120.90 MHz - CTAF  
GND - 121.70 MHz -  
APP - 123.90 MHz - JACKSON EVERS APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16L	151 ft	8,509 ft	158.09	ASPHALT	0 ft	0 ft
	46 m	2,594 m	159.82		0 m	0 m
34R	151 ft	8,509 ft	338.09	ASPHALT	0 ft	0 ft
	46 m	2,594 m	339.82		0 m	0 m
16R	151 ft	8,509 ft	158.09	ASPHALT	0 ft	0 ft
	46 m	2,594 m	159.82		0 m	0 m
34L	151 ft	8,509 ft	338.09	ASPHALT	0 ft	0 ft
	46 m	2,594 m	339.82		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	LOC-ILS	IJAN	110.50 MHz	18 nm	158.09	-	346 ft
				33 km	159.82		346 m
34L	LOC-ILS	IFRL	109.30 MHz	18 nm	338.09	-	346 ft
				33 km	339.82		346 m
16L	GS	IJAN	110.50 MHz	10 nm	158.09	3.00	346 ft
				19 km	159.82		346 m
34L	GS	IFRL	109.30 MHz	10 nm	338.09	3.00	346 ft
				19 km	339.82		346 m

## KMSY

Region: UNITED STATES  
Timezone: AMERICA/CHICAGO  
Runways: 2

Elevation: 2 ft / 1 m  
Location: 29.993300 -90.257400  
Magnetic Var: 1.461 W

## METAR

KMSY 180736Z 35009KT 8SM -RA FEW050 SCT080 BKN110 25/23 A2979 RMK A02 LTG DSNT SE TSE30 OCNL LTGIC DSNT SE CB DSNT S

## TAF

TAF AMD KMSY 180701Z 1807/1912 02008KT P6SM SCT025 OVC070 TEMPO 1807/1811 2SM +TSRA BR OVC006CB FM181100 20008KT 5

## Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.90 MHz - NEW ORLEANS GROUND
TWR - 119.50 MHz - NEW ORLEANS TOWER	APP - 125.50 MHz - NEW ORLEANS APPROACH
APP - 133.15 MHz - NEW ORLEANS APPROACH	DEP - 125.50 MHz - NEW ORLEANS DEPARTURE
TWR - 133.15 MHz - NEW ORLEANS DEPARTURE	CLD - 127.20 MHz - CLEARANCE DELIVERY
REC - 127.55 MHz - D-ATIS	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	151 ft	7,008 ft	15.41	CONCRETE	0 ft	610 ft
	46 m	2,136 m	16.87		0 m	186 m
20	151 ft	7,008 ft	195.41	CONCRETE	0 ft	610 ft
	46 m	2,136 m	196.88		0 m	186 m
11	151 ft	10,095 ft	105.55	CONCRETE	0 ft	400 ft
	46 m	3,077 m	107.01		0 m	122 m
29	151 ft	10,095 ft	285.57	CONCRETE	308 ft	118 ft
	46 m	3,077 m	287.03		94 m	36 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	DME	IJFI	111.70 MHz	18 nm	-	-	4 ft
				33 km	-		4 m
11	DME	IMSY	109.90 MHz	18 nm	-	-	4 ft
				33 km	-		4 m
20	DME	IONW	111.70 MHz	18 nm	-	-	10 ft
				33 km	-		10 m
29	DME	IHOX	109.90 MHz	18 nm	-	-	4 ft
				33 km	-		4 m
02	LOC-ILS	IJFI	111.70 MHz	18 nm	15.41	-	3 ft
				33 km	16.87		3 m
11	LOC-ILS	IMSY	109.90 MHz	18 nm	105.56	-	3 ft
				33 km	107.02		3 m
29	LOC-ILS	IHOX	109.90 MHz	18 nm	285.56	-	3 ft
				33 km	287.02		3 m
20	LOC-LOC	IONW	111.70 MHz	18 nm	195.41	-	3 ft
				33 km	196.87		3 m
02	GS	IJFI	111.70 MHz	10 nm	15.41	3.00	3 ft
				19 km	16.87		3 m
11	GS	IMSY	109.90 MHz	10 nm	105.56	2.80	3 ft
				19 km	107.02		3 m
29	GS	IHOX	109.90 MHz	10 nm	285.56	3.00	3 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	287.02		3 m