

# LIRF

Roma Fiumicino Leonardo Da Vinci


# LFMT

Montpellier/Mediterranee

2024/05/13 0123Z

LIRF KISTO **UM728** BTA **G374** SODRI **UL127** MERLU **A3** RUBIT **G7** CUERS LFMT

383.13 nm / 709.56 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LIRF APT	-	41.81081 12.25090	0 ft 0 m	-	Roma Fiumicino Leonardo Da Vinci
KISTO FIX	-	42.33056 10.38306	31,700 ft 9,662 m	88	-
DOKAR FIX	UM728 AWY-HI	42.50083 9.75000	35,000 ft 10,668 m	29	-
BTA VOR	UM728 AWY-HI	42.57369 9.47459	35,000 ft 10,668 m	12	BASTIA PORETTA VOR-DME
SODRI FIX	G374 AWY-LO	43.01306 8.37194	35,000 ft 10,668 m	55	-
MERLU FIX	UL127 AWY-HI	43.08000 7.79333	35,000 ft 10,668 m	25	-
OMARD FIX	A3 AWY-LO	43.10472 7.59111	34,500 ft 10,516 m	8	-
LERMA FIX	A3 AWY-LO	43.16583 7.07306	29,600 ft 9,022 m	22	-
STP VOR	A3 AWY-LO	43.21947 6.60181	25,100 ft 7,650 m	20	SAINT TROPEZ VOR-DME
RUBIT FIX	A3 AWY-LO	43.22222 6.41222	23,400 ft 7,132 m	8	-
CUERS FIX	G7 AWY-LO	43.22611 6.13444	20,700 ft 6,309 m	12	-
LFMT APT	-	43.57626 3.96326	0 ft 0 m	97	Montpellier/Mediterranee

## LIRF

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 3

Elevation: 13 ft / 4 m  
Location: 41.810800 12.250900  
Magnetic Var: 3.666 E

## METAR

LIRF 130050Z 03003KT CAVOK 12/11 Q1017 NOSIG

## TAF

TAF LIRF 122300Z 1300/1406 VRB05KT CAVOK BECMG 1309/1311 26012KT BECMG 1318/1320 VRB05KT

## Frequencies

REC - 120.17 MHz - ATIS ARRIVAL	REC - 126.12 MHz - ATIS ARRIVAL
REC - 121.85 MHz - ATIS DEPARTURE	CLD - 121.80 MHz - CLEARANCE DELIVERY
GND - 121.72 MHz - FIUME APRON	GND - 121.67 MHz - FIUME GROUND
GND - 121.90 MHz - FIUME GROUND	GND - 122.12 MHz - FIUME GROUND
TWR - 127.62 MHz - FIUME TOWER	TWR - 123.72 MHz - FIUME TOWER
TWR - 118.70 MHz - FIUME TOWER	DEP - 130.90 MHz - ROMA DEPARTURE
DEP - 131.10 MHz - ROMA DEPARTURE	APP - 127.95 MHz - ROMA ARRIVAL
APP - 125.50 MHz - ROMA ARRIVAL	APP - 119.20 MHz - ROMA DIRECT
APP - 131.25 MHz - ROMA DIRECT	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	10,859 ft	69.68	ASPHALT	1,348 ft	0 ft
	45 m	3,310 m	66.01		411 m	0 m
25	148 ft	10,859 ft	249.71	ASPHALT	0 ft	0 ft
	45 m	3,310 m	246.04		0 m	0 m
16R	197 ft	12,814 ft	162.66	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.00		0 m	0 m
34L	197 ft	12,814 ft	342.67	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.01		0 m	0 m
16L	197 ft	12,814 ft	162.68	ASPHALT	0 ft	0 ft
	60 m	3,906 m	159.01		0 m	0 m
34R	197 ft	12,814 ft	342.69	ASPHALT	0 ft	0 ft
	60 m	3,906 m	339.02		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
25	DME	FEE	110.15 MHz	25 nm	-	-	25 ft
				46 km	-		25 m
34L	DME	ISW	108.90 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
34R	DME	FSS	111.55 MHz	25 nm	-	-	15 ft
				46 km	-		15 m
16L	LOC-ILS	IFLL	108.10 MHz	18 nm	162.69	-	13 ft
				33 km	159.02		13 m
16R	LOC-ILS	IFRR	109.75 MHz	18 nm	162.67	-	13 ft
				33 km	159.00		13 m
25	LOC-ILS	FEE	110.15 MHz	18 nm	249.69	-	13 ft
				33 km	246.02		13 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34L	LOC-ILS	IFSW	108.90 MHz	18 nm	342.67	-	13 ft
				33 km	339.00		13 m
34R	LOC-ILS	FSS	111.55 MHz	18 nm	342.69	-	13 ft
				33 km	339.02		13 m
16L	GS	IFLL	108.10 MHz	10 nm	162.69	3.00	13 ft
				19 km	159.02		13 m
16R	GS	IFRR	109.75 MHz	10 nm	162.67	3.00	13 ft
				19 km	159.00		13 m
25	GS	FEE	110.15 MHz	10 nm	249.69	3.00	13 ft
				19 km	246.02		13 m
34L	GS	IFSW	108.90 MHz	10 nm	342.67	3.00	13 ft
				19 km	339.00		13 m
34R	GS	FSS	111.55 MHz	10 nm	342.69	3.00	13 ft
				19 km	339.02		13 m

## LFMT

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 2

Elevation: 17 ft / 5 m  
Location: 43.576200 3.963250  
Magnetic Var: 1.990 E

## METAR

LFMT 130100Z AUTO VRB03KT CAVOK 14/13 Q1015 TEMPO 4000 BR SCT060CB

## TAF

TAF LFMT 122000Z 1221/1321 22006KT 9999 FEW070CB SCT100 PROB30 TEMPO 1301/1305 4000 BR OVC005 TEMPO 1223/1305 SCT

## Frequencies

REC - 124.12 MHz - MONTPELLIER ATIS  
TWR - 118.20 MHz - MONTPELLIER TWR  
APP - 120.37 MHz - MONTPELLIER APP  
APP - 133.77 MHz - MONTPELLIER APP

GND - 121.95 MHz - MONTPELLIER GND  
TWR - 118.77 MHz - MONTPELLIER TWR  
APP - 130.85 MHz - MONTPELLIER APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12L	164 ft	8,539 ft	124.83	ASPHALT	0 ft	0 ft
	50 m	2,603 m	122.84		0 m	0 m
30R	164 ft	8,539 ft	304.85	ASPHALT	0 ft	0 ft
	50 m	2,603 m	302.86		0 m	0 m
12R	98 ft	3,612 ft	124.80	ASPHALT	328 ft	0 ft
	30 m	1,101 m	122.81		100 m	0 m
30L	98 ft	3,612 ft	304.81	ASPHALT	0 ft	0 ft
	30 m	1,101 m	302.82		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30R	LOC-ILS	FG	108.55 MHz	18 nm	304.75	-	16 ft
				33 km	302.76		16 m
30R	GS	FG	108.55 MHz	10 nm	305.50	3.00	16 ft
				19 km	303.51		16 m