


2024/06/05 0904Z

KSRC AVARR **V159** SGF **J41** OVR **V159** SUX **V15** FSD **J45** ABR **V15** MOT **J483** VLN **J475** YWV **NCA11** GOROV **NCA34**
YXY **J515** ORT **V444** MEYLE PAIN

2746.34 nm / 5086.22 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KSRC APT	-	35.21060 -91.73750	0 ft 0 m	-	SEARCY MUNI
AVARR FIX	-	36.79860 -92.39320	35,000 ft 10,668 m	100	-
DGD VOR	V159 AWY-LO	37.02350 -92.87690	35,000 ft 10,668 m	26	DOGWOOD
REVEE FIX	V159 AWY-LO	37.13160 -93.02490	35,000 ft 10,668 m	9	-
FORDS FIX	V159 AWY-LO	37.15410 -93.05580	35,000 ft 10,668 m	2	-
SGF VOR	V159 AWY-LO	37.35590 -93.33400	35,000 ft 10,668 m	17	SPRINGFIELD
EUNIK FIX	J41 AWY-HI	38.20410 -93.94020	35,000 ft 10,668 m	58	-
SCAWT FIX	J41 AWY-HI	38.34490 -94.04220	35,000 ft 10,668 m	9	-
MCI VOR	J41 AWY-HI	39.28530 -94.73710	35,000 ft 10,668 m	65	KANSAS CITY
AGENT FIX	J41 AWY-HI	39.61080 -94.90570	35,000 ft 10,668 m	21	-
OVR VOR	J41 AWY-HI	41.16720 -95.73690	35,000 ft 10,668 m	100	OMAHA
ZISIX FIX	V159 AWY-LO	41.47990 -95.89050	35,000 ft 10,668 m	20	-
CANIO FIX	V159 AWY-LO	41.64670 -95.97310	35,000 ft 10,668 m	10	-
AANDY FIX	V159 AWY-LO	41.81970 -96.05910	35,000 ft 10,668 m	11	-
BECOM FIX	V159 AWY-LO	41.96350 -96.13110	35,000 ft 10,668 m	9	-
SUX VOR	V159 AWY-LO	42.34450 -96.32360	35,000 ft 10,668 m	24	SIOUX CITY
ESTIS FIX	V15 AWY-LO	42.82990 -96.56380	35,000 ft 10,668 m	31	-
JILRO FIX	V15 AWY-LO	43.21480 -96.66510	35,000 ft 10,668 m	23	-
FSD VOR	V15 AWY-LO	43.64950 -96.78110	35,000 ft 10,668 m	26	SIOUX FALLS
ABR VOR	J45 AWY-HI	45.41740 -98.36870	35,000 ft 10,668 m	126	ABERDEEN
MUNEF FIX	V15 AWY-LO	45.68920 -98.81800	35,000 ft 10,668 m	24	-
IRIWY FIX	V15 AWY-LO	46.05330 -99.43130	35,000 ft 10,668 m	33	-
WISEK FIX	V15 AWY-LO	46.38040 -99.99420	35,000 ft 10,668 m	30	-
MOFIT FIX	V15 AWY-LO	46.55040 -100.29100	35,000 ft 10,668 m	15	-
BIS VOR	V15 AWY-LO	46.76180 -100.66500	35,000 ft 10,668 m	19	BISMARCK
FIKAG FIX	V15 AWY-LO	46.92230 -100.73000	35,000 ft 10,668 m	10	-
WILTN	V15	47.08280	35,000 ft	10	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	-100.79600	10,668 m		
TERTL	V15	47.57120	35,000 ft	30	-
FIX	AWY-LO	-100.99700	10,668 m		
HIDEL	V15	48.02920	35,000 ft	28	-
FIX	AWY-LO	-101.18900	10,668 m		
PABIC	V15	48.05210	35,000 ft	1	-
FIX	AWY-LO	-101.19800	10,668 m		
MOT	V15	48.26030	35,000 ft	13	MINOT
VOR	AWY-LO	-101.28700	10,668 m		
VLN	J483	50.66690	35,000 ft	201	LUMSDEN
VOR	AWY-HI	-104.89000	10,668 m		
YWV	J475	52.98140	35,000 ft	260	WAINWRIGHT
VOR	AWY-HI	-110.83300	10,668 m		
NUBEG	NCA11	54.28100	35,000 ft	136	-
FIX	AWY-HI	-113.98400	10,668 m		
LEPET	NCA11	56.42660	35,000 ft	250	-
FIX	AWY-HI	-120.27100	10,668 m		
BINGA	NCA11	57.70200	35,000 ft	172	-
FIX	AWY-HI	-125.00000	10,668 m		
OMLOK	NCA11	58.77930	35,000 ft	170	-
FIX	AWY-HI	-130.00000	10,668 m		
GOROV	NCA11	59.30590	35,000 ft	97	-
FIX	AWY-HI	-133.00100	10,668 m		
IRGIP	NCA34	60.04420	35,000 ft	56	-
FIX	AWY-HI	-134.17500	10,668 m		
YXY	NCA34	60.61890	35,000 ft	44	WHITEHORSE
VOR	AWY-HI	-135.13900	10,668 m		
BIBEM	J515	62.67220	35,000 ft	207	-
FIX	AWY-HI	-141.00000	10,668 m		
ORT	J515	62.94720	35,000 ft	30	NORTHWAY
VOR	AWY-HI	-141.91300	10,668 m		
CIMGO	V444	63.10520	35,000 ft	17	-
FIX	AWY-LO	-142.44200	10,668 m		
CUGCA	V444	63.29130	35,000 ft	20	-
FIX	AWY-LO	-143.08200	10,668 m		
EGAXE	V444	63.44210	31,700 ft	16	-
FIX	AWY-LO	-143.61400	9,662 m		
MEYLE	V444	63.87840	21,000 ft	50	-
FIX	AWY-LO	-145.22800	6,401 m		
PAIN	-	63.73260	0 ft	98	Mc Kinley National Park
APT	-	-148.91100	0 m		

KSRC

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 1

Elevation: 264 ft / 80 m
Location: 35.210600 -91.737500
Magnetic Var: 0.781 W

METAR

KSRC 050756Z AUTO 19006KT 10SM CLR 22/20 A2971 RMK A02 SLP058 T02170200 \$

TAF

UNKNOWN

Frequencies

REC - 128.32 MHz - ASOS
CLD - 121.70 MHz - LITTLE ROCK CLNC DEL

COM - 122.70 MHz - CTAF/UNICOM
APP - 119.75 MHz - LITTLE ROCK APP/DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	100 ft	6,021 ft	12.59	ASPHALT	500 ft	0 ft
	30 m	1,835 m	13.37		152 m	0 m
19	100 ft	6,021 ft	192.59	ASPHALT	0 ft	0 ft
	30 m	1,835 m	193.38		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	DME	IDSY	110.10 MHz	18 nm	-	-	250 ft
				33 km	-		250 m
01	LOC-ILS	IDSY	110.10 MHz	18 nm	12.58	-	250 ft
				33 km	13.36		250 m
01	GS	IDSY	110.10 MHz	10 nm	13.19	3.00	232 ft
				19 km	13.97		232 m