


2024/05/11 0537Z

LSZA LUKOM LSZH

88.89 nm / 164.62 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LSZA	-	46.00427	0 ft	-	Lugano
APT	-	8.91058	0 m		
LUKOM	-	46.58500	10,400 ft	35	-
FIX	-	8.75861	3,170 m		
LSZH	-	47.46349	0 ft	53	Zurich
APT	-	8.54996	0 m		

LSZA

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 1

Elevation: 915 ft / 279 m
Location: 46.004300 8.910580
Magnetic Var: 3.174 E

METAR

LSZA 110520Z AUTO VRB01KT 9999 FEW065 15/13 Q1020

TAF

UNKNOWN

Frequencies

REC - 121.17 MHz - ATIS
TWR - 119.70 MHz -
TWR - 122.55 MHz -
GND - 121.77 MHz -
TWR - 120.25 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
01	98 ft 30 m	4,415 ft 1,346 m	18.79 15.61	CONCRETE	358 ft 109 m	16 ft 5 m
19	98 ft 30 m	4,415 ft 1,346 m	198.79 195.62	CONCRETE	673 ft 205 m	0 ft 0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
01	DME	ILU	111.50 MHz	18 nm 33 km	- -	-	928 ft 928 m
01	LOC-ILS	ILU	108.90 MHz	18 nm 33 km	18.79 15.62	-	915 ft 915 m
01	GS	ILU	108.90 MHz	10 nm 19 km	18.79 15.62	6.00	915 ft 915 m

LSZH

Region: SWITZERLAND
Timezone: EUROPE/ZURICH
Runways: 3

Elevation: 1,416 ft / 432 m
Location: 47.463500 8.549950
Magnetic Var: 3.125 E

METAR

LSZH 110520Z VRB01KT CAVOK 09/08 Q1020 NOSIG

TAF

TAF LSZH 102325Z 1100/1206 32003KT CAVOK TX24/1114Z TN06/1104Z TN08/1204Z BECMG 1108/1110 04006KT BECMG 1116/1118 04006KT

Frequencies

REC - 125.72 MHz - ATIS	GND - 121.90 MHz - ZURICH GROUND
GND - 118.15 MHz - ZURICH GROUND	GND - 119.75 MHz - ZURICH GROUND
GND - 121.75 MHz - ZURICH APRON	GND - 121.70 MHz - ZURICH APRON
GND - 121.85 MHz - ZURICH APRON	GND - 121.97 MHz - ZURICH APRON
TWR - 118.10 MHz - ZURICH TOWER	TWR - 120.22 MHz - ZURICH TOWER
TWR - 119.70 MHz - ZURICH TOWER	APP - 118.00 MHz - ZURICH ARRIVAL
APP - 135.22 MHz - ZURICH APPROACH	APP - 125.32 MHz - ZURICH FINAL
APP - 120.75 MHz - ZURICH FINAL	DEP - 125.95 MHz - ZURICH DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	197 ft	12,181 ft	155.03	CONCRETE	0 ft	62 ft
	60 m	3,713 m	151.91		0 m	19 m
34	197 ft	12,181 ft	335.05	CONCRETE	1,542 ft	49 ft
	60 m	3,713 m	331.92		470 m	15 m
14	197 ft	10,816 ft	137.29	CONCRETE	492 ft	75 ft
	60 m	3,297 m	134.17		150 m	23 m
32	197 ft	10,816 ft	317.31	CONCRETE	0 ft	82 ft
	60 m	3,297 m	314.19		0 m	25 m
10	197 ft	8,196 ft	95.99	CONCRETE	0 ft	62 ft
	60 m	2,498 m	92.87		0 m	19 m
28	197 ft	8,196 ft	276.02	CONCRETE	0 ft	276 ft
	60 m	2,498 m	272.89		0 m	84 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	DME	IKL	108.30 MHz	18 nm	-	-	1,460 ft
				33 km	-		1,460 m
16	DME	IZH	110.50 MHz	18 nm	-	-	1,400 ft
				33 km	-		1,400 m
28	DME	IZW	109.75 MHz	18 nm	-	-	1,416 ft
				33 km	-		1,416 m
34	DME	IZS	110.75 MHz	18 nm	-	-	1,410 ft
				33 km	-		1,410 m
14	LOC-ILS	IKL	111.75 MHz	18 nm	137.31	-	1,417 ft
				33 km	134.18		1,417 m
16	LOC-ILS	IZH	110.50 MHz	18 nm	155.05	-	1,417 ft
				33 km	151.92		1,417 m
28	LOC-ILS	IZW	109.75 MHz	18 nm	276.01	-	1,417 ft
				33 km	272.88		1,417 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	LOC-ILS	IZS	110.75 MHz	18 nm	335.06	-	1,417 ft
				33 km	331.93		1,417 m
14	GS	IKL	111.75 MHz	10 nm	137.31	3.00	1,417 ft
				19 km	134.18		1,417 m
16	GS	IZH	110.50 MHz	10 nm	155.05	3.00	1,417 ft
				19 km	151.92		1,417 m
28	GS	IZW	109.75 MHz	10 nm	276.01	3.30	1,417 ft
				19 km	272.88		1,417 m
34	GS	IZS	110.75 MHz	10 nm	335.06	3.30	1,417 ft
				19 km	331.93		1,417 m