

ESGG

Goteborg Landvetter


EGKK

London Gatwick

2024/06/04 0014Z

ESGG AAL **N866** GOLUM **P144** TUZLA EGKK

592.23 nm / 1096.81 km



Notes

Basic altitude profile:

- Ascent Rate: 250ft/min
- Ascent Speed: 300kts
- Cruise Altitude: 60000ft
- Cruise Speed: 500kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
ESGG	-	57.66280	0 ft	-	Goteborg Landvetter
APT	-	12.27980	0 m		
AAL	-	57.10390	2,400 ft	81	AALBORG VOR-DME
DME	-	9.99281	732 m		
KEMEG	N866	56.72080	3,700 ft	43	-
FIX	AWY-HI	8.87250	1,128 m		
RAM	N866	56.47840	4,500 ft	26	RAMME VOR-DME
DME	AWY-HI	8.18736	1,372 m		
EVAKI	N866	56.23940	5,300 ft	27	-
FIX	AWY-HI	7.48111	1,615 m		
AMRAM	N866	55.94360	6,300 ft	33	-
FIX	AWY-HI	6.63417	1,920 m		
GOLUM	N866	55.45000	8,000 ft	54	-
FIX	AWY-HI	5.28333	2,438 m		
SOPTO	P144	55.30560	8,400 ft	12	-
FIX	AWY-HI	5.00000	2,560 m		
LARGA	P144	54.86390	9,500 ft	39	-
FIX	AWY-HI	4.15333	2,896 m		
LATMU	P144	53.25690	13,200 ft	120	-
FIX	AWY-HI	2.08944	4,023 m		
TUZLA	P144	52.34470	15,200 ft	67	-
FIX	AWY-HI	1.00333	4,633 m		
EGKK	-	51.14880	0 ft	84	London Gatwick
APT	-	-0.19192	0 m		

ESGG

Region: SWEDEN
Timezone: EUROPE/STOCKHOLM
Runways: 1

Elevation: 505 ft / 154 m
Location: 57.662800 12.279800
Magnetic Var: 4.729 E

METAR

ESGG 032350Z 27011KT 9999 SCT014 11/09 Q1009

TAF

TAF ESGG 032330Z 0400/0424 26012KT CAVOK BECMG 0412/0414 20010KT TEMPO 0417/0424 4000 RADZ BKN008

Frequencies

REC - 114.60 MHz - ATIS	REC - 118.37 MHz - ATIS
GND - 121.90 MHz - GOTEBOG GROUND	GND - 121.60 MHz - GOTEBOG GROUND
TWR - 118.60 MHz - GOTEBOG TOWER	TWR - 123.10 MHz - GOTEBOG TOWER
APP - 123.10 MHz - GOTEBOG APPROACH	APP - 123.30 MHz - GOTEBOG APPROACH
APP - 124.20 MHz - GOTEBOG APPROACH	APP - 124.67 MHz - GOTEBOG APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	10,805 ft	25.95	ASPHALT	0 ft	207 ft
	45 m	3,293 m	21.22		0 m	63 m
21	148 ft	10,805 ft	205.97	ASPHALT	0 ft	207 ft
	45 m	3,293 m	201.24		0 m	63 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	LOC-ILS	SSG	110.30 MHz	18 nm	25.96	-	506 ft
				33 km	21.24		506 m
21	LOC-ILS	NGG	108.50 MHz	18 nm	205.96	-	506 ft
				33 km	201.23		506 m
03	GS	SSG	110.30 MHz	10 nm	25.96	3.00	506 ft
				19 km	21.24		506 m
21	GS	NGG	108.50 MHz	10 nm	205.96	3.00	506 ft
				19 km	201.24		506 m

EGKK

Region: UNITED KINGDOM
Timezone: EUROPE/LONDON
Runways: 2

Elevation: 187 ft / 57 m
Location: 51.148800 -0.191923
Magnetic Var: 0.505 E

METAR

EGKK 032320Z 23002KT 9999 BKN043 15/13 Q1018

TAF

TAF EGKK 032257Z 0400/0506 23003KT 9999 SCT030 PROB30 TEMPO 0403/0406 8000 BECMG 0409/0412 23013KT PROB40 TEMPO 0

Frequencies

REC - 136.52 MHz - GATWICK INFORMATION	GND - 121.80 MHz - GATWICK GROUND
TWR - 124.22 MHz - GATWICK TOWER	TWR - 134.22 MHz - GATWICK TOWER
CLD - 121.95 MHz - GATWICK DELIVERY	APP - 118.95 MHz - GATWICK DIRECTOR
APP - 126.82 MHz - GATWICK DIRECTOR	APP - 129.02 MHz - GATWICK DIRECTOR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	148 ft	10,851 ft	77.60	ASPHALT	1,289 ft	0 ft
	45 m	3,308 m	77.09		393 m	0 m
26L	148 ft	10,851 ft	257.63	ASPHALT	1,388 ft	102 ft
	45 m	3,308 m	257.13		423 m	31 m
08L	148 ft	8,382 ft	77.59	ASPHALT	1,047 ft	0 ft
	45 m	2,555 m	77.08		319 m	0 m
26R	148 ft	8,382 ft	257.61	ASPHALT	1,358 ft	0 ft
	45 m	2,555 m	257.11		414 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	IGG	110.90 MHz	18 nm	-	-	274 ft
				33 km	-		274 m
26L	DME	IWW	110.90 MHz	18 nm	-	-	274 ft
				33 km	-		274 m
08R	LOC-ILS	IGG	110.90 MHz	18 nm	77.62	-	187 ft
				33 km	77.12		187 m
26L	LOC-ILS	IWW	110.90 MHz	18 nm	257.62	-	187 ft
				33 km	257.12		187 m
08R	GS	IGG	110.90 MHz	10 nm	77.62	3.00	187 ft
				19 km	77.12		187 m
26L	GS	IWW	110.90 MHz	10 nm	257.62	3.00	187 ft
				19 km	257.12		187 m