


2024/05/08 0250Z

EGPH PIPAR EGPD

84.59 nm / 156.65 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 220kts
- Cruise Altitude: 1000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 190kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EGPH	-	55.94869	0 ft	-	Edinburgh
APT	-	-3.35972	0 m		
PIPAR	-	56.11667	4,000 ft	11	-
FIX	-	-3.20167	1,219 m		
EGPD	-	57.20362	0 ft	73	Aberdeen Dyce
APT	-	-2.19902	0 m		

## EGPH

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 1

Elevation: 136 ft / 41 m  
Location: 55.950000 -3.372500  
Magnetic Var: 1.217 W

## METAR

EGPH 080220Z 03001KT 9000 BKN035 09/08 Q1026

## TAF

TAF EGPB 072255Z 0800/0824 VRB03KT 9999 SCT035 TEMPO 0800/0808 7000 PROB30 0801/0808 4000 BR BECMG 0807/0810 2501

## Frequencies

APP - 121.20 MHz - EDINBURGH APPROACH  
TWR - 118.70 MHz - EDINBURGH TOWER

GND - 121.75 MHz - EDINBURGH GROUND  
REC - 131.35 MHz - EDINBURGH INFORMATION

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	150 ft	8,369 ft	58.80	ASPHALT	692 ft	190 ft
	46 m	2,551 m	60.01		211 m	58 m
24	150 ft	8,369 ft	238.82	ASPHALT	682 ft	194 ft
	46 m	2,551 m	240.04		208 m	59 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	IVG	108.90 MHz	18 nm	-	-	123 ft
				33 km	-		123 m
24	DME	ITH	108.90 MHz	18 nm	-	-	123 ft
				33 km	-		123 m
06	LOC-ILS	IVG	108.90 MHz	18 nm	58.81	-	136 ft
				33 km	60.03		136 m
24	LOC-ILS	ITH	108.90 MHz	18 nm	238.81	-	136 ft
				33 km	240.03		136 m
06	GS	IVG	108.90 MHz	10 nm	58.81	3.00	136 ft
				19 km	60.03		136 m
24	GS	ITH	108.90 MHz	10 nm	238.81	3.00	136 ft
				19 km	240.03		136 m

## EGPD

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 4

Elevation: 213 ft / 65 m  
Location: 57.204100 -2.199110  
Magnetic Var: 0.909 W

## METAR

EGPD 080220Z AUTO 15005KT 9999 OVC044 09/06 Q1026

## TAF

TAF EGPD 072255Z 0800/0824 15005KT 9999 SCT028 TEMPO 0800/0809 8000 PROB30 TEMPO 0803/0807 6000 BKN004 BECMG 0807/

## Frequencies

REC - 121.85 MHz - ABERDEEN INFO  
GND - 121.70 MHz - ABERDEEN GROUND  
APP - 128.30 MHz - ABERDEEN DIRECTOR

TWR - 118.10 MHz - ABERDEEN TOWER  
APP - 119.05 MHz - ABERDEEN APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	151 ft	6,414 ft	158.27	ASPHALT	0 ft	0 ft
	46 m	1,955 m	159.18		0 m	0 m
34	151 ft	6,414 ft	338.28	ASPHALT	0 ft	0 ft
	46 m	1,955 m	339.19		0 m	0 m
14	118 ft	1,908 ft	139.39	ASPHALT	0 ft	0 ft
	36 m	582 m	140.30		0 m	0 m
32	118 ft	1,908 ft	319.39	ASPHALT	0 ft	0 ft
	36 m	582 m	320.30		0 m	0 m
05	151 ft	1,563 ft	46.09	ASPHALT	0 ft	0 ft
	46 m	476 m	47.00		0 m	0 m
23	151 ft	1,563 ft	226.09	ASPHALT	0 ft	0 ft
	46 m	476 m	227.00		0 m	0 m
18	75 ft	1,868 ft	179.47	ASPHALT	0 ft	0 ft
	23 m	569 m	180.38		0 m	0 m
36	75 ft	1,868 ft	359.47	ASPHALT	0 ft	0 ft
	23 m	569 m	0.38		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IAX	109.90 MHz	18 nm	-	-	215 ft
				33 km	-		215 m
34	DME	IABD	109.90 MHz	18 nm	-	-	215 ft
				33 km	-		215 m
16	LOC-ILS	IAX	109.90 MHz	18 nm	158.25	-	213 ft
				33 km	159.16		213 m
34	LOC-ILS	IABD	109.90 MHz	18 nm	338.25	-	213 ft
				33 km	339.16		213 m
16	GS	IAX	109.90 MHz	10 nm	158.25	3.00	213 ft
				19 km	159.16		213 m
34	GS	IABD	109.90 MHz	10 nm	338.25	3.00	213 ft
				19 km	339.16		213 m