

# KORD

Chicago O'Hare International


# EGKK

London Gatwick

2024/05/15 0234Z

KORD ANACO ACCRA LAPPS TAGVE DELHI BONZO HIMGO BRAIK KAINR WILZZ WABAL DOOZY PECOK FUNWI CARGA  
COBIB REYOP ROTMA BEPUP PERKO STAFE GRAMP MODOP DUXIT EGKK

3510.58 nm / 6501.60 km



## Notes

Requested: KORD ANACO ACCRA LAPPS TAGVE DELHI BONZO HIMGO BRAIK KAINR WILZZ WABAL DOOZY PECOK FUNWI CARGA COBIB RE

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KORD APT	-	41.97340 -87.90660	0 ft 0 m	-	Chicago O'Hare International
ANACO FIX	-	41.96890 -87.99190	0 ft 0 m	3	-
ACCRA FIX	-	41.93330 -88.01940	0 ft 0 m	2	-
LAPPS FIX	-	41.91340 -87.98920	0 ft 0 m	1	-
TAGVE FIX	-	41.91010 -87.92810	0 ft 0 m	2	-
DELHI FIX	-	41.93330 -87.78610	0 ft 0 m	6	-
BONZO FIX	-	42.00250 -87.65230	0 ft 0 m	7	-
HIMGO FIX	-	42.09110 -87.50890	0 ft 0 m	8	-
BRAIK FIX	-	42.18300 -87.36260	0 ft 0 m	8	-
KAINR FIX	-	42.43000 -87.06750	0 ft 0 m	19	-
WILZZ FIX	-	42.69320 -86.86030	0 ft 0 m	18	-
WABAL FIX	-	43.02120 -86.61940	0 ft 0 m	22	-
DOOZY FIX	-	43.65260 -86.21150	0 ft 0 m	41	-
PECOK FIX	-	44.00770 -85.72080	0 ft 0 m	30	-
FUNWI FIX	-	44.42960 -85.22070	0 ft 0 m	33	-
CARGA FIX	-	44.64120 -84.97090	0 ft 0 m	16	-
COBIB FIX	-	45.01390 -84.45040	0 ft 0 m	31	-
REYOP FIX	-	45.31740 -84.08910	0 ft 0 m	23	-
ROTMA FIX	-	45.83190 -83.39420	0 ft 0 m	42	-
BEPUP FIX	-	46.70000 -82.55670	0 ft 0 m	62	-
PERKO FIX	-	47.49560 -81.91640	0 ft 0 m	54	-
STAFE FIX	-	48.45000 -81.07280	0 ft 0 m	66	-
GRAMP FIX	-	49.66670 -80.00000	0 ft 0 m	84	-
MODOP FIX	-	51.28070 -78.89210	0 ft 0 m	105	-
DUXIT FIX	-	52.82540 -76.45310	0 ft 0 m	129	-
EGKK APT	-	51.14880 -0.19192	0 ft 0 m	2685	London Gatwick

## KORD

Region: UNITED STATES  
Timezone: AMERICA/CHICAGO  
Runways: 6

Elevation: 680 ft / 207 m  
Location: 41.973400 -87.906600  
Magnetic Var: 4.111 W

## METAR

KORD 150151Z 01015KT 10SM FEW035 SCT140 BKN170 BKN250 13/06 A2980 RMK A02 SLP093 T01280061

## TAF

KORD 142344Z 1500/1606 03014KT P6SM SCT025 BKN120 FM151200 04012KT P6SM FEW060 FEW250

## Frequencies

REC - 135.40 MHz - ATIS	COM - 122.95 MHz - UNICOM
CLD - 119.25 MHz - CLEARANCE DELIVERY	CLD - 121.60 MHz - CLEARANCE DELIVERY
GND - 118.05 MHz - O'HARE GROUND	GND - 121.67 MHz - O'HARE GROUND
GND - 121.75 MHz - O'HARE GROUND	GND - 121.90 MHz - O'HARE GROUND
GND - 124.12 MHz - O'HARE GROUND	GND - 134.12 MHz - O'HARE GROUND
TWR - 120.75 MHz - O'HARE TOWER	TWR - 121.15 MHz - O'HARE TOWER
TWR - 126.90 MHz - O'HARE TOWER	TWR - 127.92 MHz - O'HARE TOWER
TWR - 132.70 MHz - O'HARE TOWER	TWR - 128.15 MHz - O'HARE TOWER
TWR - 133.00 MHz - O'HARE TOWER	APP - 119.00 MHz - CHICAGO APPROACH
APP - 133.62 MHz - CHICAGO APPROACH	APP - 124.35 MHz - CHICAGO APPROACH
APP - 125.70 MHz - CHICAGO APPROACH	DEP - 125.00 MHz - CHICAGO DEPARTURE
DEP - 125.40 MHz - CHICAGO DEPARTURE	DEP - 127.40 MHz - CHICAGO DEPARTURE
DEP - 128.80 MHz - CHICAGO DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10C	200 ft	10,789 ft	89.85	CONCRETE	0 ft	397 ft
	61 m	3,289 m	93.96		0 m	121 m
28C	200 ft	10,789 ft	269.88	CONCRETE	0 ft	381 ft
	61 m	3,289 m	273.99		0 m	116 m
10L	151 ft	12,996 ft	89.87	CONCRETE	0 ft	394 ft
	46 m	3,961 m	93.99		0 m	120 m
28R	151 ft	12,996 ft	269.91	CONCRETE	0 ft	285 ft
	46 m	3,961 m	274.02		0 m	87 m
04R	151 ft	8,074 ft	41.40	CONCRETE	0 ft	850 ft
	46 m	2,461 m	45.51		0 m	259 m
22L	151 ft	8,074 ft	221.41	CONCRETE	0 ft	584 ft
	46 m	2,461 m	225.53		0 m	178 m
09R	151 ft	7,949 ft	89.98	CONCRETE	0 ft	148 ft
	46 m	2,423 m	94.09		0 m	45 m
27L	151 ft	7,949 ft	270.00	CONCRETE	0 ft	197 ft
	46 m	2,423 m	274.11		0 m	60 m
09L	151 ft	7,484 ft	89.99	CONCRETE	0 ft	397 ft
	46 m	2,281 m	94.10		0 m	121 m
27R	151 ft	7,484 ft	270.00	CONCRETE	0 ft	397 ft
	46 m	2,281 m	274.12		0 m	121 m
10R	151 ft	7,484 ft	89.85	CONCRETE	0 ft	400 ft
	46 m	2,281 m	93.96		0 m	122 m
28L	151 ft	7,484 ft	269.87	CONCRETE	0 ft	400 ft
	46 m	2,281 m	273.98		0 m	122 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09L	DME	ISAJ	111.75 MHz	18 nm	-	-	668 ft
				33 km	-		668 m
10L	DME	IMED	111.10 MHz	18 nm	-	-	678 ft
				33 km	-		678 m
27L	DME	IIAC	110.50 MHz	18 nm	-	-	641 ft
				33 km	-		641 m
27R	DME	IABU	111.75 MHz	18 nm	-	-	668 ft
				33 km	-		668 m
28R	DME	ITSL	111.10 MHz	18 nm	-	-	678 ft
				33 km	-		678 m
04R	LOC-ILS	IFJU	110.10 MHz	18 nm	41.41	-	680 ft
				33 km	45.52		680 m
09L	LOC-ILS	ISAJ	111.75 MHz	18 nm	90.00	-	680 ft
				33 km	94.11		680 m
09R	LOC-ILS	IJAV	110.50 MHz	18 nm	89.99	-	680 ft
				33 km	94.10		680 m
10L	LOC-ILS	IMED	111.10 MHz	18 nm	89.89	-	680 ft
				33 km	94.00		680 m
10C	LOC-ILS	ISXH	108.95 MHz	18 nm	89.86	-	680 ft
				33 km	93.97		680 m
10R	LOC-ILS	IIZJ	110.75 MHz	18 nm	89.86	-	680 ft
				33 km	93.97		680 m
22L	LOC-ILS	ILQQ	110.10 MHz	18 nm	221.41	-	680 ft
				33 km	225.52		680 m
27L	LOC-ILS	IIAC	110.50 MHz	18 nm	269.99	-	680 ft
				33 km	274.10		680 m
27R	LOC-ILS	IABU	111.75 MHz	18 nm	270.00	-	680 ft
				33 km	274.11		680 m
28L	LOC-ILS	IVQX	110.75 MHz	18 nm	269.87	-	680 ft
				33 km	273.98		680 m
28C	LOC-ILS	IVZE	108.95 MHz	18 nm	269.87	-	680 ft
				33 km	273.98		680 m
28R	LOC-ILS	ITSL	111.10 MHz	18 nm	269.88	-	680 ft
				33 km	273.99		680 m
04R	GS	IFJU	110.10 MHz	10 nm	41.41	3.00	680 ft
				19 km	45.52		680 m
09L	GS	ISAJ	111.75 MHz	10 nm	90.00	3.00	680 ft
				19 km	94.11		680 m
09R	GS	IJAV	110.50 MHz	10 nm	89.99	3.00	680 ft
				19 km	94.10		680 m
10L	GS	IMED	111.10 MHz	10 nm	89.89	3.00	680 ft
				19 km	94.00		680 m
10C	GS	ISXH	108.95 MHz	10 nm	89.86	3.00	680 ft
				19 km	93.97		680 m
10R	GS	IIZJ	110.75 MHz	10 nm	89.86	3.00	680 ft
				19 km	93.97		680 m
22L	GS	ILQQ	110.10 MHz	10 nm	221.41	3.00	680 ft
				19 km	225.52		680 m
27L	GS	IIAC	110.50 MHz	10 nm	269.99	3.00	680 ft
				19 km	274.10		680 m
27R	GS	IABU	111.75 MHz	10 nm	270.00	3.00	680 ft
				19 km	274.11		680 m
28L	GS	IVQX	110.75 MHz	10 nm	269.87	3.00	680 ft
				19 km	273.98		680 m
28C	GS	IVZE	108.95 MHz	10 nm	269.87	3.00	680 ft
				19 km	273.98		680 m
28R	GS	ITSL	111.10 MHz	10 nm	269.88	3.00	680 ft
				19 km	273.99		680 m

## EGKK

Region: UNITED KINGDOM  
Timezone: EUROPE/LONDON  
Runways: 2

Elevation: 187 ft / 57 m  
Location: 51.148800 -0.191923  
Magnetic Var: 0.497 E

## METAR

EGKK 150220Z 14005KT 100V160 9999 SCT035 13/12 Q1002

## TAF

TAF EGKK 142255Z 1500/1606 12007KT 9999 FEW008 SCT020 PROB40 TEMPO 1500/1507 8000 BKN008 PROB40 1600/1606 7000 PR

## Frequencies

REC - 136.52 MHz - GATWICK INFORMATION	GND - 121.80 MHz - GATWICK GROUND
TWR - 124.22 MHz - GATWICK TOWER	TWR - 134.22 MHz - GATWICK TOWER
CLD - 121.95 MHz - GATWICK DELIVERY	APP - 118.95 MHz - GATWICK DIRECTOR
APP - 126.82 MHz - GATWICK DIRECTOR	APP - 129.02 MHz - GATWICK DIRECTOR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	148 ft	10,851 ft	77.60	ASPHALT	1,289 ft	0 ft
	45 m	3,308 m	77.10		393 m	0 m
26L	148 ft	10,851 ft	257.63	ASPHALT	1,388 ft	102 ft
	45 m	3,308 m	257.14		423 m	31 m
08L	148 ft	8,382 ft	77.59	ASPHALT	1,047 ft	0 ft
	45 m	2,555 m	77.09		319 m	0 m
26R	148 ft	8,382 ft	257.61	ASPHALT	1,358 ft	0 ft
	45 m	2,555 m	257.12		414 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	IGG	110.90 MHz	18 nm	-	-	274 ft
				33 km	-		274 m
26L	DME	IWW	110.90 MHz	18 nm	-	-	274 ft
				33 km	-		274 m
08R	LOC-ILS	IGG	110.90 MHz	18 nm	77.62	-	187 ft
				33 km	77.12		187 m
26L	LOC-ILS	IWW	110.90 MHz	18 nm	257.62	-	187 ft
				33 km	257.12		187 m
08R	GS	IGG	110.90 MHz	10 nm	77.62	3.00	187 ft
				19 km	77.12		187 m
26L	GS	IWW	110.90 MHz	10 nm	257.62	3.00	187 ft
				19 km	257.12		187 m