


2024/05/12 0536Z

LFST NAY **TR11** SDI LFPG

203.68 nm / 377.21 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFST	-	48.53833	0 ft	-	Entzheim
APT	-	7.62826	0 m		
NAY	-	48.58364	22,800 ft	66	NANCY TACAN DME
DME	-	5.95183	6,949 m		
SDI	TR11	48.63700	20,200 ft	42	-
VOR	AWY-HI	4.88919	6,157 m		
LFPG	-	49.00974	0 ft	94	Paris Charles De Gaulle
APT	-	2.56262	0 m		

## LFST

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 1

Elevation: 504 ft / 154 m  
Location: 48.538300 7.628260  
Magnetic Var: 2.910 E

## METAR

LFST 120500Z AUTO 34003KT CAVOK 13/10 Q1017 NOSIG

## TAF

TAF LFST 112300Z 1200/1224 VRB02KT CAVOK BECMG 1212/1214 16010KT PROB40 TEMPO 1217/1222 VRB15G25KT 2000 TSRA SCT0

## Frequencies

REC - 126.92 MHz - LFST ATIS  
TWR - 126.87 MHz - STRASBOURG TWR  
APP - 119.57 MHz - STRASBOURG APP  
GND - 121.80 MHz - STRASBOURG GND  
APP - 119.45 MHz - STRASBOURG APP  
APP - 120.70 MHz - STRASBOURG APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
05	148 ft	7,899 ft	48.60	ASPHALT	0 ft	860 ft
	45 m	2,408 m	45.69		0 m	262 m
23	148 ft	7,899 ft	228.62	ASPHALT	0 ft	902 ft
	45 m	2,408 m	225.71		0 m	275 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
05	DME	ENT	108.55 MHz	18 nm	-	-	504 ft
				33 km	-		504 m
23	DME	STZ	109.55 MHz	18 nm	-	-	504 ft
				33 km	-		504 m
05	LOC-ILS	ENT	108.55 MHz	18 nm	48.63	-	499 ft
				33 km	45.72		499 m
23	LOC-ILS	STZ	109.55 MHz	18 nm	228.59	-	515 ft
				33 km	225.68		515 m
05	GS	ENT	108.55 MHz	10 nm	49.22	3.50	561 ft
				19 km	46.31		561 m
23	GS	STZ	109.55 MHz	10 nm	229.22	3.00	542 ft
				19 km	226.31		542 m

## LFPG

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 4

Elevation: 392 ft / 119 m  
Location: 49.009700 2.562570  
Magnetic Var: 1.496 E

## METAR

LFPG 120500Z 03004KT CAVOK 14/09 Q1014 NOSIG

## TAF

TAF LFPG 112300Z 1200/1306 07005KT CAVOK TX27/1212Z TN12/1205Z BECMG 1211/1213 20015KT SCT025CB TEMPO 1213/1215 2

## Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.84		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.82		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.84		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.82		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.84		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.82		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.84		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.82		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m