

# LEZL

Sevilla-San Pablo


# LEBL

Josep Tarradellas Barcelona-El Prat

2024/06/04 0558Z

LEZL SVL **UN747** YES **UM985** RODRA LEBL

448.48 nm / 830.58 km



## Notes

Requested: LEZL SVL **UN747** YES **UM985** RODRA LEBL

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEZL	-	37.41790	0 ft	-	Sevilla-San Pablo
APT	-	-5.89309	0 m		
SVL	-	37.42760	0 ft	6	SEVILLE
VOR	-	-5.76222	0 m		
AMOTA	UN747	37.60560	0 ft	26	-
FIX	AWY-HI	-5.25167	0 m		
VULPE	UN747	37.76120	0 ft	23	-
FIX	AWY-HI	-4.79844	0 m		
KUKAL	UN747	37.86870	0 ft	16	-
FIX	AWY-HI	-4.48081	0 m		
BLN	UN747	38.15250	0 ft	43	BAILEN
VOR	AWY-HI	-3.62500	0 m		
YES	UN747	38.36080	0 ft	61	YESTE
VOR	AWY-HI	-2.35278	0 m		
XEBAR	UM985	38.52110	0 ft	15	-
FIX	AWY-HI	-2.09278	0 m		
ASTRO	UM985	39.02440	0 ft	49	-
FIX	AWY-HI	-1.26300	0 m		
VLC	UM985	39.48560	0 ft	45	VALENCIA
VOR	AWY-HI	-0.48306	0 m		
SOPET	UM985	39.83380	0 ft	30	-
FIX	AWY-HI	-0.00469	0 m		
DIKUT	UM985	40.00710	0 ft	15	-
FIX	AWY-HI	0.23608	0 m		
TORDU	UM985	40.25790	0 ft	22	-
FIX	AWY-HI	0.58819	0 m		
LOTOS	UM985	40.54970	0 ft	25	-
FIX	AWY-HI	1.00297	0 m		
EBROX	UM985	40.70870	0 ft	14	-
FIX	AWY-HI	1.23178	0 m		
PEXOT	UM985	40.86080	0 ft	13	-
FIX	AWY-HI	1.45194	0 m		
RODRA	UM985	41.05150	0 ft	17	-
FIX	AWY-HI	1.73039	0 m		
LEBL	-	41.29510	0 ft	21	Josep Tarradellas Barcelona-El Prat
APT	-	2.08803	0 m		

## LEZL

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 1

Elevation: 110 ft / 34 m  
Location: 37.417900 -5.893090  
Magnetic Var: 0.544 W

## METAR

LEZL 040530Z 15003KT CAVOK 18/12 Q1014 NOSIG

## TAF

TAF LEZL 040200Z 0403/0503 VRB03KT CAVOK TX33/0415Z TN19/0405Z BECMG 0415/0417 24010KT BECMG 0421/0501 VRB03KT

## Frequencies

REC - 118.17 MHz - ATIS  
GND - 121.70 MHz - SEVILLA GROUND  
APP - 124.72 MHz - SEVILLA APPROACH  
TWR - 118.10 MHz - SEVILLA TOWER  
APP - 120.80 MHz - SEVILLA APPROACH  
APP - 128.50 MHz - SEVILLA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	11,008 ft	89.75	ASPHALT	0 ft	164 ft
	45 m	3,355 m	90.29		0 m	50 m
27	148 ft	11,008 ft	269.77	ASPHALT	0 ft	171 ft
	45 m	3,355 m	270.32		0 m	52 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	DME	ISE	111.10 MHz	18 nm	-	-	102 ft
				33 km	-		102 m
27	DME	ISV	110.10 MHz	18 nm	-	-	22 ft
				33 km	-		22 m
09	LOC-ILS	ISE	111.10 MHz	18 nm	89.77	-	111 ft
				33 km	90.31		111 m
27	LOC-ILS	ISV	110.10 MHz	18 nm	269.74	-	111 ft
				33 km	270.28		111 m
09	GS	ISE	111.10 MHz	10 nm	90.51	3.00	111 ft
				19 km	91.06		111 m
27	GS	ISV	110.10 MHz	10 nm	270.51	3.00	22 ft
				19 km	271.06		22 m

## LEBL

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 3

Elevation: 14 ft / 4 m  
Location: 41.295100 2.088030  
Magnetic Var: 1.549 E

## METAR

LEBL 040530Z 35002KT 9999 FEW020 18/14 Q1015 NOSIG

## TAF

TAF LEBL 032300Z 0400/0424 24004KT 9999 FEW025 TX24/0412Z TN16/0405Z BECMG 0400/0402 32005KT BECMG 0407/0409 2101

## Frequencies

REC - 121.97 MHz - ATIS	REC - 118.65 MHz - ATIS
TWR - 118.32 MHz - BARCELONA TOWER	TWR - 118.10 MHz - BARCELONA TOWER
TWR - 122.82 MHz - BARCELONA TOWER	TWR - 122.10 MHz - BARCELONA TOWER
GND - 122.22 MHz - BARCELONA GROUND	GND - 121.70 MHz - BARCELONA GROUND
GND - 121.65 MHz - BARCELONA GROUND	CLD - 121.80 MHz - CLEARANCE DELIVERY
APP - 121.15 MHz - BARCELONA APPROACH	APP - 119.10 MHz - BARCELONA APPROACH
APP - 135.27 MHz - BARCELONA APPROACH	APP - 133.97 MHz - BARCELONA APPROACH
APP - 131.12 MHz - BARCELONA APPROACH	APP - 127.70 MHz - BARCELONA APPROACH
APP - 126.50 MHz - BARCELONA APPROACH	APP - 124.70 MHz - BARCELONA APPROACH
APP - 125.25 MHz - BARCELONA APPROACH	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
02	148 ft	8,307 ft	18.91	ASPHALT	0 ft	0 ft
	45 m	2,532 m	17.36		0 m	0 m
20	148 ft	8,307 ft	198.92	ASPHALT	0 ft	226 ft
	45 m	2,532 m	197.37		0 m	69 m
07R	197 ft	8,722 ft	65.48	ASPHALT	0 ft	0 ft
	60 m	2,658 m	63.94		0 m	0 m
25L	197 ft	8,722 ft	245.50	ASPHALT	0 ft	0 ft
	60 m	2,658 m	243.95		0 m	0 m
07L	197 ft	10,984 ft	65.48	ASPHALT	1,401 ft	0 ft
	60 m	3,348 m	63.93		427 m	0 m
25R	197 ft	10,984 ft	245.50	ASPHALT	0 ft	0 ft
	60 m	3,348 m	243.96		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
02	DME	BLT	108.75 MHz	25 nm	-	-	12 ft
				46 km	-		12 m
07L	DME	QAA	110.30 MHz	18 nm	-	-	13 ft
				33 km	-		13 m
07R	DME	BLE	110.75 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
25L	DME	BLW	111.50 MHz	18 nm	-	-	14 ft
				33 km	-		14 m
25R	DME	BCA	109.50 MHz	18 nm	-	-	30 ft
				33 km	-		30 m
02	LOC-ILS	BLT	108.75 MHz	18 nm	18.92	-	14 ft
				33 km	17.37		14 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	LOC-ILS	QAA	110.30 MHz	18 nm	65.50	-	14 ft
				33 km	63.95		14 m
07R	LOC-ILS	BLE	110.75 MHz	18 nm	65.50	-	14 ft
				33 km	63.95		14 m
25L	LOC-ILS	BLW	111.50 MHz	18 nm	245.50	-	14 ft
				33 km	243.95		14 m
25R	LOC-ILS	BCA	109.50 MHz	18 nm	245.50	-	14 ft
				33 km	243.95		14 m
02	GS	BLT	108.75 MHz	10 nm	18.92	3.00	14 ft
				19 km	17.37		14 m
07L	GS	QAA	110.30 MHz	10 nm	65.50	3.00	14 ft
				19 km	63.95		14 m
07R	GS	BLE	110.75 MHz	10 nm	65.50	3.00	14 ft
				19 km	63.95		14 m
25L	GS	BLW	111.50 MHz	10 nm	245.50	3.00	14 ft
				19 km	243.95		14 m
25R	GS	BCA	109.50 MHz	10 nm	245.50	3.00	14 ft
				19 km	243.95		14 m