

SVMI

Maiquetia Simon Bolivar Intl


TTPP

Piarco Intl

2024/05/28 2250Z

SVMI CBC **UA552** MEGIR TTPP

334.60 nm / 619.68 km



Notes

Basic altitude profile:

- Ascent Rate: 3000ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SVMI APT	-	10.60320 -66.99040	0 ft 0 m	-	Maiquetia Simon Bolivar Intl
CBC DME	-	10.57690 -66.04810	23,800 ft 7,254 m	55	CABO CODERA VOR-DME
TOSIP FIX	UA552 AWY-HI	10.62030 -64.61610	35,000 ft 10,668 m	84	-
UGIRO FIX	UA552 AWY-HI	10.64440 -63.77420	30,900 ft 9,418 m	49	-
ESNAP FIX	UA552 AWY-HI	10.65810 -63.25940	24,400 ft 7,437 m	30	-
MEGIR FIX	UA552 AWY-HI	10.51670 -61.87220	6,800 ft 2,073 m	82	-
TTPP APT	-	10.59540 -61.33730	0 ft 0 m	31	Piarco Intl

SVMI

Region: VENEZUELA
Timezone: AMERICA/CARACAS
Runways: 2

Elevation: 234 ft / 71 m
Location: 10.603200 -66.990400
Magnetic Var: 12.877 W

METAR

SVMI 282200Z 07004KT 9999 FEW016 31/24 Q1012

TAF

TAF SVMI 281600Z 2818/2918 09009KT 9999 FEW016 SCT080 TX33/2818Z TN24/2908Z TEMPO 2820/2823 07010KT 9000 VCDZ SCT

Frequencies

CLD - 119.50 MHz - CLEARANCE DELIVERY
TWR - 118.40 MHz - MAIQUETIA TOWER
DEP - 120.10 MHz - MAIQUETIA DEPARTURE
GND - 121.90 MHz - MAIQUETIA GROUND
APP - 120.40 MHz - MAIQUETIA APPROACH
REC - 132.85 MHz - ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	11,494 ft	88.13	ASPHALT	0 ft	187 ft
	46 m	3,503 m	101.00		0 m	57 m
28	151 ft	11,494 ft	268.13	ASPHALT	0 ft	187 ft
	46 m	3,503 m	281.01		0 m	57 m
09	151 ft	9,523 ft	75.94	ASPHALT	0 ft	0 ft
	46 m	2,903 m	88.82		0 m	0 m
27	151 ft	9,523 ft	255.95	ASPHALT	0 ft	0 ft
	46 m	2,903 m	268.83		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IMIQ	110.10 MHz	18 nm	-	-	235 ft
				33 km	-		235 m
10	LOC-ILS	IMIQ	110.10 MHz	18 nm	87.90	-	235 ft
				33 km	100.78		235 m
10	GS	IMIQ	110.10 MHz	10 nm	88.29	3.00	235 ft
				19 km	101.16		235 m

TTPP

Region: TRINIDAD AND TOBAGO
Timezone: AMERICA/PORT_OF_SPAIN
Runways: 1

Elevation: 57 ft / 17 m
Location: 10.595400 -61.337300
Magnetic Var: 15.353 W

METAR

TTPP 282200Z 10009KT 9999 FEW024 30/25 Q1013 NOSIG

TAF

TAF TTPP 281600Z 2818/2918 12015KT 9999 SCT024 BECMG 2902/2904 00000KT FEW015 BECMG 2912/2915 10015KT SCT020

Frequencies

REC - 126.70 MHz - ATIS
TWR - 118.10 MHz - PIARCO TOWER
APP - 119.55 MHz - PIARCO APPROACH
GND - 121.90 MHz - PIARCO GROUND
APP - 119.00 MHz - PIARCO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	151 ft	10,505 ft	89.80	ASPHALT	0 ft	62 ft
	46 m	3,202 m	105.16		0 m	19 m
28	151 ft	10,505 ft	269.81	ASPHALT	0 ft	180 ft
	46 m	3,202 m	285.16		0 m	55 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	IPOS	109.70 MHz	18 nm	-	-	57 ft
				33 km	-		57 m
10	LOC-ILS	IPOS	109.70 MHz	18 nm	89.49	-	57 ft
				33 km	104.84		57 m
10	GS	IPOS	109.70 MHz	10 nm	90.67	3.00	57 ft
				19 km	106.02		57 m