

# LFLX

Chateauroux-Centre "Marcel Dassault" Airport


2024/05/10 1939Z

LFLX EDOXA LFPO

114.82 nm / 212.65 km

# LFPO

Paris Orly



## Notes

Basic altitude profile:

- Ascent Rate: 2000ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 22000ft
- Cruise Speed: 300kts
- Descent Rate: 1000ft/min
- Descent Speed: 220kts

Options:

- Use NATs: yes
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes



## Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LFLX	-	46.86280	0 ft	-		Chateauroux-Centre "Marcel Dassault" Airport
APT	-	1.73065	0 m			
EDOXA	-	48.29080	5,300 ft	87	-	
FIX	-	2.20944	1,615 m			
LFPO	-	48.72630	0 ft	26		Paris Only
APT	-	2.36698	0 m			

## LFLX

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 1

Elevation: 528 ft / 161 m  
Location: 46.862800 1.730650  
Magnetic Var: 1.344 E

## METAR

LFLX 101900Z AUTO 04006KT CAVOK 19/13 Q1017 NOSIG

## TAF

TAF LFLX 101700Z 1018/1124 07008KT CAVOK PROB30 TEMPO 1103/1105 4000 BR PROB30 TEMPO 1117/1120 -SHRA SCT040TCU

## Frequencies

TWR - 125.87 MHz - CHATEAUROUX TWR/INFO

APP - 130.90 MHz - POITERS APP

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	11,493 ft	33.17	ASPHALT	0 ft	0 ft
	45 m	3,503 m	31.83		0 m	0 m
21	148 ft	11,493 ft	213.19	ASPHALT	0 ft	0 ft
	45 m	3,503 m	211.85		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
21	DME	CX	110.30 MHz	18 nm	-	-	577 ft
				33 km	-		577 m
21	LOC-ILS	CX	110.30 MHz	18 nm	213.19	-	528 ft
				33 km	211.85		528 m
21	GS	CX	110.30 MHz	10 nm	213.19	3.00	528 ft
				19 km	211.85		528 m

## LFPO

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 3

Elevation: 291 ft / 89 m  
Location: 48.726300 2.366980  
Magnetic Var: 1.450 E

## METAR

LFPO 101900Z AUTO 04009KT CAVOK 21/09 Q1019 NOSIG

## TAF

TAF LFPO 101700Z 1018/1124 09010KT CAVOK PROB40 TEMPO 1020/1108 03004KT

## Frequencies

REC - 126.50 MHz - ORLY ATIS	REC - 131.35 MHz - ORLY ATIS
CLD - 121.05 MHz - PREFLIGHT	GND - 121.70 MHz - ORLY GROUND
GND - 121.82 MHz - ORLY GROUND	TWR - 118.70 MHz - ORLY TOWER
TWR - 120.50 MHz - ORLY TOWER	APP - 118.85 MHz - PARIS APPROACH
APP - 123.87 MHz - PARIS APPROACH	APP - 124.45 MHz - PARIS APPROACH
DEP - 124.35 MHz - PARIS DEPARTURE	DEP - 127.75 MHz - PARIS DEPARTURE
DEP - 128.37 MHz - PARIS DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.33		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.37		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.89		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.92		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.85		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.86		0 m	150 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.86		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.35		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.91		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.35		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.91		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm	74.37	-	291 ft
				33 km	72.92		291 m
02	GS	OLN	110.30 MHz	10 nm	18.31	3.00	291 ft
				19 km	16.86		291 m
06	GS	ORE	108.50 MHz	10 nm	61.80	3.00	291 ft
				19 km	60.35		291 m
07	GS	OLE	108.15 MHz	10 nm	74.36	3.00	291 ft
				19 km	72.91		291 m
24	GS	OLO	110.90 MHz	10 nm	241.80	3.00	291 ft
				19 km	240.35		291 m
25	GS	OLW	111.75 MHz	10 nm	254.36	3.00	291 ft
				19 km	252.91		291 m