


2024/06/04 2233Z

PADQ KODNE J125 TED J115 BGQ V491 TKA TKA J125 ENN V504 RAMPA T238 KANUT PAKP

652.34 nm / 1208.14 km



Notes

Basic altitude profile:

- Ascent Rate: 1500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 31000ft
- Cruise Speed: 320kts
- Descent Rate: 1000ft/min
- Descent Speed: 270kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
PADQ APT	-	57.74960 -152.49300	0 ft 0 m	-	Kodiak
KODNE FIX	-	58.40470 -151.93500	12,100 ft 3,688 m	43	-
TED VOR	J125 AWY-HI	61.16790 -149.96000	31,000 ft 9,449 m	176	ANCHORAGE
BGQ VOR	J115 AWY-HI	61.56950 -149.96700	31,000 ft 9,449 m	24	BIG LAKE
URTOW FIX	V491 AWY-LO	62.06700 -150.06100	31,000 ft 9,449 m	29	-
TKA VOR	V491 AWY-LO	62.29840 -150.10500	31,000 ft 9,449 m	13	TALKEETNA
TKA DME	-	62.29870 -150.10600	31,000 ft 9,449 m	0	TALKEETNA VOR-DME
ENN VOR	J125 AWY-HI	64.59000 -149.07300	31,000 ft 9,449 m	140	NENANA
RAMPA FIX	V504 AWY-LO	65.36530 -149.84500	31,000 ft 9,449 m	50	-
KANUT FIX	T238 AWY-LO	66.52740 -151.10000	18,300 ft 5,578 m	76	-
PAKP APT	-	68.13360 -151.74300	0 ft 0 m	97	ANAKTUVUK PASS

PADQ

Region: USA (ALASKA)

Timezone: AMERICA/ANCHORAGE

Runways: 3

Elevation: 79 ft / 24 m

Location: 57.749600 -152.493000

Magnetic Var: 13.035 E

METAR

PADQ 042153Z 10005KT 10SM BKN039 OVC049 10/06 A2933

TAF

PADQ 041722Z 0418/0518 04006KT P6SM BKN045 FM042200 07007KT P6SM SCT045 BKN070 FM050600 29005KT P6SM SCT045 BKN060

Frequencies

REC - 134.45 MHz - ATIS

GND - 121.90 MHz -

APP - 125.10 MHz - ANCHORAGE ARTCC APP

COM - 119.80 MHz - CTAF

TWR - 119.80 MHz -

DEP - 281.40 MHz - ANCHORAGE ARTCC DEP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	150 ft	7,540 ft	91.97	ASPHALT	1,135 ft	0 ft
	46 m	2,298 m	78.94		346 m	0 m
26	150 ft	7,540 ft	272.00	ASPHALT	0 ft	0 ft
	46 m	2,298 m	258.97		0 m	0 m
11	150 ft	5,405 ft	127.08	ASPHALT	440 ft	0 ft
	46 m	1,647 m	114.04		134 m	0 m
29	150 ft	5,405 ft	307.09	ASPHALT	558 ft	0 ft
	46 m	1,647 m	294.06		170 m	0 m
01	150 ft	5,015 ft	22.30	ASPHALT	0 ft	0 ft
	46 m	1,529 m	9.27		0 m	0 m
19	150 ft	5,015 ft	202.31	ASPHALT	0 ft	0 ft
	46 m	1,529 m	189.28		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26	DME	IADQ	110.90 MHz	18 nm	-	-	135 ft
				33 km	-		135 m
26	LOC-ILS	IADQ	110.90 MHz	18 nm	271.99	-	79 ft
				33 km	258.96		79 m
26	GS	IADQ	110.90 MHz	10 nm	271.99	2.05	79 ft
				19 km	258.96		79 m