


2024/05/08 0958Z

SBCF NINDI W11 MOPNI UZ8 CIA A430 UGINA UM775 ABATE A430 PAGUS UM775 UGAXO SBGM

1352.12 nm / 2504.12 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBCF	-	-19.63580	0 ft	-	Confins-Tancredo Neves Intl
APT	-	-43.96690	0 m	-	
NINDI	-	-19.51330	35,000 ft	102	-
FIX	-	-45.76830	10,668 m	-	-
MOPNI	W11	-19.24160	35,000 ft	62	-
FIX	AWY-LO	-46.82880	10,668 m	-	-
BACON	UZ8	-19.15550	35,000 ft	18	-
FIX	AWY-HI	-47.14900	10,668 m	-	-
SAMGA	UZ8	-19.03150	35,000 ft	27	-
FIX	AWY-HI	-47.61250	10,668 m	-	-
CORVO	UZ8	-18.90580	35,000 ft	27	-
FIX	AWY-HI	-48.08070	10,668 m	-	-
EDMIN	UZ8	-18.67500	35,000 ft	33	-
FIX	AWY-HI	-48.62070	10,668 m	-	-
MAKMO	UZ8	-18.59900	35,000 ft	11	-
FIX	AWY-HI	-48.79720	10,668 m	-	-
PUMLA	UZ8	-18.57670	35,000 ft	3	-
FIX	AWY-HI	-48.84900	10,668 m	-	-
SEDSU	UZ8	-18.36700	35,000 ft	30	-
FIX	AWY-HI	-49.33330	10,668 m	-	-
SARBI	UZ8	-18.29380	35,000 ft	9	-
FIX	AWY-HI	-49.47300	10,668 m	-	-
EGONI	UZ8	-18.00080	35,000 ft	36	-
FIX	AWY-HI	-50.02970	10,668 m	-	-
RONOD	UZ8	-17.71880	35,000 ft	42	-
FIX	AWY-HI	-50.71380	10,668 m	-	-
RORIT	UZ8	-17.52100	35,000 ft	29	-
FIX	AWY-HI	-51.18870	10,668 m	-	-
MABMA	UZ8	-16.70920	35,000 ft	120	-
FIX	AWY-HI	-53.10080	10,668 m	-	-
ENSUK	UZ8	-16.51450	35,000 ft	31	-
FIX	AWY-HI	-53.60620	10,668 m	-	-
ISUKA	UZ8	-16.22630	35,000 ft	46	-
FIX	AWY-HI	-54.34630	10,668 m	-	-
TORAB	UZ8	-15.97320	35,000 ft	48	-
FIX	AWY-HI	-55.13850	10,668 m	-	-
KOKLI	UZ8	-15.87500	35,000 ft	18	-
FIX	AWY-HI	-55.44300	10,668 m	-	-
CIA	UZ8	-15.65610	35,000 ft	40	CUIABA
VOR	AWY-HI	-56.11200	10,668 m	-	
TENEL	A430	-15.37050	35,000 ft	40	-
FIX	AWY-LO	-56.73650	10,668 m	-	-
UGINA	A430	-14.60970	35,000 ft	105	-
FIX	AWY-LO	-58.37370	10,668 m	-	-
ABATE	UM775	-14.39120	35,000 ft	29	-
FIX	AWY-HI	-58.83720	10,668 m	-	-
PAGUS	A430	-13.70400	35,000 ft	93	-
FIX	AWY-LO	-60.27680	10,668 m	-	-
UBSIM	UM775	-12.94170	35,000 ft	102	-
FIX	AWY-HI	-61.84370	10,668 m	-	-
MUDAB	UM775	-12.73120	35,000 ft	28	-
FIX	AWY-HI	-62.27180	10,668 m	-	-
ALBOM	UM775	-12.52100	35,000 ft	27	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	-62.69700	10,668 m		
UGAXO	UM775	-11.91280	22,500 ft	80	-
FIX	AWY-HI	-63.91380	6,858 m		
SBGM	-	-10.78640	0 ft	105	Guajara Mirim
APT	-	-65.28490	0 m		

SBCF

Region: BRAZIL
Timezone: AMERICA/SAO_PAULO
Runways: 1

Elevation: 2,721 ft / 829 m
Location: -19.635800 -43.966900
Magnetic Var: 23.411 W

METAR

SBCF 080900Z 09008KT 9999 SCT030 19/16 Q1020

TAF

TAF SBCF 080220Z 0806/0906 12005KT CAVOK TN19/0809Z TX28/0817Z BECMG 0812/0815 04010KT FEW030 BECMG 0819/0822 090

Frequencies

REC - 127.85 MHz - ATIS	CLD - 121.00 MHz - CONFINS CLEARANCE
GND - 121.90 MHz - CONFINS GROUND	TWR - 118.20 MHz - CONFINS TOWER
APP - 119.10 MHz - BELO HORIZONTE APPROACH	APP - 119.30 MHz - BELO HORIZONTE APPROACH
APP - 119.65 MHz - BELO HORIZONTE APPROACH	APP - 120.20 MHz - BELO HORIZONTE APPROACH
APP - 128.55 MHz - BELO HORIZONTE APPROACH	APP - 129.10 MHz - BELO HORIZONTE APPROACH
APP - 129.40 MHz - BELO HORIZONTE APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,854 ft	138.96	ASPHALT	0 ft	0 ft
	45 m	3,613 m	162.37		0 m	0 m
34	148 ft	11,854 ft	318.96	ASPHALT	0 ft	0 ft
	45 m	3,613 m	342.37		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	LOC-ILS	ICF	109.70 MHz	18 nm	138.96	-	2,721 ft
				33 km	162.37		2,721 m
34	LOC-ILS	ITN	110.30 MHz	18 nm	318.96	-	2,721 ft
				33 km	342.37		2,721 m
16	GS	ICF	109.70 MHz	10 nm	138.96	3.00	2,721 ft
				19 km	162.37		2,721 m
34	GS	ITN	110.30 MHz	10 nm	318.96	3.00	2,721 ft
				19 km	342.37		2,721 m