

LKPR

Praha - Ruzyně


LLBG

Tel Aviv Ben Gurion

2024/06/06 0705Z

LKPR LANUX **M725** STO **M749** TONDO **L610** TISAK **P192** NEPOS **L617** RAVAK **N739** NISVA **UN131** BANSO **N131** RODOP
B7 KPL **H59** LMO **N127** IMR **G80** RDS **G18** SOLIN LLBG

1456.29 nm / 2697.04 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LKPR	-	50.10114	0 ft	-	Praha - Ruzyne
APT	-	14.26296	0 m		
LANUX	-	48.88811	32,100 ft	89	-
FIX	-	15.61579	9,784 m		
STO	M725	48.41714	35,000 ft	32	STOCKERAU VOR-DME
VOR	AWY-LO	16.01859	10,668 m		
FMD	M749	48.10511	35,000 ft	30	FISCHAMEND VOR-DME
VOR	AWY-LO	16.62926	10,668 m		
GESGI	M749	47.92196	35,000 ft	17	-
FIX	AWY-LO	16.95406	10,668 m		
BEGLA	M749	47.83071	35,000 ft	8	-
FIX	AWY-LO	17.11443	10,668 m		
TEKNO	M749	47.62377	35,000 ft	17	-
FIX	AWY-LO	17.40891	10,668 m		
TONDO	M749	46.04731	35,000 ft	123	-
FIX	AWY-LO	19.35593	10,668 m		
TISAK	L610	45.42206	35,000 ft	52	-
FIX	AWY-LO	20.22731	10,668 m		
NEPOS	P192	44.00622	35,000 ft	99	-
FIX	AWY-LO	21.43761	10,668 m		
RAVAK	L617	43.68742	35,000 ft	20	-
FIX	AWY-LO	21.62697	10,668 m		
NISVA	N739	42.97278	35,000 ft	66	-
FIX	AWY-LO	22.79750	10,668 m		
BANSO	UN131	42.16194	35,000 ft	60	-
FIX	AWY-HI	23.61556	10,668 m		
RODOP	N131	41.58333	35,000 ft	43	-
FIX	AWY-LO	24.18333	10,668 m		
KOPOL	B7	41.19528	35,000 ft	25	-
FIX	AWY-LO	24.43417	10,668 m		
KPL	B7	40.91185	35,000 ft	18	KAVALA VOR-DME
VOR	AWY-LO	24.61409	10,668 m		
BERIL	H59	40.70194	35,000 ft	14	-
FIX	AWY-LO	24.74861	10,668 m		
AMALA	H59	40.56861	35,000 ft	8	-
FIX	AWY-LO	24.83278	10,668 m		
LMO	H59	39.91954	35,000 ft	43	LIMNOS VOR-DME
VOR	AWY-LO	25.23719	10,668 m		
ERESO	N127	39.29194	35,000 ft	49	-
FIX	AWY-LO	25.94361	10,668 m		
RIKSO	N127	38.83333	35,000 ft	35	-
FIX	AWY-LO	26.43333	10,668 m		
IMR	N127	38.31722	35,000 ft	41	IZMIR VOR-DME
VOR	AWY-LO	27.00722	10,668 m		
OKESA	G80	37.61333	35,000 ft	45	-
FIX	AWY-LO	27.38667	10,668 m		
AKBUK	G80	37.41444	35,000 ft	13	-
FIX	AWY-LO	27.50778	10,668 m		
MILAS	G80	37.16778	35,000 ft	16	-
FIX	AWY-LO	27.64194	10,668 m		
YUNUS	G80	36.70722	35,000 ft	29	-
FIX	AWY-LO	27.88278	10,668 m		
BANRO	G80	36.49472	35,000 ft	13	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-LO	27.99528	10,668 m		
RDS	G80	36.34111	35,000 ft	10	RODOS VOR-DME
VOR	AWY-LO	28.08250	10,668 m		
ALKIS	G18	35.20000	35,000 ft	115	-
FIX	AWY-LO	30.00000	10,668 m		
MAROS	G18	34.61667	35,000 ft	55	-
FIX	AWY-LO	30.88333	10,668 m		
APLON	G18	33.86667	35,000 ft	74	-
FIX	AWY-LO	32.06667	10,668 m		
LEDRA	G18	33.20000	25,000 ft	63	-
FIX	AWY-LO	33.05000	7,620 m		
SOLIN	G18	32.49451	9,900 ft	70	-
FIX	AWY-LO	34.17077	3,018 m		
LLBG	-	32.01147	0 ft	46	Tel Aviv Ben Gurion
APT	-	34.88506	0 m		

LKPR

Region: CZECH REPUBLIC
Timezone: EUROPE/PRAGUE
Runways: 2

Elevation: 1,247 ft / 380 m
Location: 50.104100 14.256700
Magnetic Var: 4.673 E

METAR

LKPR 060630Z 09004KT 040V140 9999 FEW014 16/12 Q1018 NOSIG

TAF

TAF LKPR 060500Z 0606/0712 VRB02KT CAVOK BECMG 0609/0611 19006KT TEMPO 0611/0620 23014KT 7000 SHRA BKN045TCU PROB

Frequencies

REC - 122.15 MHz - ATIS	TWR - 118.10 MHz - RUZYNE TOWER
TWR - 134.55 MHz - RUZYNE TOWER	GND - 121.90 MHz - RUZYNE GROUND
GND - 131.95 MHz - RUZYNE GROUND	CLD - 120.05 MHz - CLEARANCE DELIVERY
APP - 136.07 MHz - PRAGUE APPROACH	APP - 127.57 MHz - PRAGUE APPROACH
APP - 120.52 MHz - PRAGUE APPROACH	APP - 119.00 MHz - PRAGUE APPROACH
REC - 118.30 MHz - RUZYNE INFORMATION	REC - 127.57 MHz - RUZYNE INFORMATION
REC - 136.07 MHz - RUZYNE INFORMATION	REC - 136.17 MHz - RUZYNE INFORMATION
APP - 120.52 MHz - PRAGUE RADAR	APP - 127.57 MHz - PRAGUE RADAR

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,674 ft	126.99	CONCRETE	0 ft	0 ft
	45 m	3,253 m	122.31		0 m	0 m
30	148 ft	10,674 ft	307.02	CONCRETE	0 ft	0 ft
	45 m	3,253 m	302.34		0 m	0 m
06	148 ft	12,198 ft	64.93	CONCRETE	0 ft	0 ft
	45 m	3,718 m	60.25		0 m	0 m
24	148 ft	12,198 ft	244.96	CONCRETE	0 ft	0 ft
	45 m	3,718 m	240.29		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	PH	111.15 MHz	18 nm	-	-	1,250 ft
				33 km	-		1,250 m
12	DME	PA	109.95 MHz	18 nm	-	-	1,246 ft
				33 km	-		1,246 m
24	DME	PR	109.10 MHz	18 nm	-	-	1,175 ft
				33 km	-		1,175 m
30	DME	PG	109.50 MHz	18 nm	-	-	1,250 ft
				33 km	-		1,250 m
06	LOC-ILS	PH	111.15 MHz	18 nm	64.94	-	1,202 ft
				33 km	60.27		1,202 m
12	LOC-ILS	PA	109.95 MHz	18 nm	127.00	-	1,246 ft
				33 km	122.33		1,246 m
24	LOC-ILS	PR	109.10 MHz	18 nm	244.95	-	1,156 ft
				33 km	240.27		1,156 m
30	LOC-ILS	PG	109.50 MHz	18 nm	307.08	-	1,234 ft
				33 km	302.41		1,234 m
06	GS	PH	111.15 MHz	10 nm	65.88	3.00	1,202 ft
				19 km	61.21		1,202 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	GS	PA	109.95 MHz	10 nm	127.00	3.00	1,246 ft
				19 km	122.33		1,246 m
24	GS	PR	109.10 MHz	10 nm	245.88	3.00	1,156 ft
				19 km	241.21		1,156 m
30	GS	PG	109.50 MHz	10 nm	307.00	3.00	1,234 ft
				19 km	302.33		1,234 m

LLBG

Region: ISRAEL
Timezone: ASIA/JERUSALEM
Runways: 3

Elevation: 134 ft / 41 m
Location: 32.009900 34.884000
Magnetic Var: 5.215 E

METAR

LLBG 060620Z 22005KT CAVOK 29/18 Q1008 NOSIG

TAF

TAF LLBG 060505Z 0606/0706 18006KT 9000 FEW006 BECMG 0607/0609 29010KT CAVOK BECMG 0615/0617 VRB04KT 8000 FEW008

Frequencies

REC - 132.50 MHz - ATIS	REC - 132.80 MHz - ATIS
GND - 118.05 MHz - BEN GURION GROUND	GND - 129.20 MHz - BEN GURION GROUND
TWR - 119.35 MHz - BEN GURION TOWER	TWR - 132.10 MHz - BEN GURION TOWER
TWR - 134.60 MHz - BEN GURION TOWER	CLD - 118.30 MHz - CLEARANCE DELIVERY
DEP - 119.35 MHz - BEN GURION DEPARTURE	DEP - 120.50 MHz - BEN GURION DEPARTURE
APP - 119.35 MHz - BEN GURION APPROACH	APP - 120.50 MHz - BEN GURION APPROACH
APP - 131.10 MHz - BEN GURION ARRIVAL	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	197 ft	9,120 ft	28.62	ASPHALT	0 ft	810 ft
	60 m	2,780 m	23.40		0 m	247 m
21	197 ft	9,120 ft	208.62	ASPHALT	0 ft	955 ft
	60 m	2,780 m	203.41		0 m	291 m
08	148 ft	13,304 ft	79.76	ASPHALT	1,440 ft	971 ft
	45 m	4,055 m	74.55		439 m	296 m
26	148 ft	13,304 ft	259.78	ASPHALT	2,051 ft	180 ft
	45 m	4,055 m	254.57		625 m	55 m
12	148 ft	10,222 ft	121.50	ASPHALT	0 ft	968 ft
	45 m	3,116 m	116.28		0 m	295 m
30	148 ft	10,222 ft	301.51	ASPHALT	266 ft	761 ft
	45 m	3,116 m	296.30		81 m	232 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	BG	110.30 MHz	18 nm	-	-	135 ft
				33 km	-		135 m
08	LOC-ILS	BC	110.90 MHz	18 nm	79.77	-	134 ft
				33 km	74.56		134 m
12	LOC-ILS	BG	110.30 MHz	18 nm	121.51	-	134 ft
				33 km	116.30		134 m
21	LOC-ILS	BN	109.70 MHz	18 nm	208.62	-	134 ft
				33 km	203.41		134 m
26	LOC-ILS	BA	108.70 MHz	18 nm	259.77	-	134 ft
				33 km	254.56		134 m
30	LOC-ILS	BD	111.90 MHz	18 nm	301.51	-	134 ft
				33 km	296.30		134 m
08	GS	BC	110.90 MHz	10 nm	79.77	3.00	134 ft
				19 km	74.56		134 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	GS	BG	110.30 MHz	10 nm	121.51	3.00	134 ft
				19 km	116.30		134 m
21	GS	BN	109.70 MHz	10 nm	208.62	3.00	134 ft
				19 km	203.41		134 m
26	GS	BA	108.70 MHz	10 nm	259.77	3.00	134 ft
				19 km	254.56		134 m
30	GS	BD	111.90 MHz	10 nm	301.51	3.20	134 ft
				19 km	296.30		134 m