

NSFA

Faleolo Intl


PHKO

Ellison Onizuka Kona International at Keahole

2024/05/16 0322Z

NSFA UGABO A592 PUPIS G347 DATBE DOVRR PHKO

2270.49 nm / 4204.94 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
NSFA	-	-13.83010	0 ft	-	Faleolo Intl	
APT	-	-172.00800	0 m			
UGABO	-	-12.17920	35,000 ft	101	-	
FIX	-	-171.60100	10,668 m			
PUPIS	A592	-10.00000	35,000 ft	134	-	
FIX	AWY-HI	-171.09200	10,668 m			
DUNEY	G347	-5.00000	35,000 ft	325	-	
FIX	AWY-HI	-168.96800	10,668 m			
DULCE	G347	2.61083	35,000 ft	492	-	
FIX	AWY-HI	-165.89700	10,668 m			
DASNE	G347	10.20470	35,000 ft	492	-	
FIX	AWY-HI	-162.79100	10,668 m			
DATBE	G347	17.75580	35,000 ft	491	-	
FIX	AWY-HI	-159.53900	10,668 m			
DOVRR	-	18.71670	23,600 ft	121	-	
FIX	-	-157.66700	7,193 m			
PHKO	-	19.73880	0 ft	110	Ellison Onizuka Kona International at Keahole	
APT	-	-156.04600	0 m			

NSFA

Region: AMERICAN SAMOA
Timezone: PACIFIC/APIA
Runways: 1

Elevation: 58 ft / 18 m
Location: -13.830100 -172.008000
Magnetic Var: 11.915 E

METAR

NSFA 160300Z 07011KT 9999 SCT022 31/26 Q1008

TAF

TAF NSFA 152312Z 1600/1624 07012KT 9999 BKN020 OVC100 PROB40 TEMPO 1600/1612 5000 TSRA FEW018CB

Frequencies

TWR - 118.10 MHz - FALEOLO TOWER
COM - 118.10 MHz - FALEOLO AFIS

APP - 118.10 MHz - FALEOLO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	9,859 ft	89.41	ASPHALT	0 ft	489 ft
	45 m	3,005 m	77.50		0 m	149 m
26	148 ft	9,859 ft	269.41	ASPHALT	0 ft	0 ft
	45 m	3,005 m	257.49		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08	DME	IAP	109.90 MHz	18 nm	-	-	58 ft
				33 km	-		58 m
08	LOC-ILS	IAP	109.90 MHz	18 nm	89.50	-	9 ft
				33 km	77.59		9 m
08	GS	IAP	109.90 MHz	10 nm	89.60	3.00	58 ft
				19 km	77.69		58 m

PHKO

Region: USA (HAWAII)
Timezone: PACIFIC/HONOLULU
Runways: 1

Elevation: 47 ft / 14 m
Location: 19.738800 -156.046000
Magnetic Var: 9.235 E

METAR

PHKO 160253Z 18008KT 10SM OVC043 27/21 A2988

TAF

TAF PHKO 152320Z 1600/1624 27010KT P6SM FEW025 SCT050 FM160600 VRB06KT P6SM VCSH FEW025 BKN050 FM161800 28012KT P

Frequencies

REC - 127.40 MHz - ATIS	COM - 120.30 MHz - CTAF
CLD - 118.60 MHz - CLEARANCE DELIVERY	TWR - 120.30 MHz - KONA TOWER
GND - 121.90 MHz - KONA GROUND	APP - 126.00 MHz - HONOLULU CENTER
DEP - 126.00 MHz - HONOLULU CENTER	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	150 ft	11,052 ft	184.78	ASPHALT	0 ft	400 ft
	46 m	3,369 m	175.55		0 m	122 m
35	150 ft	11,052 ft	4.78	ASPHALT	0 ft	404 ft
	46 m	3,369 m	355.54		0 m	123 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17	DME	IKOA	109.70 MHz	18 nm	-	-	43 ft
				33 km	-		43 m
17	LOC-ILS	IKOA	109.70 MHz	18 nm	184.78	-	47 ft
				33 km	175.54		47 m
17	GS	IKOA	109.70 MHz	10 nm	184.78	3.00	47 ft
				19 km	175.54		47 m