

# SCEL

Arturo Merino Benitez Intl


# SLVR

Viru Viru Intl

2024/05/06 0518Z

SCEL DILOK **UQ814** SOVSU **UB560** MIBAS **UT671** EGIKA **UL322** IRESU SLVR

1061.26 nm / 1965.46 km



## Notes

Basic altitude profile:

- Ascent Rate: 1700ft/min
- Ascent Speed: 230kts
- Cruise Altitude: 36000ft
- Cruise Speed: 322kts
- Descent Rate: 1800ft/min
- Descent Speed: 210kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SCEL	-	-33.39100	0 ft	-	Arturo Merino Benitez Intl
APT	-	-70.79430	0 m	-	
DILOK	-	-31.93330	27,800 ft	87	-
FIX	-	-70.63330	8,473 m	-	-
SOVSU	UQ814	-30.73890	36,000 ft	72	-
FIX	AWY-HI	-70.39390	10,973 m	-	-
MIBAS	UB560	-30.78330	36,000 ft	5	-
FIX	AWY-HI	-70.29170	10,973 m	-	-
EGIKA	UT671	-29.55390	36,000 ft	114	-
FIX	AWY-HI	-68.61470	10,973 m	-	-
BUSLO	UL322	-28.13830	36,000 ft	99	-
FIX	AWY-HI	-67.64860	10,973 m	-	-
MUMUK	UL322	-26.75580	36,000 ft	96	-
FIX	AWY-HI	-66.72000	10,973 m	-	-
ALGAR	UL322	-25.77500	36,000 ft	68	-
FIX	AWY-HI	-66.07720	10,973 m	-	-
SAL	UL322	-24.85230	36,000 ft	64	SALTA
VOR	AWY-HI	-65.48390	10,973 m	-	
GAXOK	UL322	-22.22000	36,000 ft	165	-
FIX	AWY-HI	-64.61000	10,973 m	-	-
ESMUR	UL322	-21.35640	36,000 ft	54	-
FIX	AWY-HI	-64.33530	10,973 m	-	-
PALIV	UL322	-19.82470	36,000 ft	95	-
FIX	AWY-HI	-63.84830	10,973 m	-	-
IRESU	UL322	-18.90920	26,700 ft	57	-
FIX	AWY-HI	-63.55720	8,138 m	-	-
SLVR	-	-17.64480	0 ft	79	Viru Viru Intl
APT	-	-63.13540	0 m	-	

## SCEL

Region: CHILE  
Timezone: AMERICA/SANTIAGO  
Runways: 2

Elevation: 1,555 ft / 474 m  
Location: -33.391000 -70.794300  
Magnetic Var: 0.787 E

## METAR

SCEL 060400Z 00000KT CAVOK 08/06 Q1016 NOSIG

## TAF

TAF SCEL 052200Z 0600/0624 20010KT CAVOK TX16/0619Z TN03/0610Z BECMG 0601/0603 15004KT BECMG 0606/0608 VRB02KT 70

## Frequencies

REC - 132.70 MHz - ATIS  
TWR - 118.35 MHz - SANTIAGO TOWER  
CLD - 121.70 MHz - CLEARANCE DELIVERY  
APP - 129.70 MHz - SANTIAGO APPROACH  
TWR - 118.10 MHz - SANTIAGO TOWER  
GND - 122.20 MHz - SANTIAGO GROUND  
APP - 119.70 MHz - SANTIAGO APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	148 ft	12,479 ft	177.47	ASPHALT	0 ft	0 ft
	45 m	3,804 m	176.68		0 m	0 m
35L	148 ft	12,479 ft	357.47	ASPHALT	0 ft	0 ft
	45 m	3,804 m	356.68		0 m	0 m
17L	180 ft	12,315 ft	177.42	ASPHALT	0 ft	0 ft
	55 m	3,754 m	176.64		0 m	0 m
35R	180 ft	12,315 ft	357.42	ASPHALT	1,785 ft	0 ft
	55 m	3,754 m	356.64		544 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	IUEL	110.30 MHz	18 nm	-	-	1,557 ft
				33 km	-		1,557 m
17R	DME	IMER	111.10 MHz	18 nm	-	-	1,555 ft
				33 km	-		1,555 m
17L	LOC-ILS	IUEL	110.30 MHz	18 nm	177.42	-	1,555 ft
				33 km	176.63		1,555 m
17R	LOC-ILS	IMER	111.10 MHz	18 nm	177.47	-	1,555 ft
				33 km	176.68		1,555 m
17L	GS	IUEL	110.30 MHz	10 nm	177.42	3.00	1,555 ft
				19 km	176.63		1,555 m
17R	GS	IMER	111.10 MHz	10 nm	177.47	3.00	1,555 ft
				19 km	176.68		1,555 m

## SLVR

Region: BOLIVIA  
Timezone: AMERICA/LA\_PAZ  
Runways: 1

Elevation: 1,224 ft / 373 m  
Location: -17.644800 -63.135400  
Magnetic Var: 13.137 W

## METAR

SLVR 060400Z 34010KT 9999 FEW008 25/24 Q1009

## TAF

TAF SLVR 052200Z 0600/0624 34008KT 9999 FEW020 TX32/0619Z TN24/0611Z TEMPO 0609/0613 BKN010 BECMG 0613/0615 34015

## Frequencies

GND - 121.90 MHz - VIRU VIRU GROUND  
APP - 119.70 MHz - VIRU VIRU APPROACH  
TWR - 118.60 MHz - VIRU VIRU TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	148 ft	11,516 ft	147.35	CONCRETE	0 ft	197 ft
	45 m	3,510 m	160.49		0 m	60 m
34	148 ft	11,516 ft	327.34	CONCRETE	0 ft	197 ft
	45 m	3,510 m	340.48		0 m	60 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
34	LOC-ILS	VCZ	110.90 MHz	18 nm	327.34	-	1,224 ft
				33 km	340.48		1,224 m
34	GS	VCZ	110.90 MHz	10 nm	327.69	3.00	1,224 ft
				19 km	340.82		1,224 m