

# LPPT

Lisboa Humberto Delgado


# LFPO

Paris Orly

2024/05/02 1135Z

LPPT ABRAT **UN745** RIVRO **G52** ZMR **UN873** DESAB **UN867** NORMI **A5** NTS **UN741** KEPER LFPO

799.54 nm / 1480.74 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 38000ft
- Cruise Speed: 38000kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LPPT	-	38.77880	0 ft	-	Lisboa Humberto Delgado
APT	-	-9.13519	0 m		
ABRAT	-	39.82170	300 ft	93	-
FIX	-	-7.65417	91 m		
PINOX	UN745	40.29060	500 ft	37	-
FIX	AWY-HI	-7.10917	152 m		
RIVRO	UN745	40.62280	600 ft	26	-
FIX	AWY-HI	-6.72275	183 m		
ZMR	G52	41.53020	900 ft	73	ZAMORA
VOR	AWY-LO	-5.63969	274 m		
NUBLO	UN873	42.66600	1,100 ft	74	-
FIX	AWY-HI	-4.98889	335 m		
RONSI	UN873	43.48440	1,000 ft	53	-
FIX	AWY-HI	-4.50358	305 m		
DELOG	UN873	44.32890	900 ft	55	-
FIX	AWY-HI	-3.98750	274 m		
DESAB	UN873	45.83030	600 ft	100	-
FIX	AWY-HI	-2.95917	183 m		
TEPRA	UN867	46.49580	500 ft	45	-
FIX	AWY-HI	-2.42444	152 m		
NORMI	UN867	46.89610	500 ft	27	-
FIX	AWY-HI	-2.09194	152 m		
NTS	A5	47.16090	400 ft	25	NANTES ATLANTIQUE
VOR	AWY-LO	-1.61297	122 m		
ANG	UN741	47.53690	300 ft	38	ANGERS
VOR	AWY-HI	-0.85183	91 m		
TEMTO	UN741	47.59500	300 ft	10	-
FIX	AWY-HI	-0.61500	91 m		
KEPER	UN741	47.80610	200 ft	38	-
FIX	AWY-HI	0.27389	61 m		
LFPO	-	48.72630	0 ft	100	Paris Orly
APT	-	2.36698	0 m		

## LPPT

Region: PORTUGAL  
Timezone: EUROPE/LISBON  
Runways: 2

Elevation: 374 ft / 114 m  
Location: 38.778800 -9.135190  
Magnetic Var: 1.572 W

## METAR

LPPT 021100Z 28007KT 250V320 9999 SCT035 16/05 Q1020

## TAF

TAF LPPT 020500Z 0206/0312 VRB02KT 9999 FEW035 BECMG 0210/0212 29010KT BECMG 0221/0223 VRB02KT BECMG 0308/0310 11

## Frequencies

REC - 121.95 MHz - ATIS	REC - 124.15 MHz - ATIS
TWR - 118.10 MHz - LISBOA TOWER	TWR - 118.50 MHz - LISBOA TOWER
GND - 121.75 MHz - LISBOA GROUND	CLD - 118.95 MHz - CLEARANCE DELIVERY
APP - 119.10 MHz - LISBOA APPROACH	APP - 119.55 MHz - LISBOA APPROACH
APP - 125.35 MHz - LISBOA ARRIVAL	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03	148 ft	12,505 ft	22.65	ASPHALT	302 ft	0 ft
	45 m	3,812 m	24.22		92 m	0 m
21	148 ft	12,505 ft	202.66	ASPHALT	1,965 ft	0 ft
	45 m	3,812 m	204.23		599 m	0 m
17	148 ft	7,612 ft	168.14	ASPHALT	0 ft	0 ft
	45 m	2,320 m	169.71		0 m	0 m
35	148 ft	7,612 ft	348.14	ASPHALT	194 ft	299 ft
	45 m	2,320 m	349.71		59 m	91 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03	DME	ILI	109.10 MHz	18 nm	-	-	419 ft
				33 km	-		419 m
21	DME	ILB	109.50 MHz	18 nm	-	-	423 ft
				33 km	-		423 m
03	LOC-ILS	ILI	109.10 MHz	18 nm	22.66	-	374 ft
				33 km	24.23		374 m
21	LOC-ILS	ILB	109.50 MHz	18 nm	202.59	-	335 ft
				33 km	204.16		335 m
03	GS	ILI	109.10 MHz	10 nm	22.66	3.00	374 ft
				19 km	24.23		374 m
21	GS	ILB	109.50 MHz	10 nm	203.42	3.00	423 ft
				19 km	204.99		423 m

## LFPO

Region: FRANCE  
Timezone: EUROPE/PARIS  
Runways: 3

Elevation: 291 ft / 89 m  
Location: 48.726300 2.366980  
Magnetic Var: 1.447 E

## METAR

LFPO 021100Z 28009KT 260V320 9999 BKN017 12/09 Q1004 NOSIG

## TAF

TAF LFPO 020500Z 0206/0312 28010KT 9999 BKN011 PROB40 TEMPO 0206/0208 BKN006 PROB30 TEMPO 0206/0208 4000 -DZ BECM

## Frequencies

REC - 126.50 MHz - ORLY ATIS  
CLD - 121.05 MHz - PREFLIGHT  
GND - 121.82 MHz - ORLY GROUND  
TWR - 120.50 MHz - ORLY TOWER  
APP - 123.87 MHz - PARIS APPROACH  
DEP - 124.35 MHz - PARIS DEPARTURE  
DEP - 128.37 MHz - PARIS DEPARTURE

REC - 131.35 MHz - ORLY ATIS  
GND - 121.70 MHz - ORLY GROUND  
TWR - 118.70 MHz - ORLY TOWER  
APP - 118.85 MHz - PARIS APPROACH  
APP - 124.45 MHz - PARIS APPROACH  
DEP - 127.75 MHz - PARIS DEPARTURE

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft	11,953 ft	61.78	ASPHALT	984 ft	482 ft
	45 m	3,643 m	60.34		300 m	147 m
24	148 ft	11,953 ft	241.82	ASPHALT	0 ft	492 ft
	45 m	3,643 m	240.37		0 m	150 m
07	148 ft	10,868 ft	74.34	CONCRETE	0 ft	0 ft
	45 m	3,313 m	72.90		0 m	0 m
25	148 ft	10,868 ft	254.38	CONCRETE	1,427 ft	0 ft
	45 m	3,313 m	252.93		435 m	0 m
02	197 ft	7,875 ft	18.30	CONCRETE	0 ft	492 ft
	60 m	2,400 m	16.85		0 m	150 m
20	197 ft	7,875 ft	198.31	CONCRETE	0 ft	492 ft
	60 m	2,400 m	196.86		0 m	150 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ORE	108.50 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
24	DME	OLO	110.90 MHz	18 nm	-	-	291 ft
				33 km	-		291 m
02	LOC-ILS	OLN	110.30 MHz	18 nm	18.31	-	291 ft
				33 km	16.86		291 m
06	LOC-ILS	ORE	108.50 MHz	18 nm	61.80	-	291 ft
				33 km	60.35		291 m
07	LOC-ILS	OLE	108.15 MHz	18 nm	74.36	-	291 ft
				33 km	72.91		291 m
24	LOC-ILS	OLO	110.90 MHz	18 nm	241.80	-	291 ft
				33 km	240.35		291 m
25	LOC-ILS	OLW	111.75 MHz	18 nm	254.36	-	291 ft
				33 km	252.91		291 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	LOC-LOC	OLE	108.15 MHz	18 nm	74.37	-	291 ft
				33 km	72.92		291 m
02	GS	OLN	110.30 MHz	10 nm	18.31	3.00	291 ft
				19 km	16.86		291 m
06	GS	ORE	108.50 MHz	10 nm	61.80	3.00	291 ft
				19 km	60.35		291 m
07	GS	OLE	108.15 MHz	10 nm	74.36	3.00	291 ft
				19 km	72.91		291 m
24	GS	OLO	110.90 MHz	10 nm	241.80	3.00	291 ft
				19 km	240.35		291 m
25	GS	OLW	111.75 MHz	10 nm	254.36	3.00	291 ft
				19 km	252.91		291 m