

RJAA

Narita Intl


LFPG

Paris Charles De Gaulle

2024/05/12 0153Z

RJAA +35.90_+140.28 GTC30 IGRD BALET +47.45_+131.71 VADOL +52.97_+125.85 LOPTA RIKLI BENAL
+62.69_+108.47 KONIK TEMBE ADEPA KUSET TALNA LEPMA RERTA LEKRU UNAKI TIVIN GESMI ARS22 CINDY
ALASA ARKON +49.03_+003.27 LFPG

5278.73 nm / 9776.20 km



Notes

None

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
RJAA	-	35.77439	0 ft	-	-
APT	-	140.36829	0 m		
+35.90_+140.28	-	35.89920	0 ft	8	-
DME	-	140.27790	0 m		
GTC30	-	38.34128	0 ft	164	-
FIX	-	138.70611	0 m		
IGROD	-	41.65248	0 ft	217	-
FIX	-	136.78011	0 m		
BALET	-	44.83333	0 ft	226	-
FIX	-	134.01667	0 m		
+47.45_+131.71	-	47.45455	0 ft	184	-
DME	-	131.71118	0 m		
VADOL	-	50.18333	0 ft	181	-
FIX	-	129.71667	0 m		
+52.97_+125.85	-	52.97387	0 ft	220	-
DME	-	125.85438	0 m		
LOPTA	-	55.58333	0 ft	201	-
FIX	-	122.25000	0 m		
RIKLI	-	58.00167	0 ft	181	-
FIX	-	118.91333	0 m		
BENAL	-	60.38333	0 ft	203	-
FIX	-	114.18333	0 m		
+62.69_+108.47	-	62.68834	0 ft	214	-
DME	-	108.47331	0 m		
KONIK	-	64.76667	0 ft	226	-
FIX	-	101.35000	0 m		
TEMBE	-	66.40667	0 ft	181	-
FIX	-	95.19167	0 m		
ADEPA	-	67.80000	0 ft	201	-
FIX	-	87.31667	0 m		
KUSET	-	68.18333	0 ft	192	-
FIX	-	78.83333	0 m		
TALNA	-	68.90000	0 ft	210	-
FIX	-	69.45000	0 m		
LEPMA	-	69.10000	0 ft	186	-
FIX	-	60.80000	0 m		
RERTA	-	68.01667	0 ft	193	-
FIX	-	52.46667	0 m		
LEKRU	-	67.68333	0 ft	218	-
FIX	-	42.85000	0 m		
UNAKI	-	66.28333	0 ft	195	-
FIX	-	35.33333	0 m		
TIVIN	-	63.74972	0 ft	232	-
FIX	-	28.38778	0 m		
GESMI	-	61.98028	0 ft	163	-
FIX	-	23.83722	0 m		
ARS22	-	59.48111	0 ft	242	-
FIX	-	17.35769	0 m		
CINDY	-	57.64500	0 ft	180	-
FIX	-	12.80611	0 m		
ALASA	-	54.80861	0 ft	194	-
FIX	-	9.96167	0 m		
ARKON	-	51.94778	0 ft	208	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	-	6.66944	0 m		
+49.03_+003.27	-	49.03225	0 ft	217	-
DME	-	3.27024	0 m		
LFPG	-	48.99875	0 ft	26	-
APT	-	2.61018	0 m		

RJAA

Region: JAPAN
Timezone: ASIA/TOKYO
Runways: 2

Elevation: 135 ft / 41 m
Location: 35.777200 140.382000
Magnetic Var: 7.778 W

METAR

RJAA 120130Z 21009KT 170V250 9999 -SHRA FEW015 BKN030 BKN040 22/17 Q1019 TEMPO FM0230 22015G26KT

TAF

TAF RJAA 112305Z 1200/1306 18012KT 9999 FEW020 BKN030 TEMPO 1202/1205 18016G26KT BECMG 1215/1218 17020G30KT TEMPO

Frequencies

REC - 128.25 MHz - ATIS	TWR - 122.70 MHz - NARITA TOWER
TWR - 126.20 MHz - NARITA TOWER	TWR - 118.35 MHz - NARITA TOWER
TWR - 118.20 MHz - NARITA TOWER	GND - 121.85 MHz - NARITA GROUND
GND - 121.95 MHz - NARITA GROUND	GND - 121.60 MHz - NARITA GROUND
GND - 121.75 MHz - NARITA GROUND	APP - 125.20 MHz - NARITA APPROACH
APP - 124.40 MHz - NARITA APPROACH	APP - 121.27 MHz - NARITA APPROACH
APP - 125.80 MHz - NARITA APPROACH	APP - 127.70 MHz - NARITA APPROACH
DEP - 120.60 MHz - NARITA DEPARTURE	DEP - 127.50 MHz - NARITA DEPARTURE
DEP - 119.60 MHz - NARITA DEPARTURE	DEP - 125.52 MHz - NARITA DEPARTURE
DEP - 124.20 MHz - NARITA DEPARTURE	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16R	197 ft	13,146 ft	149.63	ASPHALT	0 ft	407 ft
	60 m	4,007 m	157.41		0 m	124 m
34L	197 ft	13,146 ft	329.64	ASPHALT	0 ft	404 ft
	60 m	4,007 m	337.42		0 m	123 m
16L	197 ft	8,210 ft	149.61	ASPHALT	0 ft	197 ft
	60 m	2,503 m	157.39		0 m	60 m
34R	197 ft	8,210 ft	329.62	ASPHALT	0 ft	0 ft
	60 m	2,503 m	337.40		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	DME	ITM	110.70 MHz	18 nm	-	-	145 ft
				33 km	-		145 m
16R	DME	IKF	111.50 MHz	18 nm	-	-	145 ft
				33 km	-		145 m
34L	DME	IYQ	111.90 MHz	18 nm	-	-	153 ft
				33 km	-		153 m
34R	DME	ITJ	110.90 MHz	18 nm	-	-	148 ft
				33 km	-		148 m
16L	LOC-ILS	ITM	110.70 MHz	18 nm	149.64	-	135 ft
				33 km	157.42		135 m
16R	LOC-ILS	IKF	111.50 MHz	18 nm	149.62	-	135 ft
				33 km	157.40		135 m
34L	LOC-ILS	IYQ	111.90 MHz	18 nm	329.62	-	135 ft
				33 km	337.40		135 m
34R	LOC-ILS	ITJ	110.90 MHz	18 nm	329.64	-	135 ft
				33 km	337.42		135 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16L	GS	ITM	110.70 MHz	10 nm	149.64	3.00	135 ft
				19 km	157.42		135 m
16R	GS	IKF	111.50 MHz	10 nm	149.62	3.00	135 ft
				19 km	157.40		135 m
34L	GS	IYQ	111.90 MHz	10 nm	329.62	3.00	135 ft
				19 km	337.40		135 m
34R	GS	ITJ	110.90 MHz	10 nm	329.64	3.00	135 ft
				19 km	337.42		135 m

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.496 E

METAR

LFPG 120130Z 08003KT CAVOK 16/09 Q1015 NOSIG

TAF

TAF LFPG 112300Z 1200/1306 07005KT CAVOK TX27/1212Z TN12/1205Z BECMG 1211/1213 20015KT SCT025CB TEMPO 1213/1215 2

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.84		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.82		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.84		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.82		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.84		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.82		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.84		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.82		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m