


2024/05/18 0311Z

EDDP ANELA **UM726** ERNAS LOWI

257.33 nm / 476.58 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 24000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: no
- Use PACOTS: no
- Use low airways: no
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EDDP	-	51.42263	0 ft	-	Leipzig-Halle
APT	-	12.23604	0 m		
ANELA	-	49.76889	32,300 ft	106	-
FIX	-	11.22472	9,845 m		
KEMES	UM726	49.55000	29,400 ft	13	-
FIX	AWY-HI	11.22417	8,961 m		
ALB	UM726	49.21437	25,100 ft	20	ALLERSBERG VOR-DME
VOR	AWY-HI	11.22144	7,650 m		
ERNAS	UM726	48.84472	20,400 ft	22	-
FIX	AWY-HI	11.21944	6,218 m		
LOWI	-	47.26023	0 ft	95	Innsbruck Kranebitten
APT	-	11.34397	0 m		

## EDDP

Region: GERMANY - CIVIL  
Timezone: EUROPE/BERLIN  
Runways: 2

Elevation: 470 ft / 143 m  
Location: 51.422600 12.236000  
Magnetic Var: 4.238 E

## METAR

EDDP 180250Z AUTO 08004KT 9999 SCT027 BKN031 12/11 Q1009 NOSIG

## TAF

TAF EDDP 172300Z 1800/1824 10005KT 9999 BKN040 BECMG 1808/1812 28006KT TEMPO 1812/1819 4500 SHRA BKN035CB BECMG 1819/1900 20005KT 9999 BKN031

## Frequencies

REC - 123.95 MHz - LEIPZIG ATIS	GND - 121.67 MHz - LEIPZIG GROUND
TWR - 125.95 MHz - LEIPZIG TOWER	TWR - 121.10 MHz - LEIPZIG TOWER
COM - 121.10 MHz - LEIPZIG UNICOM	APP - 126.17 MHz - MUNCHEN RADAR
APP - 379.92 MHz - MUNCHEN RADAR	APP - 128.47 MHz - LEIPZIG DIRECTOR

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	11,769 ft	85.69	CONCRETE	0 ft	331 ft
	45 m	3,587 m	81.45		0 m	101 m
26R	148 ft	11,769 ft	265.73	CONCRETE	0 ft	335 ft
	45 m	3,587 m	261.49		0 m	102 m
08R	197 ft	11,778 ft	85.69	CONCRETE	0 ft	325 ft
	60 m	3,590 m	81.45		0 m	99 m
26L	197 ft	11,778 ft	265.73	CONCRETE	0 ft	341 ft
	60 m	3,590 m	261.49		0 m	104 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	LOC-ILS	ILNE	108.55 MHz	18 nm	85.71	-	470 ft
				33 km	81.47		470 m
08R	LOC-ILS	ILSR	111.75 MHz	18 nm	85.71	-	470 ft
				33 km	81.47		470 m
26L	LOC-ILS	ILSL	110.30 MHz	18 nm	265.71	-	470 ft
				33 km	261.47		470 m
26R	LOC-ILS	ILNW	108.35 MHz	18 nm	265.71	-	470 ft
				33 km	261.47		470 m
08L	GS	ILNE	108.55 MHz	10 nm	85.71	3.00	470 ft
				19 km	81.47		470 m
08R	GS	ILSR	111.75 MHz	10 nm	85.71	3.00	470 ft
				19 km	81.47		470 m
26L	GS	ILSL	110.30 MHz	10 nm	265.71	3.00	470 ft
				19 km	261.47		470 m
26R	GS	ILNW	108.35 MHz	10 nm	265.71	3.00	470 ft
				19 km	261.47		470 m

## LOWI

Region: AUSTRIA  
Timezone: EUROPE/VIENNA  
Runways: 3

Elevation: 1,907 ft / 581 m  
Location: 47.260800 11.341500  
Magnetic Var: 3.782 E

## METAR

LOWI 180250Z AUTO 27003KT 230V300 9999 FEW019 BKN100 08/08 Q1013

## TAF

TAF LOWI 172315Z 1800/1824 VRB02KT 9999 FEW050 TX22/1814Z TN08/1803Z BECMG 1808/1810 09010KT TEMPO 1813/1818 VRB10KT

## Frequencies

APP - 119.27 MHz - INNSBRUCK RADAR  
REC - 126.02 MHz - INNSBRUCK INFORMATION  
TWR - 120.10 MHz - INNSBRUCK TOWER

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08	148 ft	6,548 ft	80.95	ASPHALT	335 ft	0 ft
	45 m	1,996 m	77.16		102 m	0 m
26	148 ft	6,548 ft	260.96	ASPHALT	0 ft	0 ft
	45 m	1,996 m	257.18		0 m	0 m
08C	125 ft	3,671 ft	81.00	GRASS	0 ft	0 ft
	38 m	1,119 m	77.22		0 m	0 m
26C	125 ft	3,671 ft	261.01	GRASS	0 ft	0 ft
	38 m	1,119 m	257.23		0 m	0 m
08L	164 ft	1,149 ft	81.11	GRASS	0 ft	0 ft
	50 m	350 m	77.33		0 m	0 m
26R	164 ft	1,149 ft	261.11	GRASS	0 ft	0 ft
	50 m	350 m	257.33		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26	DME	OEJ	109.70 MHz	30 nm	-	-	1,906 ft
				56 km	-		1,906 m
26	DME	OEV	111.10 MHz	27 nm	-	-	1,911 ft
				50 km	-		1,911 m
26	LOC-ILS	OEV	111.10 MHz	18 nm	260.96	-	1,907 ft
				33 km	257.18		1,907 m
26	GS	OEV	111.10 MHz	10 nm	260.96	3.77	1,907 ft
				19 km	257.18		1,907 m