

# LEPA

Palma De Mallorca


# LXGB

Gibraltar

2024/05/16 1752Z

LEPA IZA **B46** ALT **UN851** MGA LXGB

436.27 nm / 807.97 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LEPA	-	39.55254	0 ft	-	Palma De Mallorca
APT	-	2.73496	0 m		
IZA	-	38.91547	25,000 ft	70	IBIZA NDB
NDB	-	1.47041	7,620 m		
BRUNO	B46	38.60830	35,000 ft	49	-
FIX	AWY-LO	0.48333	10,668 m		
MITOS	B46	38.44945	35,000 ft	25	-
FIX	AWY-LO	-0.01372	10,668 m		
POLOP	B46	38.39609	35,000 ft	8	-
FIX	AWY-LO	-0.17872	10,668 m		
ALT	B46	38.26828	35,000 ft	19	ALICANTE VOR-DME
VOR	AWY-LO	-0.57012	10,668 m		
RESTU	UN851	37.90755	35,000 ft	51	-
FIX	AWY-HI	-1.55757	10,668 m		
TOSGA	UN851	37.62567	35,000 ft	39	-
FIX	AWY-HI	-2.30736	10,668 m		
ROLAS	UN851	37.41565	30,600 ft	28	-
FIX	AWY-HI	-2.85436	9,327 m		
MGA	UN851	36.81431	13,200 ft	81	MALAGA VOR-DME
VOR	AWY-HI	-4.36952	4,023 m		
LXGB	-	36.15121	0 ft	61	Gibraltar
APT	-	-5.34966	0 m		

## LEPA

Region: SPAIN  
Timezone: EUROPE/MADRID  
Runways: 2

Elevation: 24 ft / 7 m  
Location: 39.551700 2.738890  
Magnetic Var: 1.680 E

## METAR

LEPA 161730Z 24008KT 9999 FEW030 21/10 Q1008 NOSIG

## TAF

TAF LEPA 161100Z 1612/1712 22012KT 9999 FEW020 TX23/1612Z TN12/1706Z BECMG 1619/1621 05005KT PROB30 1700/1706 4000

## Frequencies

APP - 118.95 MHz - PALMA APPROACH	APP - 119.15 MHz - PALMA APPROACH
APP - 119.40 MHz - PALMA APPROACH	APP - 369.42 MHz - PALMA MILITARY
TWR - 118.30 MHz - PALMA TOWER	TWR - 118.45 MHz - PALMA TOWER
TWR - 122.10 MHz - PALMA MILITARY TOWER	GND - 121.70 MHz - PALMA GROUND
GND - 121.90 MHz - PALMA GROUND	REC - 119.25 MHz - PALMA ATIS
CLD - 123.80 MHz - PALMA DELIVERY	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06R	148 ft	9,829 ft	58.48	ASPHALT	1,332 ft	0 ft
	45 m	2,996 m	56.80		406 m	0 m
24L	148 ft	9,829 ft	238.50	ASPHALT	0 ft	0 ft
	45 m	2,996 m	236.82		0 m	0 m
06L	148 ft	10,713 ft	58.46	ASPHALT	0 ft	256 ft
	45 m	3,265 m	56.78		0 m	78 m
24R	148 ft	10,713 ft	238.48	ASPHALT	226 ft	0 ft
	45 m	3,265 m	236.80		69 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	PLM	110.90 MHz	18 nm	-	-	23 ft
				33 km	-		23 m
24L	DME	IPAL	109.30 MHz	18 nm	-	-	56 ft
				33 km	-		56 m
06L	LOC-ILS	PLM	110.90 MHz	18 nm	58.47	-	24 ft
				33 km	56.79		24 m
24L	LOC-ILS	IPAL	109.30 MHz	18 nm	238.50	-	24 ft
				33 km	236.82		24 m
24R	LOC-ILS	PAA	109.90 MHz	18 nm	238.47	-	24 ft
				33 km	236.79		24 m
06L	GS	PLM	110.90 MHz	10 nm	58.47	3.00	24 ft
				19 km	56.79		24 m
24L	GS	IPAL	109.30 MHz	10 nm	238.50	3.00	24 ft
				19 km	236.82		24 m
24R	GS	PAA	109.90 MHz	10 nm	238.47	3.00	24 ft
				19 km	236.79		24 m