

LFMT

Montpellier/Mediterranee


LFLL

Lyon Saint Exupery

2024/05/08 0040Z

LFMT OSLUT INGV LFL

154.34 nm / 285.84 km



Notes

Requested: LFMT OSLUT INGV LFL

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFMT	-	43.57620	0 ft	-	Montpellier/Mediterranee
APT	-	3.96325	0 m		
OSLUT	-	43.46300	0 ft	12	-
FIX	-	4.19925	0 m		
INGUV	-	45.52970	0 ft	130	-
FIX	-	5.11675	0 m		
LFLL	-	45.72580	0 ft	11	Lyon Saint Exupery
APT	-	5.09073	0 m		

LFMT

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 17 ft / 5 m
Location: 43.576200 3.963250
Magnetic Var: 1.988 E

METAR

LFMT 080030Z AUTO 29010KT 9999 /////TCU 16/08 Q1017 BECMG NSC

TAF

TAF LFMT 072000Z 0721/0821 31010KT CAVOK BECMG 0807/0809 01013KT TEMPO 0810/0816 01015G25KT

Frequencies

REC - 124.12 MHz - MONTPELLIER ATIS
TWR - 118.20 MHz - MONTPELLIER TWR
APP - 120.37 MHz - MONTPELLIER APP
APP - 133.77 MHz - MONTPELLIER APP

GND - 121.95 MHz - MONTPELLIER GND
TWR - 118.77 MHz - MONTPELLIER TWR
APP - 130.85 MHz - MONTPELLIER APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12L	164 ft	8,539 ft	124.83	ASPHALT	0 ft	0 ft
	50 m	2,603 m	122.84		0 m	0 m
30R	164 ft	8,539 ft	304.85	ASPHALT	0 ft	0 ft
	50 m	2,603 m	302.86		0 m	0 m
12R	98 ft	3,612 ft	124.80	ASPHALT	328 ft	0 ft
	30 m	1,101 m	122.81		100 m	0 m
30L	98 ft	3,612 ft	304.81	ASPHALT	0 ft	0 ft
	30 m	1,101 m	302.82		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
30R	LOC-ILS	FG	108.55 MHz	18 nm	304.75	-	16 ft
				33 km	302.76		16 m
30R	GS	FG	108.55 MHz	10 nm	305.50	3.00	16 ft
				19 km	303.51		16 m

LFL

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 2

Elevation: 817 ft / 249 m
Location: 45.725800 5.090730
Magnetic Var: 2.257 E

METAR

LFL 080030Z 35009KT 9999 SCT011 BKN033 12/11 Q1019 NOSIG

TAF

TAF LFL 072300Z 0800/0906 36010KT 9999 BKN030 BECMG 0800/0802 OVC012 TEMPO 0802/0807 OVC008 BECMG 0808/0810 3601

Frequencies

REC - 126.17 MHz - SAINT EXUPERY ATIS	CLD - 121.65 MHz - SAINT EXUPERY DELIVERY
GND - 121.82 MHz - SAINT EXUPERY GROUND	TWR - 120.45 MHz - SAINT EXUPERY TOWER
APP - 120.22 MHz - LYON APPROACH	APP - 125.42 MHz - LYON APPROACH
APP - 125.80 MHz - LYON APPROACH	APP - 133.15 MHz - LYON APPROACH
APP - 136.07 MHz - LYON APPROACH	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17R	145 ft	13,135 ft	175.14	ASPHALT	0 ft	190 ft
	44 m	4,003 m	172.88		0 m	58 m
35L	145 ft	13,135 ft	355.14	ASPHALT	0 ft	184 ft
	44 m	4,003 m	352.89		0 m	56 m
17L	148 ft	8,766 ft	175.14	ASPHALT	0 ft	59 ft
	45 m	2,672 m	172.88		0 m	18 m
35R	148 ft	8,766 ft	355.14	ASPHALT	0 ft	62 ft
	45 m	2,672 m	352.89		0 m	19 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
17L	DME	LSS	109.10 MHz	18 nm	-	-	775 ft
				33 km	-		775 m
35L	DME	SAN	110.75 MHz	18 nm	-	-	810 ft
				33 km	-		810 m
35R	DME	LSN	111.50 MHz	18 nm	-	-	812 ft
				33 km	-		812 m
17L	LOC-ILS	LSS	109.10 MHz	18 nm	175.14	-	818 ft
				33 km	172.88		818 m
35L	LOC-ILS	SAN	110.75 MHz	18 nm	355.15	-	818 ft
				33 km	352.89		818 m
35R	LOC-ILS	LSN	111.50 MHz	18 nm	355.14	-	818 ft
				33 km	352.88		818 m
17L	GS	LSS	109.10 MHz	10 nm	175.14	3.00	818 ft
				19 km	172.88		818 m
35L	GS	SAN	110.75 MHz	10 nm	355.15	3.00	818 ft
				19 km	352.89		818 m
35R	GS	LSN	111.50 MHz	10 nm	355.14	3.00	818 ft
				19 km	352.88		818 m