

VIDP

Indira Gandhi Intl


OTBD

DOHA INTL

2024/06/06 0417Z

VIDP PEKIX **G333** LUN LUN **G333** MERUN **G202** RK **J173** SK **G214** PG PG **G665** ASVIB **N312** KHM **Z151** MIRIT
UT800 DASUT OTBD

1406.51 nm / 2604.85 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VIDP	-	28.55850	0 ft	-	Indira Gandhi Intl
APT	-	77.09790	0 m		
PEKIX	-	28.75000	23,200 ft	65	-
FIX	-	75.88220	7,071 m		
LUN	G333	28.55280	35,000 ft	111	LUN
VOR	AWY-HI	73.78780	10,668 m		
LUN	-	28.57030	35,000 ft	1	MABOR VOR-DME
DME	-	73.78420	10,668 m		
MERUN	G333	28.48060	35,000 ft	81	-
FIX	AWY-HI	72.24830	10,668 m		
RK	G202	28.36560	35,000 ft	104	RAHIM YAR KHAN
VOR	AWY-HI	70.27320	10,668 m		
SK	J173	27.72230	35,000 ft	87	SUKKUR
NDB	AWY-HI	68.79610	10,668 m		
IDEBA	G214	27.45830	35,000 ft	85	-
FIX	AWY-HI	67.22720	10,668 m		
PG	G214	26.95280	35,000 ft	167	PANJGUR
VOR	AWY-HI	64.13700	10,668 m		
PG	-	26.95560	35,000 ft	0	PANJGUR VOR-DME
DME	-	64.12530	10,668 m		
ASVIB	G665	26.95670	35,000 ft	44	-
FIX	AWY-HI	63.30330	10,668 m		
VAXIP	N312	26.71310	35,000 ft	143	-
FIX	AWY-HI	60.63250	10,668 m		
SOLUV	N312	26.69920	35,000 ft	20	-
FIX	AWY-HI	60.25920	10,668 m		
DUGLI	N312	26.67060	35,000 ft	36	-
FIX	AWY-HI	59.57530	10,668 m		
NOVSU	N312	26.56860	35,000 ft	103	-
FIX	AWY-HI	57.64690	10,668 m		
BONIK	N312	26.74560	35,000 ft	65	-
FIX	AWY-HI	56.44750	10,668 m		
MOBET	N312	26.73500	35,000 ft	15	-
FIX	AWY-HI	56.15220	10,668 m		
KHM	N312	26.76310	35,000 ft	13	GHESHM ISLAND
NDB	AWY-HI	55.90770	10,668 m		
ORPEN	Z151	26.52190	35,000 ft	33	-
FIX	AWY-HI	55.33560	10,668 m		
MIRIT	Z151	26.33690	35,000 ft	25	-
FIX	AWY-HI	54.90310	10,668 m		
VEKEL	UT800	26.32470	32,000 ft	50	-
FIX	AWY-HI	53.96060	9,754 m		
DASUT	UT800	26.30890	23,100 ft	41	-
FIX	AWY-HI	53.18560	7,041 m		
OTBD	-	25.26110	0 ft	107	DOHA INTL
APT	-	51.56510	0 m		

VIDP

Region: INDIA
Timezone: ASIA/KOLKATA
Runways: 3

Elevation: 778 ft / 237 m
Location: 28.558500 77.097900
Magnetic Var: 1.605 E

METAR

VIDP 060400Z 27005KT 3500 HZ FEW035 SCT100 33/16 Q1009 NOSIG

TAF

TAF VIDP 052300Z 0600/0706 09004KT 2500 HZ SCT100 BECMG 0604/0606 29008G18KT 4000 HZ FEW040 SCT100 TEMPO 0610/0614

Frequencies

REC - 126.40 MHz - DELHI ATIS
TWR - 118.10 MHz - DELHI TOWER
APP - 124.20 MHz - DELHI APPROACH

GND - 121.90 MHz - DELHI GROUND
APP - 126.35 MHz - DELHI APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	197 ft	14,509 ft	103.69	ASPHALT	2,106 ft	0 ft
	60 m	4,422 m	102.09		642 m	0 m
29	197 ft	14,509 ft	283.72	ASPHALT	4,780 ft	0 ft
	60 m	4,422 m	282.11		1,457 m	0 m
10	150 ft	12,511 ft	104.69	ASPHALT	0 ft	883 ft
	46 m	3,813 m	103.08		0 m	269 m
28	150 ft	12,511 ft	284.71	ASPHALT	0 ft	476 ft
	46 m	3,813 m	283.10		0 m	145 m
09	150 ft	9,219 ft	91.44	ASPHALT	0 ft	197 ft
	46 m	2,810 m	89.84		0 m	60 m
27	150 ft	9,219 ft	271.46	ASPHALT	499 ft	0 ft
	46 m	2,810 m	269.85		152 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
10	DME	DEL	109.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
27	DME	IDLH	110.50 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
28	DME	IPLM	110.30 MHz	18 nm	-	-	777 ft
				33 km	-		777 m
09	LOC-ILS	IDIA	108.50 MHz	18 nm	91.45	-	778 ft
				33 km	89.85		778 m
10	LOC-ILS	IDEL	109.50 MHz	18 nm	104.70	-	778 ft
				33 km	103.10		778 m
27	LOC-ILS	IDLH	110.50 MHz	18 nm	271.45	-	778 ft
				33 km	269.85		778 m
28	LOC-ILS	IPLM	110.30 MHz	18 nm	284.70	-	778 ft
				33 km	283.10		778 m
11	LOC-ILS	IDMR	111.30 MHz	18 nm	103.71	-	778 ft
				33 km	102.11		778 m
29	LOC-ILS	IDGM	110.90 MHz	18 nm	283.71	-	778 ft
				33 km	282.11		778 m
09	GS	IDIA	108.50 MHz	10 nm	91.45	3.00	778 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				19 km	89.85		778 m
10	GS	IDEL	109.50 MHz	10 nm	104.70	3.00	778 ft
				19 km	103.10		778 m
27	GS	IDLH	110.50 MHz	10 nm	271.45	3.00	778 ft
				19 km	269.85		778 m
28	GS	IPLM	110.30 MHz	10 nm	284.70	3.00	778 ft
				19 km	283.10		778 m
11	GS	IDMR	111.30 MHz	10 nm	103.71	3.00	778 ft
				19 km	102.11		778 m
29	GS	IDGM	110.90 MHz	10 nm	283.71	3.00	778 ft
				19 km	282.11		778 m

OTBD

Region: QATAR
Timezone: ASIA/QATAR
Runways: 1

Elevation: 37 ft / 11 m
Location: 25.261100 51.565100
Magnetic Var: 2.780 E

METAR

OTBD 060400Z 25004KT 220V300 CAVOK 36/11 Q1003 NOSIG

TAF

TAF OTBD 052305Z 0600/0706 24006KT 8000 NSC TEMPO 0600/0604 VRB02KT BECMG 0603/0605 07007KT TEMPO 0605/0615 13008

Frequencies

REC - 126.45 MHz - ATIS
TWR - 118.65 MHz -
APP - 121.10 MHz -

TWR - 121.80 MHz - GND
TWR - 118.90 MHz -
APP - 119.40 MHz -

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	151 ft	15,014 ft	158.21	ASPHALT	2,461 ft	0 ft
	46 m	4,576 m	155.43		750 m	0 m
33	151 ft	15,014 ft	338.21	ASPHALT	0 ft	459 ft
	46 m	4,576 m	335.43		0 m	140 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
33	DME	IBD	109.50 MHz	18 nm	-	-	35 ft
				33 km	-		35 m
15	LOC-ILS	AMD	108.50 MHz	18 nm	158.21	-	37 ft
				33 km	155.43		37 m
33	LOC-ILS	IBD	109.50 MHz	18 nm	338.21	-	37 ft
				33 km	335.43		37 m
15	GS	AMD	108.50 MHz	10 nm	158.21	3.00	37 ft
				19 km	155.43		37 m
33	GS	IBD	109.50 MHz	10 nm	338.21	3.00	35 ft
				19 km	335.43		35 m