LTFJ
Sabiha Gokcen International Airport


-

LROP
Bucharest Henri Coanda

2024/03/29 0622Z

LTFJ UVUDA **P727** BGS BGS **L622** GONGO LROP

265.24 nm / 491.23 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 1000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LTFJ APT	– –	40.89860 29.30920	0 ft 0 m	–	Sabiha Gokcen International Airport
UVUDA FIX	– –	42.22530 27.80360	1,000 ft 305 m	104	–
BGS DME	P727 AWY-LO	42.57110 27.51990	1,000 ft 305 m	24	BURGAS VOR-DME
BGS VOR	– –	42.58720 27.53800	1,000 ft 305 m	1	BURGAS
GONGO FIX	L622 AWY-LO	43.09810 27.03250	1,000 ft 305 m	37	–
LROP APT	– –	44.57230 26.10230	0 ft 0 m	97	Bucharest Henri Coanda

LTFJ

Region: TURKEY
Timezone: EUROPE/ISTANBUL
Runways: 1

Elevation: 312 ft / 95 m
Location: 40.898600 29.309200
Magnetic Var: 6.097 E

METAR

LTFJ 290550Z 25004KT 100V270 CAVOK 16/09 Q1017 NOSIG

TAF

TAF LTFJ 290440Z 2906/3006 VRB02KT CAVOK BECMG 2906/2908 24012KT BECMG 2914/2917 VRB02KT

Frequencies

REC - 128.55 MHz - ATIS
GND - 121.75 MHz - GOKCEN GROUND
APP - 120.42 MHz - IST LOW

TWR - 118.80 MHz - GOKCEN TOWER
GND - 122.62 MHz - GOKCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
06	148 ft 45 m	9,832 ft 2,997 m	64.02 57.92	CONCRETE	0 ft 0 m	0 ft 0 m
24	148 ft 45 m	9,832 ft 2,997 m	244.04 237.94	CONCRETE	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06	DME	ISAB	109.90 MHz	18 nm 33 km	- -	-	312 ft 312 m
24	DME	ISBH	110.90 MHz	18 nm 33 km	- -	-	318 ft 318 m
06	LOC-ILS	ISAB	109.90 MHz	18 nm 33 km	64.03 57.94	-	293 ft 293 m
24	LOC-ILS	ISBH	110.90 MHz	18 nm 33 km	244.01 237.91	-	285 ft 285 m
06	GS	ISAB	109.90 MHz	10 nm 19 km	64.04 57.95	3.50	294 ft 294 m
24	GS	ISBH	110.90 MHz	10 nm 19 km	244.04 237.95	3.50	299 ft 299 m

LROP

Region: ROMANIA
Timezone: EUROPE/BUCHAREST
Runways: 2

Elevation: 313 ft / 95 m
Location: 44.572300 26.102300
Magnetic Var: 6.278 E

METAR

LROP 290600Z 24011KT CAVOK 13/06 Q1014 NOSIG

TAF

TAF LROP 290500Z 2906/3006 26012KT CAVOK PROB40 TEMPO 2908/2914 27018G28KT BECMG 2916/2918 VRB04KT

Frequencies

REC - 118.50 MHz - OTOPENI ATIS
TWR - 121.85 MHz - OTOPENI TWR

GND - 121.70 MHz - OTOPENI GND
APP - 118.25 MHz - BUCHAREST APP

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08R	148 ft 45 m	11,494 ft 3,503 m	83.90 77.62	ASPHALT	0 ft 0 m	0 ft 0 m
26L	148 ft 45 m	11,494 ft 3,503 m	263.93 257.65	ASPHALT	0 ft 0 m	0 ft 0 m
08L	148 ft 45 m	11,493 ft 3,503 m	83.91 77.63	ASPHALT	0 ft 0 m	0 ft 0 m
26R	148 ft 45 m	11,493 ft 3,503 m	263.94 257.66	ASPHALT	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08L	DME	ILL	110.90 MHz	18 nm 33 km	- -	-	400 ft 400 m
08R	DME	IOP	110.30 MHz	18 nm 33 km	- -	-	400 ft 400 m
26L	DME	IOE	109.10 MHz	18 nm 33 km	- -	-	314 ft 314 m
26R	DME	IRR	110.70 MHz	18 nm 33 km	- -	-	400 ft 400 m
08L	LOC-ILS	ILL	110.90 MHz	18 nm 33 km	83.74 77.46	-	314 ft 314 m
08R	LOC-ILS	IOP	110.30 MHz	18 nm 33 km	83.74 77.46	-	303 ft 303 m
26L	LOC-ILS	IOE	109.10 MHz	18 nm 33 km	264.11 257.83	-	314 ft 314 m
26R	LOC-ILS	IRR	110.70 MHz	18 nm 33 km	264.12 257.84	-	314 ft 314 m
08L	GS	ILL	110.90 MHz	10 nm 19 km	84.84 78.56	3.00	314 ft 314 m
08R	GS	IOP	110.30 MHz	10 nm 19 km	84.81 78.53	2.70	314 ft 314 m
26L	GS	IOE	109.10 MHz	10 nm 19 km	264.81 258.53	2.70	303 ft 303 m
26R	GS	IRR	110.70 MHz	10 nm 19 km	264.84 258.56	3.00	314 ft 314 m