


2024/05/03 0236Z

KLAX YUCCA V264 TNP J10 HIPPI J231 DRK J6 PNH J14 LIT KMMS

1398.23 nm / 2589.52 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KLAX	-	33.94310	0 ft	-	Los Angeles Intl
APT	-	-118.40900	0 m		
YUCCA	-	34.10350	33,700 ft	94	-
FIX	-	-116.52100	10,272 m		
TNP	V264	34.11220	35,000 ft	37	TWENTYNINE PALMS
VOR	AWY-LO	-115.77000	10,668 m		
CADEZ	J10	34.20660	35,000 ft	21	-
FIX	AWY-HI	-115.34300	10,668 m		
HIPPI	J10	34.56230	35,000 ft	87	-
FIX	AWY-HI	-113.63900	10,668 m		
DRK	J231	34.70260	35,000 ft	57	DRAKE (PRESCOTT)
VOR	AWY-HI	-112.48000	10,668 m		
PYRIT	J6	34.86960	35,000 ft	97	-
FIX	AWY-HI	-110.51100	10,668 m		
ZUN	J6	34.96580	35,000 ft	67	ZUNI
VOR	AWY-HI	-109.15500	10,668 m		
ABQ	J6	35.04380	35,000 ft	115	ALBUQUERQUE
VOR	AWY-HI	-106.81600	10,668 m		
TCC	J6	35.18220	35,000 ft	158	TUCUMCARI
VOR	AWY-HI	-103.59900	10,668 m		
PNH	J6	35.23510	35,000 ft	93	PANHANDLE
VOR	AWY-HI	-101.69900	10,668 m		
CRUSR	J14	35.33540	35,000 ft	139	-
FIX	AWY-HI	-98.86620	10,668 m		
IRW	J14	35.35860	35,000 ft	61	WILL ROGERS (OKLAHOMA CITY)
VOR	AWY-HI	-97.60920	10,668 m		
DWINE	J14	35.20810	35,000 ft	68	-
FIX	AWY-HI	-96.21630	10,668 m		
KLUBB	J14	35.12040	35,000 ft	37	-
FIX	AWY-HI	-95.46670	10,668 m		
KOMMA	J14	35.01460	35,000 ft	39	-
FIX	AWY-HI	-94.67760	10,668 m		
LIT	J14	34.67770	20,800 ft	124	LITTLE ROCK
VOR	AWY-HI	-92.18050	6,340 m		
KMMS	-	34.23150	0 ft	97	SELS
APT	-	-90.28960	0 m		

KLAX

Region: UNITED STATES
Timezone: AMERICA/LOS_ANGELES
Runways: 4

Elevation: 125 ft / 38 m
Location: 33.943100 -118.409000
Magnetic Var: 11.443 E

METAR

KLAX 030153Z 26008KT 10SM FEW014 16/12 A2986 RMK AO2 SLP111 T01560122 \$

TAF

TAF AMD KLAX 030226Z 0302/0406 25010KT P6SM SCT022 FM030300 26005KT P6SM BKN013 FM030400 VRB03KT P6SM OVC010 FM030500 25010KT P6SM SCT022

Frequencies

COM - 122.95 MHz - UNICOM	GND - 121.65 MHz - LOS ANGELES GROUND
GND - 121.75 MHz - LOS ANGELES GROUND	GND - 121.40 MHz - LOS ANGELES GROUND
TWR - 119.80 MHz - LOS ANGELES TOWER	TWR - 120.95 MHz - LOS ANGELES TOWER
TWR - 133.90 MHz - LOS ANGELES TOWER	REC - 133.80 MHz - D-ATIS
REC - 135.65 MHz - D-ATIS	APP - 124.90 MHz - SOCAL APPROACH
APP - 124.30 MHz - SOCAL APPROACH	APP - 124.50 MHz - SOCAL APPROACH
APP - 128.50 MHz - SOCAL APPROACH	DEP - 125.20 MHz - SOCAL DEPARTURE
DEP - 124.30 MHz - SOCAL DEPARTURE	CLD - 120.35 MHz - CLEARANCE DELIVERY

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07R	200 ft	11,106 ft	82.96	CONCRETE	0 ft	381 ft
	61 m	3,385 m	71.51		0 m	116 m
25L	200 ft	11,106 ft	262.98	CONCRETE	0 ft	381 ft
	61 m	3,385 m	251.53		0 m	116 m
07L	151 ft	12,935 ft	82.95	CONCRETE	846 ft	374 ft
	46 m	3,943 m	71.51		258 m	114 m
25R	151 ft	12,935 ft	262.98	CONCRETE	968 ft	197 ft
	46 m	3,943 m	251.53		295 m	60 m
06R	151 ft	10,896 ft	82.95	CONCRETE	551 ft	384 ft
	46 m	3,321 m	71.50		168 m	117 m
24L	151 ft	10,896 ft	262.97	CONCRETE	814 ft	384 ft
	46 m	3,321 m	251.52		248 m	117 m
06L	151 ft	8,936 ft	82.95	CONCRETE	0 ft	0 ft
	46 m	2,724 m	71.51		0 m	0 m
24R	151 ft	8,936 ft	262.96	CONCRETE	0 ft	285 ft
	46 m	2,724 m	251.52		0 m	87 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
06L	DME	IUWU	108.50 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
06R	DME	IGPE	111.70 MHz	18 nm	-	-	120 ft
				33 km	-		120 m
07L	DME	IIAS	111.10 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
07R	DME	IMKZ	109.90 MHz	18 nm	-	-	103 ft
				33 km	-		103 m
24L	DME	IHQB	111.70 MHz	18 nm	-	-	133 ft
				33 km	-		133 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
24R	DME	IOSS	108.50 MHz	18 nm 33 km	- -	-	133 ft 133 m
25L	DME	ILAX	109.90 MHz	18 nm 33 km	- -	-	126 ft 126 m
25R	DME	ICFN	111.10 MHz	18 nm 33 km	- -	-	126 ft 126 m
06L	LOC-ILS	IUWU	108.50 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
06R	LOC-ILS	IGPE	111.70 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
07L	LOC-ILS	IIAS	111.10 MHz	18 nm 33 km	82.98 71.54	-	125 ft 125 m
07R	LOC-ILS	IMKZ	109.90 MHz	18 nm 33 km	82.97 71.53	-	125 ft 125 m
24L	LOC-ILS	IHQB	111.70 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
24R	LOC-ILS	IOSS	108.50 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25L	LOC-ILS	ILAX	109.90 MHz	18 nm 33 km	262.97 251.53	-	125 ft 125 m
25R	LOC-ILS	ICFN	111.10 MHz	18 nm 33 km	262.98 251.54	-	125 ft 125 m
06L	GS	IUWU	108.50 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
06R	GS	IGPE	111.70 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
07L	GS	IIAS	111.10 MHz	10 nm 19 km	82.98 71.54	3.00	125 ft 125 m
07R	GS	IMKZ	109.90 MHz	10 nm 19 km	82.97 71.53	3.00	125 ft 125 m
24L	GS	IHQB	111.70 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
24R	GS	IOSS	108.50 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25L	GS	ILAX	109.90 MHz	10 nm 19 km	262.97 251.53	3.00	125 ft 125 m
25R	GS	ICFN	111.10 MHz	10 nm 19 km	262.98 251.54	3.00	125 ft 125 m