

# LIPE

Bologna-Borgo Panigale "Guglielmo Marconi"


# LIBD

Bari-Palese "Karol Wojtyła"

2024/05/03 0401Z

LIPE AMSD **Y765** ANC **L612** ERPOG LIBD

317.59 nm / 588.18 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 40000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: no
- Use low airways: yes
- Use high airways: yes



## Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
LIPE	-	44.53560	0 ft	-	Bologna-Borgo Panigale	"Guglielmo Marconi"
APT	-	11.28830	0 m			
AMSED	-	43.77110	31,200 ft	87	-	
FIX	-	13.01860	9,510 m			
ANC	Y765	43.58640	39,300 ft	22	ANCONA	
VOR	AWY-HI	13.47110	11,979 m			
MASEG	L612	43.41290	40,000 ft	15	-	
FIX	AWY-HI	13.74930	12,192 m			
NUTRO	L612	43.16000	36,000 ft	23	-	
FIX	AWY-HI	14.14920	10,973 m			
ARSOB	L612	42.67920	26,600 ft	43	-	
FIX	AWY-HI	14.89610	8,108 m			
ERPOG	L612	42.47830	22,800 ft	18	-	
FIX	AWY-HI	15.20250	6,949 m			
LIBD	-	41.13790	0 ft	106	Bari-Palese	"Karol Wojtyla"
APT	-	16.75830	0 m			

## LIPE

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 1

Elevation: 123 ft / 37 m  
Location: 44.535600 11.288300  
Magnetic Var: 3.630 E

## METAR

LIPE 030320Z VRB02KT CAVOK 09/06 Q1009

## TAF

TAF LIPE 022300Z 0300/0324 VRB05KT CAVOK BECMG 0308/0310 30010KT BECMG 0315/0317 VRB05KT

## Frequencies

REC - 134.87 MHz - ATIS  
TWR - 120.80 MHz - BOLOGNA TOWER  
APP - 129.90 MHz - BOLOGNA APPROACH  
GND - 129.92 MHz - BOLOGNA GROUND  
APP - 120.10 MHz - BOLOGNA APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	9,206 ft	116.79	ASPHALT	1,017 ft	243 ft
	45 m	2,806 m	113.16		310 m	74 m
30	148 ft	9,206 ft	296.81	ASPHALT	1,188 ft	180 ft
	45 m	2,806 m	293.18		362 m	55 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	BLN	108.90 MHz	18 nm	-	-	131 ft
				33 km	-		131 m
30	DME	IBBP	109.75 MHz	18 nm	-	-	123 ft
				33 km	-		123 m
12	LOC-ILS	BLN	108.90 MHz	18 nm	116.81	-	123 ft
				33 km	113.18		123 m
30	LOC-ILS	IBBP	109.75 MHz	18 nm	296.66	-	123 ft
				33 km	293.03		123 m
12	GS	BLN	108.90 MHz	10 nm	117.59	3.00	120 ft
				19 km	113.96		120 m
30	GS	IBBP	109.75 MHz	10 nm	297.75	3.50	123 ft
				19 km	294.12		123 m

## LIBD

Region: ITALY  
Timezone: EUROPE/ROME  
Runways: 1

Elevation: 173 ft / 53 m  
Location: 41.137900 16.758300  
Magnetic Var: 4.389 E

## METAR

LIBD 030320Z AUTO 25008KT 9999 NCD 09/06 Q1011

## TAF

TAF LIBD 022300Z 0300/0324 28010KT CAVOK TEMPO 0309/0312 28015G28KT TEMPO 0315/0318 SHRA

## Frequencies

REC - 124.05 MHz - ATIS  
TWR - 122.10 MHz - BARI TOWER

TWR - 118.30 MHz - BARI TOWER  
APP - 136.10 MHz - BARI APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07	148 ft	9,260 ft	69.40	ASPHALT	1,240 ft	0 ft
	45 m	2,823 m	65.01		378 m	0 m
25	148 ft	9,260 ft	249.42	ASPHALT	0 ft	0 ft
	45 m	2,823 m	245.03		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07	DME	BAP	111.35 MHz	18 nm	-	-	183 ft
				33 km	-		183 m
07	LOC-ILS	BAP	111.35 MHz	18 nm	69.39	-	175 ft
				33 km	65.00		175 m
07	GS	BAP	111.35 MHz	10 nm	69.39	3.32	175 ft
				19 km	65.00		175 m