


2024/05/22 0527Z

SBEG MALPU **UZ81** TOBUX SBSN

317.52 nm / 588.05 km



## Notes

Requested: SBEG MASDU1B MALPU UZ81 TOBUX SBSN  
Unmatched points: MASDU1B

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
SBEG	-	-3.03860	0 ft	-	Eduardo Gomes Intl
APT	-	-60.04970	0 m	-	
MALPU	-	-2.94683	0 ft	43	-
FIX	-	-59.32230	0 m	-	-
KULAB	UZ81	-2.85463	0 ft	49	-
FIX	AWY-HI	-58.49740	0 m	-	-
DOLTI	UZ81	-2.78317	0 ft	37	-
FIX	AWY-HI	-57.87220	0 m	-	-
XOLOK	UZ81	-2.61717	0 ft	87	-
FIX	AWY-HI	-56.42620	0 m	-	-
OPLIP	UZ81	-2.59883	0 ft	9	-
FIX	AWY-HI	-56.26670	0 m	-	-
TOBUX	UZ81	-2.50817	0 ft	47	-
FIX	AWY-HI	-55.47870	0 m	-	-
SBSN	-	-2.42244	0 ft	41	Santarem
APT	-	-54.79280	0 m	-	

## SBEG

Region: BRAZIL  
Timezone: AMERICA/MANAUS  
Runways: 1

Elevation: 264 ft / 80 m  
Location: -3.038600 -60.049700  
Magnetic Var: 16.537 W

## METAR

SBEG 220500Z 05002KT CAVOK 25/25 Q1012

## TAF

TAF SBEG 211943Z 2200/2224 03004KT 9999 BKN015 TN24/2209Z TX31/2217Z BECMG 2206/2208 6000 BKN010 TEMPO 2209/2211

## Frequencies

REC - 127.65 MHz - ATIS	GND - 121.90 MHz - EDUARDO GOMES GROUND
TWR - 118.30 MHz - EDUARDO GOMES TOWER	APP - 119.25 MHz - MANAUS APPROACH
APP - 119.70 MHz - MANAUS APPROACH	APP - 120.40 MHz - MANAUS APPROACH
APP - 129.55 MHz - MANAUS APPROACH	APP - 129.80 MHz - MANAUS APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
11	148 ft	8,867 ft	90.13	ASPHALT	0 ft	0 ft
	45 m	2,703 m	106.67		0 m	0 m
29	148 ft	8,867 ft	270.13	ASPHALT	0 ft	0 ft
	45 m	2,703 m	286.67		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
11	LOC-ILS	IEG	110.30 MHz	18 nm	90.13	-	264 ft
				33 km	106.67		264 m
11	GS	IEG	110.30 MHz	10 nm	90.13	3.01	264 ft
				19 km	106.67		264 m