

VTBD

Don Mueang Intl


WMKK

Kuala Lumpur Intl

2024/05/23 0359Z

VTBD GETAR VANKO EKAVO GAYOU WADEE AMMIE ROZER RIGTO KARMI IKILO DAKUS KK486 KK487 BOGIM KK741
FD14L MI14L MD14L DE32R WMKK

745.72 nm / 1381.07 km



Notes

Requested: VTBD GETAR VANKO EKAVO GAYOU WADEE AMMIE ROZER RIGTO KARMI IKILO DAKUS KK486 KK487 BOGIM KK741 FD14L MI

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VTBD	-	13.91250	0 ft	-	Don Mueang Intl
APT	-	100.60700	0 m		
GETAR	-	13.63710	0 ft	19	-
FIX	-	100.41700	0 m		
VANKO	-	12.58640	0 ft	73	-
FIX	-	99.76040	0 m		
EKAVO	-	11.62680	0 ft	59	-
FIX	-	99.50690	0 m		
GAYOU	-	10.07530	0 ft	101	-
FIX	-	98.83190	0 m		
WADEE	-	8.80765	0 ft	76	-
FIX	-	98.81510	0 m		
AMMIE	-	8.01746	0 ft	52	-
FIX	-	99.20560	0 m		
ROZER	-	7.25704	0 ft	56	-
FIX	-	99.75890	0 m		
RIGTO	-	6.70784	0 ft	44	-
FIX	-	100.25100	0 m		
KARMI	-	6.49440	0 ft	20	-
FIX	-	100.52200	0 m		
IKILO	-	4.90250	0 ft	96	-
FIX	-	100.70800	0 m		
DAKUS	-	3.80390	0 ft	75	-
FIX	-	101.31700	0 m		
KK486	-	3.15744	0 ft	39	-
FIX	-	101.44800	0 m		
KK487	-	3.10192	0 ft	4	-
FIX	-	101.48500	0 m		
BOGIM	-	2.98694	0 ft	8	-
FIX	-	101.56200	0 m		
KK741	-	2.91367	0 ft	5	-
FIX	-	101.61100	0 m		
FD14L	-	2.84941	0 ft	4	-
FIX	-	101.65400	0 m		
MI14L	-	2.80400	0 ft	3	-
FIX	-	101.68500	0 m		
MD14L	-	2.79387	0 ft	0	-
FIX	-	101.69100	0 m		
DE32R	-	2.77848	0 ft	1	-
FIX	-	101.70200	0 m		
WMKK	-	2.73834	0 ft	2	Kuala Lumpur Intl
APT	-	101.70200	0 m		

VTBD

Region: THAILAND
Timezone: ASIA/BANGKOK
Runways: 2

Elevation: 8 ft / 2 m
Location: 13.912500 100.607000
Magnetic Var: 0.541 W

METAR

VTBD 230330Z 15008KT 9999 FEW020 SCT030 30/25 Q1008 NOSIG

TAF

TAF VTBD 222300Z 2300/2406 16005KT 9000 SCT020 TEMPO 2304/2307 VRB15KT 4000 TSRA FEW018CB SCT030 BKN080 TEMPO 2312/2315

Frequencies

REC - 118.55 MHz - ATIS	REC - 126.40 MHz - ATIS
GND - 122.50 MHz - DON MUEANG GROUND	GND - 121.90 MHz - DON MUEANG GROUND
TWR - 118.10 MHz - DON MUEANG TOWER	CLD - 127.70 MHz - DON MUEANG DELIVERY
APP - 118.40 MHz - DON MUEANG APPROACH	APP - 119.10 MHz - DON MUEANG APPROACH
APP - 121.70 MHz - BANGKOK APPROACH	APP - 124.35 MHz - BANGKOK APPROACH
APP - 125.20 MHz - BANGKOK APPROACH	APP - 125.50 MHz - DON MUEANG ARRIVAL

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
03L	197 ft	12,191 ft	28.56	ASPHALT	0 ft	492 ft
	60 m	3,716 m	29.10		0 m	150 m
21R	197 ft	12,191 ft	208.56	ASPHALT	0 ft	492 ft
	60 m	3,716 m	209.10		0 m	150 m
03R	148 ft	11,543 ft	28.57	ASPHALT	0 ft	325 ft
	45 m	3,518 m	29.11		0 m	99 m
21L	148 ft	11,543 ft	208.57	ASPHALT	1,145 ft	0 ft
	45 m	3,518 m	209.11		349 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
03L	DME	IBKD	109.70 MHz	18 nm	-	-	3 ft
				33 km	-		3 m
21L	DME	IDMG	110.30 MHz	18 nm	-	-	9 ft
				33 km	-		9 m
03L	LOC-ILS	IBKD	109.70 MHz	18 nm	28.56	-	9 ft
				33 km	29.10		9 m
21L	LOC-ILS	IDMG	110.30 MHz	18 nm	208.57	-	9 ft
				33 km	209.11		9 m
21R	LOC-ILS	IBKK	109.30 MHz	18 nm	208.56	-	9 ft
				33 km	209.10		9 m
03L	GS	IBKD	109.70 MHz	10 nm	28.56	3.00	9 ft
				19 km	29.10		9 m
21L	GS	IDMG	110.30 MHz	10 nm	208.57	3.00	9 ft
				19 km	209.11		9 m
21R	GS	IBKK	109.30 MHz	10 nm	208.56	3.00	9 ft
				19 km	209.10		9 m

WMKK

Region: MALAYSIA (PENINSULAR MALAYSIA)
Timezone: ASIA/KUALA_LUMPUR
Runways: 3

Elevation: 68 ft / 21 m
Location: 2.738340 101.702000
Magnetic Var: 0.057 E

METAR

WMKK 230330Z VRB02KT 9999 FEW018 32/25 Q1008 NOSIG

TAF

TAF TAF WMKK 222300Z 2300/2406 VRB03KT 9000 FEW018 PROB30 TEMPO 2303/2305 5000 TSRA FEW017CB

Frequencies

APP - 118.65 MHz - LUMPUR RADAR	APP - 121.25 MHz - LUMPUR RADAR
APP - 124.20 MHz - LUMPUR RADAR	APP - 125.80 MHz - LUMPUR RADAR
APP - 119.45 MHz - LUMPUR RADAR	APP - 120.35 MHz - LUMPUR RADAR
APP - 124.65 MHz - LUMPUR RADAR	APP - 125.10 MHz - LUMPUR RADAR
APP - 135.75 MHz - LUMPUR RADAR	DEP - 135.25 MHz - LUMPUR DEPARTURE
TWR - 118.80 MHz - LUMPUR TOWER	TWR - 118.50 MHz - LUMPUR TOWER
TWR - 119.80 MHz - LUMPUR TOWER	GND - 121.65 MHz - LUMPUR GROUND
GND - 121.80 MHz - LUMPUR GROUND	GND - 122.52 MHz - LUMPUR GROUND
GND - 118.05 MHz - LUMPUR GROUND	GND - 122.15 MHz - LUMPUR GROUND
GND - 122.85 MHz - LUMPUR GROUND	GND - 122.27 MHz - LUMPUR GROUND
GND - 123.25 MHz - LUMPUR GROUND	GND - 121.72 MHz - LUMPUR GROUND
GND - 122.55 MHz - LUMPUR GROUND	GND - 130.75 MHz - LUMPUR GROUND
CLD - 126.00 MHz - LUMPUR DELIVERY	REC - 126.45 MHz - LUMPUR TERMINAL INFORMATION
REC - 128.05 MHz - LUMPUR TERMINAL INFORMATION	

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
15	197 ft	13,034 ft	146.21	ASPHALT	0 ft	390 ft
	60 m	3,973 m	146.16		0 m	119 m
33	197 ft	13,034 ft	326.21	ASPHALT	0 ft	394 ft
	60 m	3,973 m	326.16		0 m	120 m
14L	197 ft	13,248 ft	146.20	ASPHALT	0 ft	384 ft
	60 m	4,038 m	146.14		0 m	117 m
32R	197 ft	13,248 ft	326.20	ASPHALT	0 ft	0 ft
	60 m	4,038 m	326.14		0 m	0 m
14R	197 ft	13,185 ft	146.21	ASPHALT	0 ft	0 ft
	60 m	4,019 m	146.16		0 m	0 m
32L	197 ft	13,185 ft	326.21	ASPHALT	0 ft	390 ft
	60 m	4,019 m	326.16		0 m	119 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	IWK	110.10 MHz	18 nm	-	-	-1 ft
				33 km	-		-1 m
33	DME	IWM	111.50 MHz	18 nm	-	-	-1 ft
				33 km	-		-1 m
14L	DME	IEL	108.50 MHz	18 nm	-	-	59 ft
				33 km	-		59 m
14R	DME	IWR	110.70 MHz	18 nm	-	-	78 ft

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
				33 km	-		78 m
32L	DME	IWL	111.90 MHz	18 nm	-	-	81 ft
				33 km	-		81 m
32R	DME	IER	109.10 MHz	18 nm	-	-	70 ft
				33 km	-		70 m
14L	LOC-ILS	IEL	108.50 MHz	18 nm	146.20	-	68 ft
				33 km	146.14		68 m
14R	LOC-ILS	IWR	110.70 MHz	18 nm	146.21	-	68 ft
				33 km	146.15		68 m
15	LOC-ILS	IWK	110.10 MHz	18 nm	146.21	-	68 ft
				33 km	146.15		68 m
32L	LOC-ILS	IWL	111.90 MHz	18 nm	326.21	-	68 ft
				33 km	326.15		68 m
32R	LOC-ILS	IER	109.10 MHz	18 nm	326.20	-	68 ft
				33 km	326.14		68 m
33	LOC-ILS	IWM	111.50 MHz	18 nm	326.21	-	68 ft
				33 km	326.15		68 m
14L	GS	IEL	108.50 MHz	10 nm	146.20	3.00	68 ft
				19 km	146.14		68 m
14R	GS	IWR	110.70 MHz	10 nm	146.21	3.00	68 ft
				19 km	146.15		68 m
15	GS	IWK	110.10 MHz	10 nm	146.21	3.00	68 ft
				19 km	146.15		68 m
32L	GS	IWL	111.90 MHz	10 nm	326.21	3.00	68 ft
				19 km	326.15		68 m
32R	GS	IER	109.10 MHz	10 nm	326.20	3.00	68 ft
				19 km	326.14		68 m
33	GS	IWM	111.50 MHz	10 nm	326.21	3.00	68 ft
				19 km	326.15		68 m