

# TFFR

Pointe a Pitre Le Raizet


# SBGL

Galeao Antonio Carlos Jombim

2024/05/04 1503Z

TFFR FOF UA312 STM UW12 BRS UA317 TOKIM SBGL

2592.19 nm / 4800.74 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
TFRR	-	16.26531	0 ft	-	Pointe a Pitre Le Raizet
APT	-	-61.53181	0 m		
FOF	-	14.59083	35,000 ft	104	MARTINIQUE VOR-DME
VOR	-	-61.02278	10,668 m		
DALGA	UA312	8.91911	35,000 ft	359	-
FIX	AWY-HI	-59.07103	10,668 m		
LEPOD	UA312	8.50439	35,000 ft	26	-
FIX	AWY-HI	-58.93131	10,668 m		
LOKIT	UA312	7.68364	35,000 ft	51	-
FIX	AWY-HI	-58.65575	10,668 m		
TIM	UA312	6.49228	35,000 ft	75	TIMEHRI VOR
VOR	AWY-HI	-58.25772	10,668 m		
KOXAM	UA312	4.98000	35,000 ft	97	-
FIX	AWY-HI	-57.65000	10,668 m		
ACARI	UA312	1.95717	35,000 ft	194	-
FIX	AWY-HI	-56.48900	10,668 m		
LONAS	UA312	1.00917	35,000 ft	60	-
FIX	AWY-HI	-56.13483	10,668 m		
ILBEM	UA312	-1.80150	35,000 ft	180	-
FIX	AWY-HI	-55.05750	10,668 m		
STM	UA312	-2.42650	35,000 ft	40	SANTAREM VOR-DME
VOR	AWY-HI	-54.81750	10,668 m		
NEBAN	UW12	-4.80306	35,000 ft	159	-
FIX	AWY-HI	-53.63358	10,668 m		
NELOS	UW12	-6.33150	35,000 ft	101	-
FIX	AWY-HI	-52.89717	10,668 m		
ORAVU	UW12	-8.90733	35,000 ft	172	-
FIX	AWY-HI	-51.61267	10,668 m		
BOMAL	UW12	-10.34317	35,000 ft	96	-
FIX	AWY-HI	-50.88983	10,668 m		
ELDOR	UW12	-11.22667	35,000 ft	59	-
FIX	AWY-HI	-50.44083	10,668 m		
FILTI	UW12	-11.99917	35,000 ft	51	-
FIX	AWY-HI	-50.04583	10,668 m		
NANAR	UW12	-14.68283	35,000 ft	180	-
FIX	AWY-HI	-48.65183	10,668 m		
BRS	UW12	-15.87375	35,000 ft	80	BRASILIA VOR-DME
VOR	AWY-HI	-48.02136	10,668 m		
CROWD	UA317	-18.21483	35,000 ft	163	-
FIX	AWY-HI	-46.56783	10,668 m		
KUNOS	UA317	-18.66833	35,000 ft	31	-
FIX	AWY-HI	-46.29300	10,668 m		
UNIDO	UA317	-19.21117	35,000 ft	37	-
FIX	AWY-HI	-45.95033	10,668 m		
MAVIK	UA317	-20.52833	35,000 ft	92	-
FIX	AWY-HI	-45.10650	10,668 m		
SORAI	UA317	-20.76700	33,400 ft	16	-
FIX	AWY-HI	-44.95167	10,180 m		
ARENA	UA317	-21.02667	29,500 ft	18	-
FIX	AWY-HI	-44.78250	8,992 m		
TOKIM	UA317	-21.92450	23,500 ft	63	-
FIX	AWY-HI	-44.19267	7,163 m		
SBGL	-	-22.80894	0 ft	74	Galeao Antonio Carlos Jombim
APT	-	-43.24368	0 m		

## TFFR

Region: Elevation: 35 ft / 11 m  
FRANCE (GUADELOUPE, MARTINIQUE, SAINT BARTHÉLEMY, SAINT MARTIN) 01.265500 -61.533000  
Timezone: AMERICA/GUADELOUPE Magnetic Var: 15.019 W  
Runways: 1

## METAR

TFFR 041430Z AUTO 16010KT 9999 SCT024 BKN031 31/25 Q1013 NOSIG

## TAF

TAF TFFR 041100Z 0412/0512 14014KT 9999 FEW020 PROB30 TEMPO 0421/0512 4000 SHRA BKN018TCU SCT130 BKN230 BECMG 0421/0512 14014KT 9999 SCT024 BKN031 31/25 Q1013 NOSIG

## Frequencies

REC - 127.60 MHz - ATIS GND - 121.85 MHz - POINT A PITRE GROUND  
TWR - 118.40 MHz - POINT A PITRE TOWER APP - 121.30 MHz - RAIZET APPROACH  
APP - 129.80 MHz - RAIZET APPROACH

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	148 ft	10,673 ft	100.87	ASPHALT	1,309 ft	98 ft
	45 m	3,253 m	115.89		399 m	30 m
30	148 ft	10,673 ft	280.87	ASPHALT	978 ft	853 ft
	45 m	3,253 m	295.89		298 m	260 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	LOC-ILS	PP	110.30 MHz	18 nm	100.95	-	35 ft
				33 km	115.97		35 m
12	GS	PP	110.30 MHz	10 nm	100.95	3.20	35 ft
				19 km	115.97		35 m

## SBGL

Region: BRAZIL  
Timezone: AMERICA/SAO\_PAULO  
Runways: 2

Elevation: 28 ft / 9 m  
Location: -22.808900 -43.243800  
Magnetic Var: 23.419 W

## METAR

SBGL 041400Z 34006KT CAVOK 27/22 Q1016

## TAF

TAF SBGL 040820Z 0412/0518 34005KT 7000 SCT020 TX34/0417Z TN23/0508Z BECMG 0413/0415 14010KT 9999 FEW025 BECMG 04

## Frequencies

REC - 127.60 MHz - ATIS	CLD - 121.00 MHz - GALEAO CLEARANCE
CLD - 135.10 MHz - GALEAO CLEARANCE	GND - 121.65 MHz - GALEAO GROUND
GND - 128.35 MHz - GALEAO GROUND	TWR - 118.00 MHz - GALEAO TOWER
TWR - 118.20 MHz - GALEAO TOWER	APP - 129.80 MHz - RIO APPROACH
APP - 125.95 MHz - RIO APPROACH	APP - 128.90 MHz - RIO APPROACH
APP - 119.35 MHz - RIO APPROACH	COM - 122.80 MHz - GALEAO UNICOM

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10	148 ft	13,136 ft	74.40	CONCRETE	0 ft	0 ft
	45 m	4,004 m	97.82		0 m	0 m
28	148 ft	13,136 ft	254.38	CONCRETE	0 ft	174 ft
	45 m	4,004 m	277.80		0 m	53 m
15	154 ft	10,426 ft	125.65	ASPHALT	0 ft	184 ft
	47 m	3,178 m	149.07		0 m	56 m
33	154 ft	10,426 ft	305.64	ASPHALT	0 ft	184 ft
	47 m	3,178 m	329.06		0 m	56 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
15	DME	IGL	110.30 MHz	18 nm	-	-	17 ft
				33 km	-		17 m
28	DME	ILM	111.50 MHz	18 nm	-	-	28 ft
				33 km	-		28 m
10	LOC-ILS	ITB	109.30 MHz	18 nm	74.39	-	28 ft
				33 km	97.81		28 m
15	LOC-ILS	IGL	110.30 MHz	18 nm	125.65	-	28 ft
				33 km	149.07		28 m
28	LOC-ILS	ILM	111.50 MHz	18 nm	254.39	-	28 ft
				33 km	277.81		28 m
10	GS	ITB	109.30 MHz	10 nm	74.39	3.00	28 ft
				19 km	97.81		28 m
15	GS	IGL	110.30 MHz	10 nm	125.65	3.00	28 ft
				19 km	149.07		28 m
28	GS	ILM	111.50 MHz	10 nm	254.39	2.94	28 ft
				19 km	277.81		28 m