

LCLK

Larnaca Intl


UBBB

Baku Heydar Aliyev Intl

2024/05/30 2147Z

LCLK NIKAS **R785** BAN **W6** ALE **B544** TUSYR **UB36** GAZ **UW701** ERZ ERZ **UB374** INDUR **N161** EDATA **M11** LUSAL UBBB

910.28 nm / 1685.84 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LCLK	-	34.87380	0 ft	-	Larnaca Intl
APT	-	33.62400	0 m		
NIKAS	-	35.19330	35,000 ft	104	-
FIX	-	35.71670	10,668 m		
07BAN	R785	35.20780	35,000 ft	5	-
FIX	AWY-HI	35.82110	10,668 m		
BAN	R785	35.22830	35,000 ft	6	BANIAS
NDB	AWY-HI	35.95790	10,668 m		
SALIM	W6	35.49580	35,000 ft	23	-
FIX	AWY-HI	36.31110	10,668 m		
LUBAM	W6	35.66670	35,000 ft	14	-
FIX	AWY-HI	36.53330	10,668 m		
LIMA	W6	36.03670	35,000 ft	32	-
FIX	AWY-HI	37.01830	10,668 m		
ALE	W6	36.17970	35,000 ft	12	ALEPPO
VOR	AWY-HI	37.20940	10,668 m		
GOLF	B544	36.40500	35,000 ft	14	-
FIX	AWY-HI	37.29000	10,668 m		
TUSYR	B544	36.64890	35,000 ft	15	-
FIX	AWY-HI	37.38310	10,668 m		
KILIS	UB36	36.70360	35,000 ft	3	-
FIX	AWY-HI	37.40060	10,668 m		
GAZ	UB36	36.95150	35,000 ft	15	GAZIANTEP
VOR	AWY-HI	37.47290	10,668 m		
FIRAT	UW701	37.13890	35,000 ft	14	-
FIX	AWY-HI	37.65420	10,668 m		
RASVA	UW701	37.49810	35,000 ft	27	-
FIX	AWY-HI	38.00780	10,668 m		
ASKER	UW701	38.27690	35,000 ft	59	-
FIX	AWY-HI	38.78470	10,668 m		
OKUDU	UW701	38.50190	35,000 ft	17	-
FIX	AWY-HI	39.01440	10,668 m		
ERGAN	UW701	38.51500	35,000 ft	0	-
FIX	AWY-HI	39.02720	10,668 m		
EZS	UW701	38.70830	35,000 ft	14	ELAZIG
VOR	AWY-HI	39.22410	10,668 m		
FILIZ	UW701	38.86640	35,000 ft	14	-
FIX	AWY-HI	39.47030	10,668 m		
NULRU	UW701	38.97890	35,000 ft	10	-
FIX	AWY-HI	39.64500	10,668 m		
TALIL	UW701	39.18890	35,000 ft	19	-
FIX	AWY-HI	39.97220	10,668 m		
EVSAS	UW701	39.32470	35,000 ft	12	-
FIX	AWY-HI	40.18860	10,668 m		
GELSU	UW701	39.55830	35,000 ft	22	-
FIX	AWY-HI	40.55690	10,668 m		
ULGAN	UW701	39.64170	35,000 ft	8	-
FIX	AWY-HI	40.69250	10,668 m		
GELIN	UW701	39.69810	35,000 ft	5	-
FIX	AWY-HI	40.78580	10,668 m		
ERZ	UW701	39.95880	35,000 ft	23	ERZURUM TACAN
DME	AWY-HI	41.15310	10,668 m		
ERZ	-	39.95670	35,000 ft	2	ERZURUM

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
VOR	-	41.20710	10,668 m		
ALVAR	UB374	39.99580	35,000 ft	24	-
FIX	AWY-HI	41.74310	10,668 m		
YAVUZ	UB374	40.04440	35,000 ft	31	-
FIX	AWY-HI	42.43330	10,668 m		
ELTOX	UB374	40.09970	35,000 ft	43	-
FIX	AWY-HI	43.36940	10,668 m		
INDUR	UB374	40.11560	35,000 ft	13	-
FIX	AWY-HI	43.66470	10,668 m		
REBGI	N161	40.24330	35,000 ft	42	-
FIX	AWY-HI	44.57750	10,668 m		
PEMAN	N161	40.39110	35,000 ft	49	-
FIX	AWY-HI	45.64220	10,668 m		
EDATA	N161	40.60670	28,000 ft	71	-
FIX	AWY-HI	47.18330	8,534 m		
LUSAL	M11	40.58330	20,500 ft	34	-
FIX	AWY-HI	47.95000	6,248 m		
UBBB	-	40.47210	0 ft	96	Baku Heydar Aliyev Intl
APT	-	50.04940	0 m		

LCLK

Region: CYPRUS
Timezone: ASIA/NICOSIA
Runways: 1

Elevation: 11 ft / 3 m
Location: 34.873800 33.624000
Magnetic Var: 5.551 E

METAR

LCLK 302130Z 27005KT CAVOK 21/17 Q1013 NOSIG

TAF

TAF LCLK 301730Z 3018/3118 30006KT 9999 FEW020 BECMG 3108/3110 21017KT BECMG 3116/3118 28006KT

Frequencies

REC - 126.55 MHz - LARNACA ATIS	CLD - 120.57 MHz - LARNACA CLEARANCE DELIVERY
GND - 119.40 MHz - LARNACA GROUND	GND - 121.90 MHz - LARNACA GROUND
TWR - 121.20 MHz - LARNACA TOWER	TWR - 130.20 MHz - LARNACA TOWER
APP - 130.20 MHz - LARNACA APPROACH	APP - 121.20 MHz - LARNACA APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
04	148 ft	9,832 ft	45.08	ASPHALT	0 ft	0 ft
	45 m	2,997 m	39.53		0 m	0 m
22	148 ft	9,832 ft	225.09	ASPHALT	627 ft	0 ft
	45 m	2,997 m	219.54		191 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	DME	ILC	110.30 MHz	18 nm	-	-	20 ft
				33 km	-		20 m
22	LOC-ILS	ILC	110.30 MHz	18 nm	225.09	-	11 ft
				33 km	219.54		11 m
22	GS	ILC	110.30 MHz	10 nm	225.09	2.75	11 ft
				19 km	219.54		11 m

UBBB

Region: AZERBAIJAN
Timezone: ASIA/BAKU
Runways: 2

Elevation: 6 ft / 2 m
Location: 40.472100 50.049400
Magnetic Var: 6.674 E

METAR

UBBB 302130Z 16008KT CAVOK 20/13 Q1012 NOSIG

TAF

TAF UBBB 301658Z 3018/3118 16006KT 6000 NSC TX29/3110Z TN18/3102Z TEMPO 3018/3022 FEW050CB TEMPO 3022/3104 VRB04K

Frequencies

REC - 126.80 MHz - BAKU ATIS
TWR - 119.20 MHz - BAKU TOWER
APP - 128.00 MHz - BAKU RADAR

GND - 121.70 MHz - BAKU GROUND
APP - 129.30 MHz - BAKU APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
17	167 ft	10,509 ft	179.35	ASPHALT	0 ft	256 ft
	51 m	3,203 m	172.68		0 m	78 m
35	167 ft	10,509 ft	359.36	ASPHALT	486 ft	217 ft
	51 m	3,203 m	352.68		148 m	66 m
16	197 ft	13,136 ft	166.52	ASPHALT	0 ft	289 ft
	60 m	4,004 m	159.84		0 m	88 m
34	197 ft	13,136 ft	346.52	ASPHALT	0 ft	295 ft
	60 m	4,004 m	339.85		0 m	90 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	LOC-ILS	IBI	109.50 MHz	18 nm	166.53	-	6 ft
				33 km	159.86		6 m
17	LOC-ILS	IBU	110.50 MHz	18 nm	179.35	-	6 ft
				33 km	172.68		6 m
34	LOC-ILS	IBN	111.70 MHz	18 nm	346.53	-	6 ft
				33 km	339.86		6 m
35	LOC-ILS	IBA	109.30 MHz	18 nm	359.35	-	6 ft
				33 km	352.68		6 m
16	GS	IBI	109.50 MHz	10 nm	166.53	3.00	6 ft
				19 km	159.86		6 m
17	GS	IBU	110.50 MHz	10 nm	179.35	3.00	6 ft
				19 km	172.68		6 m
34	GS	IBN	111.70 MHz	10 nm	346.53	3.00	6 ft
				19 km	339.86		6 m
35	GS	IBA	109.30 MHz	10 nm	359.35	3.00	6 ft
				19 km	352.68		6 m