


2024/06/04 0341Z

TBPB BORUS A555 FOF UA555 ILURI A555 GRADI Y587 SEBUG A555 GTK GTK Y587 DONEZ MYNN

1254.85 nm / 2323.98 km



## Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes



## Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
TBPB	-	13.07460	0 ft	-	Grantley Adams Intl
APT	-	-59.49210	0 m		
BORUS	-	14.04610	29,100 ft	81	-
FIX	-	-60.46640	8,870 m		
FOF	A555	14.59070	35,000 ft	46	MARTINIQUE
VOR	AWY-LO	-61.02280	10,668 m		
DUNTA	UA555	15.60890	35,000 ft	91	-
FIX	AWY-HI	-62.19310	10,668 m		
ILURI	UA555	16.30000	35,000 ft	62	-
FIX	AWY-HI	-63.00000	10,668 m		
PORQE	A555	17.16000	35,000 ft	77	-
FIX	AWY-HI	-64.01450	10,668 m		
COY	A555	17.73440	35,000 ft	52	SAINT CROIX
VOR	AWY-HI	-64.70070	10,668 m		
SNOOZ	A555	17.81500	35,000 ft	22	-
FIX	AWY-HI	-65.08390	10,668 m		
TUUNA	A555	17.98090	35,000 ft	46	-
FIX	AWY-HI	-65.88610	10,668 m		
DDP	A555	18.46830	35,000 ft	41	DORADO (SAN JUAN)
NDB	AWY-HI	-66.41240	10,668 m		
IDAHO	A555	19.26050	35,000 ft	84	-
FIX	AWY-HI	-67.63950	10,668 m		
HARDE	A555	20.00640	35,000 ft	80	-
FIX	AWY-HI	-68.81700	10,668 m		
GRADI	A555	20.52120	35,000 ft	55	-
FIX	AWY-HI	-69.63200	10,668 m		
SEBUG	Y587	20.89770	35,000 ft	41	-
FIX	AWY-HI	-70.24210	10,668 m		
COCBU	A555	21.14990	35,000 ft	27	-
FIX	AWY-HI	-70.65440	10,668 m		
GTK	A555	21.44070	35,000 ft	32	GRAND TURK VORTAC
DME	AWY-HI	-71.13440	10,668 m		
GTK	-	21.44000	35,000 ft	0	GRAND TURK
VOR	-	-71.13500	10,668 m		
RNDLY	Y587	22.51490	35,000 ft	117	-
FIX	AWY-HI	-72.89990	10,668 m		
PAARR	Y587	23.24500	35,000 ft	89	-
FIX	AWY-HI	-74.30690	10,668 m		
DONEZ	Y587	24.26300	17,000 ft	124	-
FIX	AWY-HI	-76.28250	5,182 m		
MYNN	-	25.03870	0 ft	79	Lynden Pindling Intl
APT	-	-77.46680	0 m		

## TBPB

Region: BARBADOS  
Timezone: AMERICA/BARBADOS  
Runways: 1

Elevation: 166 ft / 51 m  
Location: 13.074600 -59.492100  
Magnetic Var: 15.793 W

## METAR

TBPB 040300Z 10018KT 9999 BKN018 28/26 Q1014 NOSIG

## TAF

TAF TBPB 032300Z 0400/0424 10018KT 9999 SCT018 TEMPO 0409/0418 SHRA BKN014 PROB40 TEMPO 0421/0424 TSRA BKN014 FEW

## Frequencies

GND - 121.90 MHz - ADAMS GROUND  
APP - 129.35 MHz - ADAMS APPROACH

TWR - 118.70 MHz - ADAMS TOWER  
REC - 132.72 MHz - ATIS

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
09	148 ft	11,037 ft	75.80	ASPHALT	0 ft	174 ft
	45 m	3,364 m	91.59		0 m	53 m
27	148 ft	11,037 ft	255.80	ASPHALT	0 ft	0 ft
	45 m	3,364 m	271.60		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
09	LOC-ILS	IBGI	110.10 MHz	18 nm	75.85	-	168 ft
				33 km	91.64		168 m
09	GS	IBGI	110.10 MHz	10 nm	76.69	3.00	168 ft
				19 km	92.49		168 m

## MYNN

Region: BAHAMAS  
Timezone: AMERICA/NASSAU  
Runways: 2

Elevation: 16 ft / 5 m  
Location: 25.038700 -77.466800  
Magnetic Var: 8.786 W

## METAR

MYNN 040300Z 07004KT 040V100 9999 SCT018 27/23 A2994

## TAF

TAF MYNN 032352Z 0400/0424 06006KT 9999 FEW020 SCT200 BECMG 0415/0417 09012KT

## Frequencies

REC - 118.70 MHz - ATIS	CLD - 118.30 MHz - NASSAU CLEARANCE
GND - 121.70 MHz - NASSAU GROUND	TWR - 119.50 MHz - NASSAU TOWER
APP - 121.00 MHz - NASSAU APPROACH	APP - 125.30 MHz - NASSAU APPROACH
DEP - 121.00 MHz - NASSAU DEPARTURE	

## Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
14	151 ft	11,136 ft	134.80	CONCRETE	210 ft	0 ft
	46 m	3,394 m	143.59		64 m	0 m
32	151 ft	11,136 ft	314.81	CONCRETE	0 ft	0 ft
	46 m	3,394 m	323.60		0 m	0 m
10	151 ft	8,282 ft	89.67	CONCRETE	0 ft	0 ft
	46 m	2,524 m	98.46		0 m	0 m
28	151 ft	8,282 ft	269.68	CONCRETE	0 ft	0 ft
	46 m	2,524 m	278.47		0 m	0 m

## Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
14	LOC-ILS	IZQA	110.10 MHz	18 nm	134.83	-	7 ft
				33 km	143.62		7 m
14	GS	IZQA	110.10 MHz	10 nm	135.66	3.00	8 ft
				19 km	144.45		8 m