
EIDW – LZIB

Dublin — Bratislava/M.R. Stefanik

2024/03/29 0839Z

EIDW MALUD **L975** WAL **UM16** DOLAS **UL603** DIBAL **L603** LAMSO **UR127** PETIK **R127** SPY **UL602** RKN **B5** HMM **UL602** TABAT **L602** DONAD **UL602** ILNEK **UM174** TEMLI LZIB

951.07 nm / 1761.39 km



Notes

Basic altitude profile:
- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:
- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes

- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
EIDW APT	–	53.42826 -6.25955	0 ft 0 m	–	Dublin
MALUD FIX	–	53.41333 -3.60833	33,800 ft 10,302 m	94	–
WAL VOR	L975 AWY-LO	53.39194 -3.13444	35,000 ft 10,668 m	17	WALLASEY VOR-DME
MCT VOR	UM16 AWY-HI	53.35694 -2.26222	35,000 ft 10,668 m	31	MANCHESTER VOR-DME
DISAL FIX	UM16 AWY-HI	53.29139 -1.63083	35,000 ft 10,668 m	22	–
NAPEX FIX	UM16 AWY-HI	53.20639 -0.86111	35,000 ft 10,668 m	28	–
DOLAS FIX	UM16 AWY-HI	52.97861 1.00083	35,000 ft 10,668 m	68	–
ENITO FIX	UL603 AWY-HI	52.80139 2.46750	35,000 ft 10,668 m	54	–
DIBAL FIX	UL603 AWY-HI	52.79722 2.50000	35,000 ft 10,668 m	1	–
BUKUT FIX	L603 AWY-LO	52.75833 2.80056	35,000 ft 10,668 m	11	–
LAMSO FIX	L603 AWY-LO	52.73290 2.99436	35,000 ft 10,668 m	7	–
PETIK FIX	UR127 AWY-HI	52.61491 4.21574	35,000 ft 10,668 m	45	–
SPY VOR	R127 AWY-LO	52.54028 4.85378	35,000 ft 10,668 m	23	SPIJKERBOOR VOR-DME
RKN VOR	UL602 AWY-HI	52.13320 6.76388	35,000 ft 10,668 m	74	REKKEN VOR-DME
RELBI FIX	B5 AWY-LO	52.11833 6.81361	35,000 ft 10,668 m	2	–
HMM VOR	B5 AWY-LO	51.85687 7.70829	35,000 ft 10,668 m	36	HAMM VOR-DME
KEMAD FIX	UL602 AWY-HI	51.12361 9.67500	35,000 ft 10,668 m	85	–
ROBEL FIX	UL602 AWY-HI	50.89753 10.43367	35,000 ft 10,668 m	31	–
TAMEB FIX	UL602 AWY-HI	50.80778 10.73000	35,000 ft 10,668 m	12	–
BAMKI FIX	UL602 AWY-HI	50.71806 11.02028	35,000 ft 10,668 m	12	–
TABAT FIX	UL602 AWY-HI	50.55861 11.53139	35,000 ft 10,668 m	21	–
SODRO FIX	L602 AWY-LO	50.46472 11.82722	35,000 ft 10,668 m	12	–
PEROX FIX	L602 AWY-LO	50.34472 12.19944	35,000 ft 10,668 m	15	–
VARIK FIX	L602 AWY-LO	50.29111 12.38111	35,000 ft 10,668 m	7	–
DONAD FIX	L602 AWY-LO	50.08081 13.00000	35,000 ft 10,668 m	26	–
ILNEK FIX	UL602 AWY-HI	49.90723 14.00305	35,000 ft 10,668 m	40	–
TEMLI	UM174	49.14356	22,500 ft	60	–

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	15.01861	6,858 m		
LZIB	-	48.16831	0 ft	105	Bratislava/M.R. Stefanik
APT	-	17.21560	0 m		

EIDW

Region: IRELAND
Timezone: EUROPE/DUBLIN
Runways: 2

Elevation: 240 ft / 73 m
Location: 53.424900 -6.263080
Magnetic Var: 1.994 W

METAR

EIDW 290800Z 14006KT 110V170 9999 FEW018CB BKN050 07/04 Q0977 NOSIG

TAF

TAF EIDW 290500Z 2906/3006 VRB03KT 9999 FEW025 SCT040 TEMPO 2907/2921 -SHRA FEW018CB BECMG 2908/2910 16012KT PROB

Frequencies

REC - 124.52 MHz - ATIS
GND - 118.75 MHz - DUBLIN GROUND
CLD - 121.87 MHz - CLEARANCE DELIVERY
APP - 121.10 MHz - DUBLIN APPROACH
APP - 119.55 MHz - DUBLIN APPROACH

TWR - 118.60 MHz - DUBLIN TOWER
GND - 121.80 MHz - DUBLIN GROUND
APP - 133.27 MHz - DUBLIN APPROACH
APP - 119.92 MHz - DUBLIN APPROACH
REC - 118.50 MHz - DUBLIN INFORMATION

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
10R	148 ft 45 m	8,660 ft 2,640 m	95.26 97.25	ASPHALT	0 ft 0 m	0 ft 0 m
28L	148 ft 45 m	8,660 ft 2,640 m	275.29 277.28	ASPHALT	0 ft 0 m	0 ft 0 m
16	190 ft 58 m	6,805 ft 2,074 m	156.64 158.63	ASPHALT	0 ft 0 m	0 ft 0 m
34	190 ft 58 m	6,805 ft 2,074 m	336.65 338.64	ASPHALT	0 ft 0 m	0 ft 0 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	DME	IAC	111.50 MHz	18 nm 33 km	- -	-	200 ft 200 m
10R	LOC-ILS	IDE	108.90 MHz	18 nm 33 km	95.26 97.25	-	242 ft 242 m
16	LOC-ILS	IAC	111.50 MHz	18 nm 33 km	156.64 158.63	-	242 ft 242 m
28L	LOC-ILS	IDW	111.35 MHz	18 nm 33 km	275.26 277.25	-	242 ft 242 m
10R	GS	IDE	108.90 MHz	10 nm 19 km	95.26 97.25	3.00	242 ft 242 m
16	GS	IAC	111.50 MHz	10 nm 19 km	156.64 158.63	3.00	242 ft 242 m
28L	GS	IDW	111.35 MHz	10 nm 19 km	275.26 277.25	3.00	242 ft 242 m

LZIB

Region: SLOVAKIA
Timezone: EUROPE/BRATISLAVA
Runways: 2

Elevation: 436 ft / 133 m
Location: 48.168300 17.215600
Magnetic Var: 5.147 E

METAR

LZIB 290800Z 16008KT 130V190 9999 FEW030 11/06 Q1010 BECMG 18016KT

TAF

TAF LZIB 290515Z 2906/3006 VRB02KT CAVOK BECMG 2906/2908 17011KT TEMPO 2909/3006 19015G25KT TEMPO 2912/2921 19025

Frequencies

TWR - 118.30 MHz - STEFANIK TOWER
APP - 128.65 MHz - STEFANIK ARRIVAL
TWR - 118.70 MHz - STEFANIK TOWER

APP - 119.70 MHz - STEFANIK APPROACH
APP - 120.90 MHz - STEFANIK APPROACH
REC - 133.87 MHz - STEFANIK ATIS

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
13	148 ft 45 m	9,689 ft 2,953 m	134.00 128.85	CONCRETE	0 ft 0 m	98 ft 30 m
31	148 ft 45 m	9,689 ft 2,953 m	314.02 308.87	CONCRETE	0 ft 0 m	787 ft 240 m
04	197 ft 60 m	9,541 ft 2,908 m	43.83 38.68	CONCRETE	0 ft 0 m	0 ft 0 m
22	197 ft 60 m	9,541 ft 2,908 m	223.85 218.70	CONCRETE	0 ft 0 m	49 ft 15 m

Approach Navaids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
22	DME	OKR	108.30 MHz	25 nm 46 km	- -	-	436 ft 436 m
31	DME	OB	110.70 MHz	25 nm 46 km	- -	-	433 ft 433 m
22	LOC-ILS	OKR	108.30 MHz	18 nm 33 km	223.84 218.69	-	436 ft 436 m
31	LOC-ILS	OB	110.70 MHz	18 nm 33 km	314.01 308.86	-	436 ft 436 m
22	GS	OKR	108.30 MHz	10 nm 19 km	223.84 218.69	3.00	436 ft 436 m
31	GS	OB	110.70 MHz	10 nm 19 km	314.01 308.86	3.00	436 ft 436 m