

KPWK

Chicago Executive


Z98

OTTAWA EXECUTIVE

2024/05/06 1457Z

KPWK KUBBS Z98

97.08 nm / 179.80 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: yes

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
KPWK	-	42.11410	0 ft	-	Chicago Executive
APT	-	-87.90140	0 m		
KUBBS	-	42.29810	8,800 ft	24	-
FIX	-	-87.40320	2,682 m		
Z98	-	42.81720	0 ft	72	OTTAWA EXECUTIVE
APT	-	-85.92810	0 m		

KPWK

Region: UNITED STATES
Timezone: AMERICA/CHICAGO
Runways: 3

Elevation: 645 ft / 197 m
Location: 42.114100 -87.901400
Magnetic Var: 4.131 W

METAR

KPWK 061352Z 07004KT 10SM CLR 14/07 A3004 RMK A02 SLP174 T01390067 \$

TAF

UNKNOWN

Frequencies

REC - 124.20 MHz - ATIS	COM - 119.90 MHz - CTAF
COM - 122.95 MHz - EXECUTIVE UNICOM	CLD - 124.70 MHz - EXECUTIVE DELIVERY
GND - 121.70 MHz - EXECUTIVE GROUND	TWR - 119.90 MHz - EXECUTIVE TOWER
APP - 120.55 MHz - CHICAGO DEPARTURE	APP - 125.00 MHz - CHICAGO APPROACH

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
16	150 ft	5,006 ft	158.65	ASPHALT	0 ft	535 ft
	46 m	1,526 m	162.78		0 m	163 m
34	150 ft	5,006 ft	338.65	ASPHALT	0 ft	279 ft
	46 m	1,526 m	342.79		0 m	85 m
12	75 ft	4,409 ft	118.05	ASPHALT	299 ft	0 ft
	23 m	1,344 m	122.19		91 m	0 m
30	75 ft	4,409 ft	298.06	ASPHALT	436 ft	0 ft
	23 m	1,344 m	302.20		133 m	0 m
06	45 ft	3,677 ft	63.28	ASPHALT	374 ft	0 ft
	14 m	1,121 m	67.41		114 m	0 m
24	45 ft	3,677 ft	243.29	ASPHALT	1,253 ft	0 ft
	14 m	1,121 m	247.42		382 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
16	LOC-ILS	IPWK	109.75 MHz	18 nm	158.65	-	645 ft
				33 km	162.78		645 m
16	GS	IPWK	109.75 MHz	10 nm	158.65	3.00	645 ft
				19 km	162.78		645 m