

KBFF

WESTERN NEB RGNL WILLIAM B HEILIG FLD


KTIF

Thomas County

2024/05/01 0156Z

KBFF AIA KTIF

136.86 nm / 253.46 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Options:

- Use NATs: yes
- Use PACOTS: yes
- Use low airways: yes
- Use high airways: no

Route

Ident		Via	Lat	Alt	Dist	Name
Type			Lon		(nm)	
KBFF	-	41.87400	0 ft	-	WESTERN NEB RGNL	WILLIAM B HEILIG FLD
APT	-	-103.59600	0 m			
AIA	-	42.05560	13,200 ft	37	ALLIANCE	
VOR	-	-102.80400	4,023 m			
KTIF	-	41.96270	0 ft	99	Thomas County	
APT	-	-100.57000	0 m			

KBFF

Region: UNITED STATES
Timezone: AMERICA/DENVER
Runways: 2

Elevation: 3,967 ft / 1,209 m
Location: 41.874000 -103.596000
Magnetic Var: 6.951 E

METAR

KBFF 010053Z AUTO 31015G26KT 10SM CLR 16/M06 A2985 RMK AO2 PK WND 30028/0009 SLP088 T01611061

TAF

TAF KBFF 302320Z 0100/0124 27020G30KT P6SM FEW250 FM010200 35010KT P6SM FEW250 FM010400 VRB06KT P6SM SCT250 FM011

Frequencies

REC - 121.02 MHz - ASOS

COM - 123.00 MHz - CTAF/UNICOM

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
12	151 ft	8,301 ft	135.69	ASPHALT	0 ft	0 ft
	46 m	2,530 m	128.74		0 m	0 m
30	151 ft	8,301 ft	315.71	ASPHALT	0 ft	0 ft
	46 m	2,530 m	308.76		0 m	0 m
05	151 ft	7,993 ft	68.01	ASPHALT	0 ft	0 ft
	46 m	2,436 m	61.06		0 m	0 m
23	151 ft	7,993 ft	248.03	ASPHALT	0 ft	0 ft
	46 m	2,436 m	241.07		0 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
12	DME	IRMT	109.30 MHz	18 nm	-	-	3,932 ft
				33 km	-		3,932 m
30	DME	IBFF	109.30 MHz	18 nm	-	-	3,961 ft
				33 km	-		3,961 m
30	LOC-ILS	IBFF	109.30 MHz	18 nm	315.68	-	3,932 ft
				33 km	308.73		3,932 m
12	LOC-LOC	IRMT	109.30 MHz	18 nm	135.72	-	3,939 ft
				33 km	128.76		3,939 m
30	GS	IBFF	109.30 MHz	10 nm	316.40	3.00	3,944 ft
				19 km	309.45		3,944 m