

LFPG

Paris Charles De Gaulle


VHHH

Hong Kong Intl

2024/05/11 1757Z

LFPG FAMEN **UZ707** LNO **UJ158** BAM **UM170** OSN **UP605** MALIV **UP862** LIMAK **G59** GR **R30** SU **B210** ANDAT **G713**
OKULA **A575** KD **A573** PG **A575** SOMIN **A573** UNWW **B330** GYA VHHH

5422.95 nm / 10043.30 km



Notes

Basic altitude profile:

- Ascent Rate: 2500ft/min
- Ascent Speed: 250kts
- Cruise Altitude: 35000ft
- Cruise Speed: 420kts
- Descent Rate: 1500ft/min
- Descent Speed: 250kts

Route

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
LFPG	-	49.00974	0 ft	-	Paris Charles De Gaulle
APT	-	2.56262	0 m		
FAMEN	-	49.97500	33,700 ft	97	-
FIX	-	4.56667	10,272 m		
LNO	UZ707	50.58583	35,000 ft	57	OLNO VOR-DME
VOR	AWY-HI	5.71028	10,668 m		
AGENI	UJ158	50.75000	35,000 ft	15	-
FIX	AWY-HI	6.03333	10,668 m		
BAM	UJ158	51.32776	35,000 ft	55	BARMEN VORTAC
VOR	AWY-HI	7.17698	10,668 m		
ABAMI	UM170	51.42500	35,000 ft	7	-
FIX	AWY-HI	7.28056	10,668 m		
DOM	UM170	51.70953	35,000 ft	20	-
VOR	AWY-HI	7.58713	10,668 m		
OSN	UM170	52.20014	35,000 ft	39	OSNABRUCK VOR
VOR	AWY-HI	8.28552	10,668 m		
VALKI	UP605	53.13528	35,000 ft	70	-
FIX	AWY-HI	9.47361	10,668 m		
HAM	UP605	53.68558	35,000 ft	42	HAMBURG VORTAC
VOR	AWY-HI	10.20500	10,668 m		
LUB	UP605	53.94074	35,000 ft	22	LUBECK VOR
VOR	AWY-HI	10.66779	10,668 m		
TOSPA	UP605	54.11389	35,000 ft	15	-
FIX	AWY-HI	10.98361	10,668 m		
AMICH	UP605	54.20555	35,000 ft	8	-
FIX	AWY-HI	11.15361	10,668 m		
MEGAR	UP605	54.46833	35,000 ft	23	-
FIX	AWY-HI	11.64833	10,668 m		
GESKA	UP605	54.61750	35,000 ft	13	-
FIX	AWY-HI	11.93250	10,668 m		
KOSMO	UP605	55.01528	35,000 ft	36	-
FIX	AWY-HI	12.73028	10,668 m		
MOSAT	UP605	55.04194	35,000 ft	2	-
FIX	AWY-HI	12.78806	10,668 m		
MALIV	UP605	55.16272	35,000 ft	11	-
FIX	AWY-HI	13.03686	10,668 m		
EVONA	UP862	57.16500	35,000 ft	259	-
FIX	AWY-HI	19.92472	10,668 m		
LUSIM	UP862	57.68556	35,000 ft	73	-
FIX	AWY-HI	21.98306	10,668 m		
NETNA	UP862	57.87556	35,000 ft	28	-
FIX	AWY-HI	22.78944	10,668 m		
PIVUN	UP862	58.34083	35,000 ft	72	-
FIX	AWY-HI	24.90444	10,668 m		
EKLON	UP862	58.50694	35,000 ft	27	-
FIX	AWY-HI	25.71528	10,668 m		
TOMPA	UP862	58.78861	35,000 ft	48	-
FIX	AWY-HI	27.17194	10,668 m		
LIMAK	UP862	58.84333	35,000 ft	9	-
FIX	AWY-HI	27.47000	10,668 m		
BEKON	G59	58.93306	35,000 ft	27	-
FIX	AWY-HI	28.34778	10,668 m		
OS	G59	59.00000	35,000 ft	24	OSMINO NDB

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
NDB	AWY-HI	29.11667	10,668 m		
NURMA	G59	59.50139	35,000 ft	66	-
FIX	AWY-HI	31.04417	10,668 m		
MALUK	G59	59.58972	35,000 ft	12	-
FIX	AWY-HI	31.40417	10,668 m		
GR	G59	59.81667	35,000 ft	31	GORKA NDB
NDB	AWY-HI	32.35000	10,668 m		
ABEDO	R30	59.96833	35,000 ft	105	-
FIX	AWY-HI	35.83278	10,668 m		
SU	R30	60.02000	29,800 ft	57	BELOZERSK NDB
NDB	AWY-HI	37.75944	9,083 m		
KUBEN	B210	59.95000	35,000 ft	52	-
FIX	AWY-HI	39.49778	10,668 m		
LAPEK	B210	59.90000	35,000 ft	31	-
FIX	AWY-HI	40.54278	10,668 m		
PUNIT	B210	59.83167	35,000 ft	33	-
FIX	AWY-HI	41.65444	10,668 m		
ALUTI	B210	59.72167	35,000 ft	46	-
FIX	AWY-HI	43.16778	10,668 m		
ANDAT	B210	59.51667	35,000 ft	71	-
FIX	AWY-HI	45.49778	10,668 m		
RONEK	G713	59.69333	35,000 ft	117	-
FIX	AWY-HI	49.33333	10,668 m		
KESIK	G713	59.75028	35,000 ft	83	-
FIX	AWY-HI	52.08139	10,668 m		
OKATI	G713	60.06361	35,000 ft	170	-
FIX	AWY-HI	57.71167	10,668 m		
OKULA	G713	60.08861	35,000 ft	22	-
FIX	AWY-HI	58.45833	10,668 m		
SE	A575	59.55833	35,000 ft	70	SEROV NDB
NDB	AWY-HI	60.55861	10,668 m		
NIBUL	A575	59.21833	35,000 ft	67	-
FIX	AWY-HI	62.66333	10,668 m		
RUGAT	A575	59.03833	35,000 ft	34	-
FIX	AWY-HI	63.73833	10,668 m		
ARTUN	A575	58.90500	35,000 ft	24	-
FIX	AWY-HI	64.47667	10,668 m		
IDIGA	A575	58.54333	35,000 ft	62	-
FIX	AWY-HI	66.36667	10,668 m		
NH01	A575	58.14167	35,000 ft	64	-
APT	AWY-HI	68.27667	10,668 m		
UNKIS	A575	57.70056	35,000 ft	95	-
FIX	AWY-HI	71.16556	10,668 m		
ROBLA	A575	56.55333	35,000 ft	214	-
FIX	AWY-HI	77.39667	10,668 m		
KZ01	A575	56.33500	35,000 ft	34	-
APT	AWY-HI	78.36000	10,668 m		
KD	A575	55.28083	35,000 ft	150	NOVOTYRYSHKINO NDB
NDB	AWY-HI	82.40556	10,668 m		
PG	A573	55.07750	35,000 ft	20	ZAYELTSOVSKIY NDB
NDB	AWY-HI	82.89389	10,668 m		
SOMIN	A575	54.28333	35,000 ft	101	-
FIX	AWY-HI	85.46667	10,668 m		
UNWW	A573	53.81000	35,000 ft	57	-
APT	AWY-HI	86.87833	10,668 m		
DILAT	B330	52.46389	35,000 ft	107	-

Ident Type	Via	Lat Lon	Alt	Dist (nm)	Name
FIX	AWY-HI	88.82611	10,668 m		
LIKAR	B330	51.67000	35,000 ft	62	-
FIX	AWY-HI	89.90833	10,668 m		
NIGOR	B330	50.49000	35,000 ft	91	-
FIX	AWY-HI	91.43000	10,668 m		
URGAM	B330	48.57328	35,000 ft	165	-
FIX	AWY-HI	94.49229	10,668 m		
SILUS	B330	46.81056	35,000 ft	152	-
FIX	AWY-HI	97.21056	10,668 m		
TEKOR	B330	45.07668	35,000 ft	135	-
FIX	AWY-HI	99.27552	10,668 m		
MORIT	B330	42.03333	35,000 ft	239	-
FIX	AWY-HI	102.81667	10,668 m		
YBL	B330	39.42833	34,000 ft	156	YABRAI VOR-DME
VOR	AWY-HI	102.77167	10,363 m		
JTA	B330	37.19500	35,000 ft	147	JINGTAI VOR-DME
VOR	AWY-HI	104.08000	10,668 m		
OMBON	B330	33.35667	35,000 ft	230	-
FIX	AWY-HI	104.27167	10,668 m		
DOREX	B330	31.14667	35,000 ft	132	-
FIX	AWY-HI	104.38000	10,668 m		
JTG	B330	30.87167	35,000 ft	16	JINTANG VOR-DME
VOR	AWY-HI	104.39333	10,668 m		
WFX	B330	30.60333	35,000 ft	16	WUFENGXI VOR-DME
VOR	AWY-HI	104.49167	10,668 m		
ZYG	B330	30.11500	35,000 ft	30	ZIYANG VOR-DME
VOR	AWY-HI	104.67667	10,668 m		
XYO	B330	28.17000	35,000 ft	123	XUYONG VOR-DME
VOR	AWY-HI	105.42333	10,668 m		
IDSEG	B330	27.68167	35,000 ft	32	-
FIX	AWY-HI	105.68667	10,668 m		
QNX	B330	27.04167	35,000 ft	42	QIANXI VOR-DME
VOR	AWY-HI	106.03000	10,668 m		
KWE	B330	26.52000	35,000 ft	51	GUIYANG VOR-DME
VOR	AWY-HI	106.79500	10,668 m		
ESNIB	B330	26.23167	35,000 ft	60	-
FIX	AWY-HI	107.88167	10,668 m		
ELKAL	B330	26.09500	35,000 ft	28	-
FIX	AWY-HI	108.39500	10,668 m		
RO	B330	25.76833	35,000 ft	68	SANJIANG NDB
NDB	AWY-HI	109.60667	10,668 m		
MAMSI	B330	25.19500	35,000 ft	47	-
FIX	AWY-HI	110.22000	10,668 m		
QP	B330	24.65667	35,000 ft	44	ERTANG NDB
NDB	AWY-HI	110.79333	10,668 m		
MUBEL	B330	24.20500	35,000 ft	37	-
FIX	AWY-HI	111.27667	10,668 m		
GYA	B330	23.07000	19,500 ft	95	GAOYAO VOR-DME
VOR	AWY-HI	112.48667	5,944 m		
VHHH	-	22.30899	0 ft	91	Hong Kong Intl
APT	-	113.91461	0 m		

LFPG

Region: FRANCE
Timezone: EUROPE/PARIS
Runways: 4

Elevation: 392 ft / 119 m
Location: 49.009700 2.562570
Magnetic Var: 1.496 E

METAR

LFPG 111730Z 09008KT 060V120 CAVOK 25/10 Q1016 NOSIG

TAF

TAF LFPG 111100Z 1112/1218 08010KT CAVOK TX25/1115Z TN11/1204Z BECMG 1210/1212 20015KT SCT025CB TEMPO 1212/1215 2

Frequencies

REC - 128.32 MHz - ATIS	REC - 127.12 MHz - ATIS
TWR - 120.90 MHz - DE GAULLE TOWER	TWR - 125.32 MHz - DE GAULLE TOWER
TWR - 119.62 MHz - DE GAULLE TOWER	TWR - 119.25 MHz - DE GAULLE TOWER
TWR - 118.65 MHz - DE GAULLE TOWER	TWR - 123.60 MHz - DE GAULLE TOWER
TWR - 120.65 MHz - DE GAULLE TOWER	GND - 121.90 MHz - DE GAULLE GROUND
GND - 125.30 MHz - DE GAULLE GROUND	GND - 121.70 MHz - DE GAULLE GROUND
CLD - 121.80 MHz - CLEARANCE DELIVERY	APP - 118.15 MHz - DE GAULLE APPROACH
APP - 119.85 MHz - DE GAULLE APPROACH	APP - 121.15 MHz - DE GAULLE APPROACH
APP - 125.82 MHz - DE GAULLE APPROACH	APP - 126.42 MHz - DE GAULLE APPROACH
DEP - 124.35 MHz - DE GAULLE DEPARTURE	DEP - 126.57 MHz - DE GAULLE DEPARTURE
DEP - 131.20 MHz - DE GAULLE DEPARTURE	DEP - 133.37 MHz - DE GAULLE DEPARTURE

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
08L	148 ft	13,713 ft	85.31	ASPHALT	0 ft	489 ft
	45 m	4,180 m	83.81		0 m	149 m
26R	148 ft	13,713 ft	265.35	ASPHALT	1,877 ft	279 ft
	45 m	4,180 m	263.86		572 m	85 m
09L	197 ft	8,866 ft	85.32	ASPHALT	0 ft	0 ft
	60 m	2,703 m	83.82		0 m	0 m
27R	197 ft	8,866 ft	265.35	ASPHALT	0 ft	0 ft
	60 m	2,703 m	263.85		0 m	0 m
08R	197 ft	8,833 ft	85.33	ASPHALT	0 ft	489 ft
	60 m	2,692 m	83.83		0 m	149 m
26L	197 ft	8,833 ft	265.35	ASPHALT	0 ft	486 ft
	60 m	2,692 m	263.86		0 m	148 m
09R	148 ft	13,746 ft	85.30	ASPHALT	0 ft	0 ft
	45 m	4,190 m	83.80		0 m	0 m
27L	148 ft	13,746 ft	265.34	ASPHALT	1,959 ft	0 ft
	45 m	4,190 m	263.85		597 m	0 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
08R	DME	DSE	108.55 MHz	18 nm	-	-	358 ft
				33 km	-		358 m
09L	DME	PNE	109.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
09R	DME	CGE	110.10 MHz	18 nm	-	-	392 ft
				33 km	-		392 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
26L	DME	DSU	108.35 MHz	18 nm	-	-	338 ft
				33 km	-		338 m
27L	DME	CGW	110.70 MHz	18 nm	-	-	407 ft
				33 km	-		407 m
27R	DME	PNW	110.35 MHz	18 nm	-	-	392 ft
				33 km	-		392 m
08L	LOC-ILS	GLE	108.70 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
08R	LOC-ILS	DSE	108.55 MHz	18 nm	85.34	-	392 ft
				33 km	83.84		392 m
09L	LOC-ILS	PNE	109.35 MHz	18 nm	85.33	-	392 ft
				33 km	83.83		392 m
09R	LOC-ILS	CGE	110.10 MHz	18 nm	85.32	-	392 ft
				33 km	83.82		392 m
26L	LOC-ILS	DSU	108.35 MHz	18 nm	265.34	-	392 ft
				33 km	263.84		392 m
26R	LOC-ILS	GAU	111.95 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
27L	LOC-ILS	CGW	110.70 MHz	18 nm	265.32	-	392 ft
				33 km	263.82		392 m
27R	LOC-ILS	PNW	110.35 MHz	18 nm	265.33	-	392 ft
				33 km	263.83		392 m
08L	GS	GLE	108.70 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
08R	GS	DSE	108.55 MHz	10 nm	85.34	3.00	392 ft
				19 km	83.84		392 m
09L	GS	PNE	109.35 MHz	10 nm	85.33	3.00	392 ft
				19 km	83.83		392 m
09R	GS	CGE	110.10 MHz	10 nm	85.32	3.00	392 ft
				19 km	83.82		392 m
26L	GS	DSU	108.35 MHz	10 nm	265.34	3.00	392 ft
				19 km	263.84		392 m
26R	GS	GAU	111.95 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m
27L	GS	CGW	110.70 MHz	10 nm	265.32	3.00	392 ft
				19 km	263.82		392 m
27R	GS	PNW	110.35 MHz	10 nm	265.33	3.00	392 ft
				19 km	263.83		392 m

VHHH

Region: HONG KONG
Timezone: UNKNOWN
Runways: 2

Elevation: 27 ft / 8 m
Location: 22.308900 113.915000
Magnetic Var: 3.238 W

METAR

VHHH 111730Z 09007KT 9999 FEW010 27/23 Q1012 NOSIG

TAF

TAF VHHH 111400Z 1115/1221 12010KT 9999 FEW015 SCT025 TX31/1206Z TN25/1122Z TEMPO 1120/1124 VRB05KT 4000 SHRA FEW

Frequencies

REC - 128.20 MHz - D-ATIS	REC - 127.05 MHz - D-ATIS
GND - 121.60 MHz - HONG KONG GROUND	GND - 122.55 MHz - HONG KONG GROUND
GND - 121.87 MHz - HONG KONG GROUND	TWR - 118.20 MHz - HONG KONG TOWER
TWR - 118.40 MHz - HONG KONG TOWER	TWR - 118.70 MHz - HONG KONG TOWER
CLD - 124.65 MHz - HONG KONG CLEARANCE DELIVERY	CLD - 129.90 MHz - HONG KONG CLEARANCE DELIVERY
DEP - 122.00 MHz - HONG KONG DEPARTURE	DEP - 123.80 MHz - HONG KONG DEPARTURE
DEP - 124.05 MHz - HONG KONG DEPARTURE	APP - 119.10 MHz - HONG KONG APPROACH
APP - 119.35 MHz - HONG KONG APPROACH	APP - 119.55 MHz - HONG KONG DIRECT

Runways

Ident	Width	Length	Bearing (true) (mag)	Surface	Threshold Offset	Overrun Length
07L	197 ft	12,462 ft	70.77	ASPHALT	554 ft	974 ft
	60 m	3,799 m	74.01		169 m	297 m
25R	197 ft	12,462 ft	250.79	ASPHALT	571 ft	978 ft
	60 m	3,799 m	254.02		174 m	298 m
07R	197 ft	12,463 ft	70.79	ASPHALT	518 ft	886 ft
	60 m	3,799 m	74.03		158 m	270 m
25L	197 ft	12,463 ft	250.80	ASPHALT	0 ft	981 ft
	60 m	3,799 m	254.04		0 m	299 m

Approach Nav aids

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07L	DME	IZSL	111.10 MHz	18 nm	-	-	18 ft
				33 km	-		18 m
07R	DME	ISR	109.30 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25L	DME	IFL	108.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
25R	DME	ITFR	110.90 MHz	18 nm	-	-	19 ft
				33 km	-		19 m
07L	LOC-ILS	IZSL	111.10 MHz	18 nm	70.78	-	27 ft
				33 km	74.02		27 m
07R	LOC-ILS	ISR	109.30 MHz	18 nm	70.79	-	27 ft
				33 km	74.03		27 m
25L	LOC-ILS	IFL	108.90 MHz	18 nm	250.79	-	27 ft
				33 km	254.03		27 m
25R	LOC-ILS	ITFR	110.90 MHz	18 nm	250.78	-	27 ft
				33 km	254.02		27 m
07L	GS	IZSL	111.10 MHz	10 nm	70.78	3.00	27 ft
				19 km	74.02		27 m

Runway	Type	Ident	Frequency	Range	Bearing (true) (mag)	Slope	Elevation
07R	GS	ISR	109.30 MHz	10 nm	70.79	3.00	27 ft
				19 km	74.03		27 m
25L	GS	IFL	108.90 MHz	10 nm	250.79	3.00	27 ft
				19 km	254.03		27 m
25R	GS	ITFR	110.90 MHz	10 nm	250.78	3.00	27 ft
				19 km	254.02		27 m